
dynamx.

OFFICE TABLE CATALOG



Director

Aulenti	{
Nue	24
Noa	28
Essence	32
Homag	36
Max	40
Nexus	44
Senti	48

Aulenti

If we say "architecture revives a city", then office desks should almost determine the office environment. The powerful front contour, and those diamond-like splendid curves are all inspired by the dual edged infinite display of Galaxy S8.

The concise and bright shape of crossed desk legs demonstrate a perfect combination of strength and beauty. Special formaldehyde-free water-based dual varnishing technology helps to create a greener and friendlier office atmosphere.



Innovation, for the Eyes that Perceive Beauty



The cable-stayed design of the framework is the essence of Aulenti's "strength and beauty". It is like the immense whale bone, stable and full of dynamic sense.

It is like the antenna of City of Arts and Sciences in Valencia, perfectly integrating art, technology, beauty and strength.











 Convenient USB Charging
 The panel is equipped with USB charging function. Aulenti cares about you in every detail.

2. For Organized Storage, for Easy Classification.

Wooden meteor gray storage drawer makes it easier to sort out small items.

The Light Belt Designed to Build Up the Atmosphere A stylish light belt is installed inside the cabinet's display area to shed soft lights through acrylic board.



Back Cabinets with Geometric Beauty

The natural wood grain and the matte leather make the cabinet classic and exquisite, and make the whole office trendy and unique.

Cabinets composed of geometric blocks which represent minimalist spirit practice the functions of display and collection to the fullest.

Techniques of grooving and binding the edge and corner overturn the flat opening mode and allow the user to switch the cabinet between storage and display area at will.

Urban Elite

The octagonal desktop looks infinite with the extension of lines. The wood grain texture outlines a sense of mystery and mildness. The smoothly forged desk legs look powerful but never too aggressive. The meeting space is neat, steady and trendy. It is unique and shows professional demeanor.





5 Power Supply Tracks

Application of modern technologies and humanized configuration help redefine efficiency in workplace. 4 leather-upholstered segments in the middle of the 6.8/8.4m-wide desktop is designed with aluminum alloy frame with each short edge equipped with a track for slideable power plugs. Users seating on four sides of the desk can enjoy convenient power use.





Slideable Power Plugs

The power supply track is designed with a narrow slot only accessible for its matching plugs. Users can insert plugs into any spot of the track, thus implementing more safe and convenient power use.

Executive Desk







ED87L/R W2400*D2050*H760(mm)

Cabinet



ED98 W3830*D560*H2130(mm)



ED97 W3200*D560*H2130(mm)



ED96 W2530*D430*H2130(mm)

Meeting Table



ED77 W6600*D2000*H760(mm) W8400*D2000*H760(mm)



ED78 W4800*D1600*H760(mm)



ED78 W3600*D1500*H760(mm) W2800*D1200*H760(mm)

Material



Chair



CAL80SQ W620*D570*H1170(mm)



CAL60SQ W620*D585*H975(mm)



Material

Sofa



SA90.1 W850*D900*H820(mm)



Material



Coarse Cashmere



Accessories











A complete director table set intended for premium status and ultimate comfort in tandem with the seat of authority.

Inspired by a homage to leaders, this piece was created to demonstrate leadership.

The robust table commands attention. This is a director table series with built-in storage. Perfect for a top-level management role.



Product Specification



Main Table & Back Storage WK-NEU-01-PW (L) WK-NEU-01-PW (R) Neu table with Power Track WK-NEU-01-F (L) WK-NEU-01-F (R) Neu table with Flipper Casing

WK-NEU-02 Neu back storage







Features

Sliding Storage

Sliding storage has a black color body on the inside and a woodgrain door with a 45-degree edging.



Private Drawer

With a digital lock and a lightweight drawer that uses a 45-degree edging as a hidden handle, you can safely store your confidential items away.



Power Track

Removable and adjustable premium plug adapters for office work desk. The sleek and modern design adds a touch of sophistication to any modern office with safety measure and high electrical load capability.



Wire Solution Storage

Swing storage with a black color body on the inside and a woodgrain door with a 45-degree tilt. This storage organizes your cables and conceals them.



Flipper Casing

Designed for the best wire management solution to suit your modern day office needs.



Bottom Swing Storage

The inside body is 18mm thick in BLACK, while the door is MASHA WHITE. The door forgoes a handle and features a 45-degree edging at the top that functions as a hidden handle.



Swing Storage

Clothes hanger with a BLACK inner body and a MASHA WHITE door to organize your attires.



Open Shelf

Everything is 18mm thick BLACK, except for the 25mm thick MASHA WHITE shelf, LED lighting can be added to shelf paneling as an option.



Dimension

WK-NEU-01-PW (L) WK-NEU-01-PW (R)

Main Table 2385W x 1700D x 760H MM



Main Table 2385W x 1700D x 760H MM

Back Storage



Power Track WK-PW-01

Power track 400mm + CATé Data Module with 2 plug adapters (international socket outlet)



WK-NEU-02

2400W x 500D x 2090H MM



Material & Colour Option

Melamine Laminated Chipboard



ZAORA





CAPUCCIND

IDRANI







MAHOGANY

Recommended colour combination for chipboard & edging









& BLACK

MODI OAK & BLACK

IDRANI OAK & BLACK



Minimalistic design with spacious storages.

Integrating modern design ideas with classic styling while keeping comfort and functionality in mind. It has a mix of modern and classic vibes to it. The back storage is visible in the same finishes as the desks, and the stone pattern on the door panel adds to its allure.



Product Specification



Main Table & Back Storage

WK-NOA-01-F (L) WK-NOA-01-F (R) NOA table with Flipper Casing

WK-NOA-02 NOA back storage





Features

Open Storage

Each side of the table features open storage in front, on the side, and within the table. It can hold books and magazine collections.



Private Drawer

With a soft-closing drawer, 4-combination numbering lock, and 45degree angle edging as a hidden handle. The private drawer stores important documents and more personal items.



Wire Solution Storage

Top storage with flipper casing. Storage with a swing door to conceal and support the wires and cables.



Swing Storage

The wire and cables are concealed and supported by the middle swing door.



Back Swing Storage

The interior is BLACK. and the door is MODI OAK with a slanting edging as a hidden handle. Closed cabinets hides disorganization and make a room appear visually cleaner and more cohesive.



Height Swing Storage

The interior is BLACK and the door is MODI OAK. It can act as a personal storage which includes an adjustable shelf and a suspended clothes bar for hanging your apparels.



Open Storage

Open storage with a full black colour scheme. Ability to organize hardback file documents and also serve as a display rack for decorative pieces.



Sliding Storage

The contrast of materials makes this design more appealing. The sliding door is coated by the stone patterned NEVILLE FAB.



Dimension

WK-NOA-01-F(L) WK-NOA-01-F (R)

Main Table 2450W x 1550D x 760H MM





Material & Colour Option

Melamine Laminated Chipboard



ZAORA





SHAD ASH









Recommended colour combination for chipboard & edging



& BLACK





& BLACK



& BLACK

ESSENCE

Elegant Style

Desk with elegant and timeless style and sturdy design.

As an executive, you'll need to look and feel your best to inspire more confidence. Inspired by Industrial look - the minimal but solid design with the combination of natural look of wood grain and rectangle black steel leg. Essence can blend well with any office interior.



Product Specification



Main Table & Back Storage

WK-ESC-01-NB3 Essence table with Indesk netbox N3

WK-ESC-01-F Essence lable with Flipper Casing

WK-ESC-02 Essence back storage







Features

Open Storage

The front open storage is great for books, plants, and visitor bags. Shoes and laptop bags should be kept inside the open storage for added security.



Private Drawer

With a hidden handle, the soft-closing drawer is secure with a digital lock. The private drawer is a safe haven for your confidential documents and personal belongings.



Wire Management Storage

The wire management storage with a swing door to conceal and organize wires and cables.



Plug In Station

Tables come with plug in stations on the side table top for easy access.



Swing Door (With Cylinder Lock)

Full body with 18mm door in IDRANI OAK with 1mm edging. Any valuable items and important documents can be stored here and kept safely by the cylindrical lock.



Small Open Storage

Full body 18mm BLACK with 1mm edging with two adjustable shelves. Can hold hardcover file documents and also functions as a display rack for decorations.



Big Open Storage

18mm Idrani oak color with a 1mm edge. Accessories, awards, or decorations can be placed here.



Swing Door (Without Lock)

Full body with 18mm door in INDRANI OAK with 1mm edging, Uses slanting edging as a hidden handle and one adjustable shelf.



Dimension

WK-ESC-01-NB3


Main Table 2500W x 1000D x 760H MM



Main Table 2500W x 1000D x 760H MM

WK-ESC-02 **Back Storage**

2200W x 500D x 1500H MM



Material & Colour Option

Melamine Laminated Chipboard















ZAORA



Recommended colour combination for chipboard & edging

& BLACK







MASHA WHITE & BLACK

34 35

HOMAG

Modish

Desk with stylish and contemporary style and sturdy design.

Designed for higher ranking officers that require style and comfort for more confident and elegant office furniture.



Product Specification



Main Table

WK-HOMAG-01 HOMAG table



Features

Modesty Panel

Full cover modesty panel provide users with privacy by shielding their legs.



Intensified Security
Comes with numbering
security lock. Offers more
security than a file cabinet
or dresser drawer.



Wire Management Storage

The wire management storage helps conceal and organize wires and cables.



Dimension

WK-HOMAG-01

Main Table 2220W x 2100D x 760H MM



Material & Colour Option

Melamine Laminated Chipboard







Blend of modern with traditional elements.

The main table and cabinet has a square shape look with elegant lines. The double colour matching involves Rochelle White and Zean Teak with Solid White to merge modern design ideas into classic styling while maintaining comfort and functionality.



Product Specification



Main Table & Back Storage

WK-MAX-01 Max table

WK-M-W-210 WK-M-H-210 WK-M-O-210 Max high cabinet

WK-M-H3D Max high mobile 3 drawer







Features

Wire Management Storage

The wire management storage with a swing door to conceal and organize wires and cables.



Leg Base Desks come with adjustable stopper.



Extra Storage

Comes with optional drawer for more storage.



Flipper Casing

Designed for the best wire management solution to suit your modern day office needs.



Dimension

WK-MAX-01

Main Table 2000W x 2000D x 760H MM



WK-M-W-210

High Cabinet 800W x 450D x 2100H MM



WK-M-H-210

High Cabinet 800W x 450D x 2100H MM



WK-M-O-210

High Cabinet 800W x 450D x 2100H MM



WK-M-H3D

High Mobile 3 Drawer 425W x 490D x 650H MM



Material & Colour Option

Melamine Laminated Chipboard













NEXUS

Pleasant

3 in 1 director table with combination of fixed pedestal and extension cabinet.

This modern yet luxury design is to match a contemporary pattern to cater the lifestyle of energetic modern bosses. NEXUS is special with single sliding door filing storage concept, with 2mm thk external aluminium railing for smooth door opening and hassle free.



Product Specification



Main Table & Back Storage

WK-NEX-01 Nexus table

WK-NEX-05 Nexus back storage





Features

Large Workspace 3 in 1 combination with fixed pedestal & extension cabinet.



Cabinet Detailing
Melamine laminated
sliding door enhance with
aluminium lining.



Sliding Door
Single sliding door with
2mm thk external
aluminium railing for
smooth and hassle free


door opening.



Dimension

WK-NEX-01

Main Table 2600W x 2100D x 760H MM.



WK-NEX-05

Back Storage 1800W x 450D x 2000H MM



Material & Colour Option

Melamine Laminated Chipboard





SENTI

Cubical Volume

Combines with classical elements with cubical aesthetics.

Executive office SENTI provides different storage solutions such as open file drawers, shelves, sliding door cabinet and an external mobile pedestal to suit your needs.



Product Specification



Main Table & Back Storage WK-SENTI-01 Senti table WK-SENTI-04 Senti back storage WK-SENTI-03 Senti high mobile 3 drawer







Features

Open Storage Features with book shelves storage at table front



Leg Base Metal base with adjustable drawer



Flipper Casing

Designed for the best wire management solution to suit your modern day office needs.



Locking System

Aluminium locking system.



Dimension

WK-SENTI-01

Main Table 2000W x 1800D x 760H MM



WK-SENTI-04

Back Storage 2000W x 520D x 2100H MM



WK-SENTI-03

High Mobile 3 Drawer 425W x 490D x 670H MM



Material & Colour Option

Melamine Laminated Chipboard





Workstation

Spider	54
/erta	62
Next	70
-lex	78
āz	84
Beam	88
_ipa	94

Spider

Spider is a comprehensive o.ce set with executive desks, conference tables, and occasional tables included. The encounter of multiple materials-metal and wood breaks the monotony of traditional desks and endows your real estate with an extraordinary charm. A journey of vogue is unwinding in front of





Single Table



Single Table







Single Link Table



Double Table



Double Table





Double Link Table



Executive Table



Executive Table





Discussion Table



MM DOOD MM

Norkstation Series

Meeting Table



Meeting Table





60

Meeting Link Table



Features

Single Front Panel Range

The single front panel range gives an added privacy but not totally cut off from the outside world, it balances privacy and communications.

Clamp Netbox

spaces.

The modular design allows

for any service configuration, making it an ideal solution for workstations, meeting and conference tables, collaborative and public



Modesty Range

When your lower body is covered, you have an added sense of security, allowing you to focus on the task at hand.



-

Avoid bending down all the time to plug in your wires when you have a in-desk netbox for your electronics.

In-Desk Netbox



Wireless Charger

Wireless charging eliminates the need for phone cables, allowing for a cable-free workspace in the future.



Wire Casing

The casing hides your wires to conceal the plugs and make it appear more sorted.



Wire Terminal

Connecting all wires into one terminal not only gives it a systematic feel, also makes the workspace clutter-free.



Verta

The conference in Verta series is designed with concise appearances which endow the office space with an easy and relaxed atmosphere. We can implement co-working even in a small space. Here, employees are more willingly to have discussions and active learning in such an environment. Modular units implement free combinations for co-working even in small office spaces.





Single Table



Single Table




Single Link Table 2400 - 3600W MM 1200 - 1800W MM 1200 - 1800W

Double Table



Double Table





Double Link Table



L-Shape Table




L-Shape Table





Discussion Table




9000 MM

Meeting Table



Meeting Table





Meeting Link Table





Features

Single Front Panel Range

The single front panel range gives an added privacy but not totally cut off from the outside world, it balances privacy and communications.

Clamp Netbox

spaces.

The modular design allows

for any service configuration,

making it an ideal solution

for workstations, meeting

and conference tables, collaborative and public



Modesty Range

When your lower body is coverec, you have an added sense of security, allowing you to focus on the task at hand.



In-Desk Netbox

Avoid bending down all the time to plug in your wires when you have a in-desk netbox for your electronics.



Wireless Charger

Wireless charging eliminates the need for phone cables, allowing for a cable-free workspace in the future.



Wire Casing

The casing hides your wires to conceal the plugs and make it appear more sorted.



Wire Terminal

Connecting all wires into one terminal not only gives it a systematic feel, also makes the workspace clutter-free.



Next

Our workplace is a place where we come together, collaborate, and create. To introduce a versatile table that can be adjusted to accommodate a variety of situations. Individual focus and team collaboration are facilitated by enabling a dynamic way of working.



Single Table



Single Table



Double Table



Double Table





Single Link Table





Double Link Table



L-Shape Table



L-Shape Table



V-Shape Table



V-Shape Table



Executive Table



Executive Table



Discussion Table



Discussion Table



Meeting Table



NEXT Meeting Table Range



Bar Table



NEXT Bar Table Range



Features

Single Front Panel Range

The single front panel range gives an added privacy but not totally cut off from the outside world, it balances privacy and communications.



Modesty Range

When your lower body is covered, you have an added sense of security, allowing you to focus on the task at hand.



Clamp Netbox

The modular design allows for any service configuration, making it an ideal solution for workstations, meeting and conference tables, collaborative and public spaces.



In-Desk Netbox

Avoid bending down all the time to plug in your wires when you have a in-desk netbox for your electronics.



Wireless Charger

Wireless charging eliminates the need for phone cables, allowing for a cable-free workspace in the future.



Trunking Plate

The Trunking Plate protects and conceals your cables, preventing workplace hazards and providing a more organised appearance.



Wire Terminal

Connecting all wires into one terminal not only gives it a systematic feel, also makes the workspace clutter-free.



Wire Casing

The casing hides your wires to conceal the plugs and make it appear more sorted.



Flex

Flex Series is a reliable health guardian, reminding you to alternate sitting and standing and to cultivate a healthy work habit. Involvement, energy and participation are enhanced when you change your body position frequently.



Norkstation Series

Single Table



FLEX Single Desk Range

The Single Table provides sufficient space for an individual to keep all of their essentials in one location while also encouraging healthy work habits.

Selection



Digital Motor Hand Crank

Double Bench Table



FLEX Double Bench Range

A double bench desk is an excellent solution for offices with limited space because it creates a more attractive and organized area while also encouraging teamwork due to coworkers' proximity.

Selection



Digital Motor

Hand Crank

L-Shape Table



FLEX L-Shape Range

The L-shape desk provides more workspace while taking up less space. Unlike traditional tables, the innovative design enables its surfaces to be reachable.

Selection





Digital Motor Hand Crank

Features

Single Front Panel Range

Lightweight and vibrant to create sufficient separation around the workplace for some much-needed space and self-privacy.

Organizing your cables in a

single location may help

foster a sense of harmony in

your workspace, whereas a

disorganized one may increase stress or anxiety.

Clamp Netbox



Modesty Range

Protecting your privacy at work is critical for maintaining complete focus on your tasks and, more importantly, for increasing productivity.



In-Desk Netbox

Avoid bending down all the time to plug in your wires when you have a in-desk netbox for your electronics.



Wireless Charger

Wireless charging eliminates the need for phone cables, allowing for a cable-free workspace in the future.



Trunking Plate

The Trunking Plate protects and conceals your cables, preventing workplace hazards and providing a more organised appearance.



Cable Tray

Concealing your netbox within the table with the cable tray can help you stay organized in the workplace by avoiding wire clutter,



Wire Casing

By organizing and concealing cables from the outside world, the Wire Casing protects your workplace from hazards.



Taz

Understanding the need of budget offices, the highly practical systems furniture provides limitless configurations to accommodate any office space. Taz, it's easier to get things done when you have a desk that works for you.





Model

Straight Main Table 1200W - 1800W x 740D x 760H MM Curve Main Table 1800W x 900D x 760H MM L-Shape Table 1500W/600D x 1500W/600D x 760H MM







Beam

BEAM Series, Influenced and inspired by the untethered, modern worker who seeks flexibility and convenience. To adapt to new ways of leisure and work, Beam table transitions the workplace from one that's fixed and formal to a space that suits a variety of preferences and working habits.

Beam provides a space to collaborate, gather, dine and spread out. Accommodate small meetings and one-on-one interactions to large gatherings and collaboration sessions.



Single Table



Single Table



Double Bench Table



Double Table



L-Shape Table



L-Shape Table



Bar Table



Bar Table



Bar Double Table



Lipa

In work, one email, one call and even one meeting can lead to a connection.

The ratio of success depends on the conections you make with the world. More connections bring higher ratio of success.

Lipa, Create More Connections for Sucess.





Executive Space

Creators, Lead the Future

Never deliberately emphasize the status, always stay gentle and humble.

Always keep clear thinking, and link to a wider world.

Lipa, Minimalistic Style, Infinite Imagination, Marvelous Construction, Unworldly Taste.









Within Reach, Handy Use

The multi-function side cabinet has two versions. Reasonable inner space partitioning gives its drawers sufficient storage room.

Innovative hancle design perfectly fit the point of finger strength so you can open and dose the cabinet at ease.

Flip box, frosted with metal, delicate and elegant. Fitted with multi-outlet panel, it meets the power demand of different systems.

Working Space

Dynamic Space
Better Coordinating Experience
Lipa, A Style of its Own
Teamwork with flexible interaction
Connecting fun and creative ideas freely.





"Bespoke" , Optimization of Space

Focus on teamwork, I-shaped with cabinets, modular design, proper strorage space of office and personal belongings. "1+1" assembly and array extends infinitely in space, a great improvement of space.







Diversified Combination, Young Generation Style

L-shaped desk top orderly assembled using the 90°right angle. 2-person team can be formed with a turnaround, making communication more convenient.

A glass screen is fitted in to meet the demand for open and private space at the same time, bringing unprecedented experience to highlight energy and vigor.







Dare to Change, True to Oneself

120° workstation, a breakthrough of the conventional office mode. The whole workspace can be broken into three-person or six-person collaboration workspace, a big increase of work









Combination of Functions and Intelligence

Shared central cabinet, linking to multi-scenarios of modern office, and realization of proper storage of files and documents with privacy consideration: an independent workstation of your own.



Wireless Connection, Cleaner Office

The in-cabinet cable routing safely hides cables. The meticulous attention to details keeps the whole office environment more compact and clean.





Temporary Communication

Small negotiation table. The mellow shape is consistent with the style of the whole series, meeting demand of small reception or temporary workout.





Ample Room, Efficient Meeting

Formal meeting system. The minimalistic desk top and outward legs bring bigger legroom. Even a big meeting of 8-12 people won't find it cramped.

Discussion

Konnect	
Spider	118
	120
	130

Konnect

Discussion tables are where ideas come to life and projects are developed. For a result that mixes together harmony, composure, reliability, and sophistication, the KONNECT series is meant for people to do its namesake: to connect.



K1



K1 Type

The symmetrical pattern and a blend of materials bring a simple product that excets. Elegant, sedate, and peaceful dramatic profile.



K2 K3



K2 Type

With the dynamism of appropriate support. Capture modernism injected, K2 is creative ideas in this beautiful, and beautifully made. Casual yet aristic lines of steel leg bring the tabletop





К3 Туре

An admirable public space should enable multiple schivities like meeting guests, savoring coffee. Available in a round base, K3 can present totally different feelings and harmonize with various surroundings.



Spider

Spider is a comprehensive o.ce set with executive desks, conference tables, and occasional tables included. The encounter of multiple materials-metal and wood breaks the monotony of traditional desks and endows your real estate with an extraordinary charm. A journey of vogue is unwinding in front of



Discussion Table



Double Link Table



Features

Single Front Panel Range

The single front panel range gives an added privacy but not totally cut off from the outside world, it balances privacy and communications.



Modesty Range

When your lower body is covered, you have an added sense of security, allowing you to focus on the task at hand.



Clamp Netbox

The modular design allows for any service configuration, making it an ideal solution for workstations, meeting and conference tables, collaborative and public spaces.



In-Desk Netbox

Avoid bending down all the time to plug in your wires when you have a in-desk netbox for your electronics.



Wireless Charger

Wireless charging eliminates the need for phone cables, allowing for a cable-free workspace in the future.



Wire Casing

The casing hides your wires to conceal the plugs and make it appear more sorted.



Wire Terminal

Connecting all wires into one terminal not only gives it a systematic feel, also makes the workspace clutter-free.



Next

Our workplace is a place where we come together, collaborate, and create. To introduce a versatile table that can be adjusted to accommodate a variety of situations. Individual focus and team collaboration are facilitated by enabling a dynamic way of working.



Discussion Table



NEXT Discussion Table Range



Features

Single Front Panel Range

The single front panel range gives an added privacy but not totally cut off from the outside world, it balances privacy and communications.



Modesty Range

When your lower body is covered, you have an added sense of security, allowing you to focus on the task at hand.



Clamp Netbox

The modular design allows for any service configuration, making it an ideal solution for workstations, meeting and conference tables, collaborative and public spaces.



In-Desk Netbox

Avoid bending down all the time to plug in your wires when you have a in-desk netbox for your electronics.



Wireless Charger

Wireless charging eliminates the need for phone cables, allowing for a cable-free workspace in the future.



Trunking Plate

The Trunking Plate protects and conceals your cables, preventing workplace hazards and providing a more organised appearance.



Wire Terminal

Connecting all wires into one terminal not only gives it a systematic feel, also makes the workspace clutter-free.



Wire Casing


The casing hides your wires to conceal the plugs and make it appear more sorted.



Verta


The conference in Verta series is designed with concise appearances which endow the office space with an easy and relaxed atmosphere. We can implement co-working even in a small space. Here, employees are more willingly to have discussions and active learning in such an environment. Modular units implement free combinations for co-working even in small office spaces.





128

Discussion Table



Features

Single Front Panel Range

The single front panel range gives an added privacy but not totally cut off from the outside world, it balances privacy and communications.



Modesty Range

When your lower body is coverec, you have an added sense of security, allowing you to focus on the task at hand.



Clamp Netbox

The modular design allows for any service configuration, making it an ideal solution for workstations, meeting and conference tables, collaborative and public spaces.



In-Desk Netbox

Avoid bending down all the time to plug in your wires when you have a in-desk netbox for your electronics.



Wireless Charger

Wireless charging eliminates the need for phone cables, allowing for a cable-free workspace in the future.



Wire Casing

The casing hides your wires to conceal the plugs and make it appear more sorted.



Wire Terminal

Connecting all wires into one terminal not only gives it a systematic feel, also makes the workspace clutter-free.



Jason

FAS-level white oak from North America painted with food-grade wax oil finishing, Natural texture and colors are exposed with 45-degree beveled edges, creating a perfect combination of beauty and superior touch.







Say no to tedious office filled with cubicles. A modern office should be flexible enough and efficient spatially. For individual working, for meeting, for lunch, for reading... This is a space that has blurred the boundary of office and home.



The environment-friendly felt desk-mounted screen will create a new world for you. No matter for office working or communication, this space is all yours.













It is processed with patented edge-banding technology with wood grain that is as real as the work of Mother Nature. The four corners are meticulously rounded to provide better support for your arms. Connected with mortise and tenon joint technique, it is a work of craftsmanship.







Nights are long in winter across the Arctic Pole. Finnish people always like to drink a little with several close friends in a time like this. See, who's proposing a toast and starts to sing tipsily yet happily? And who's lighting the camplire and begins another party? The dancing flame illuminates the lake, and lights up the dark winter.



EW80 W2000*D950*H760(mm)



EW78 W2400*D1200*H760(mm)



EW77 W2400*D1200*H1050(mm)



Material

EW71 W1200*D400*H1050(mm)



EW72 W1600*D600*H1850(mm)



EW77 φ1100*H1050(mm)



EW90 W2002*D560*H1500(mm)



EW25 W1002*D560*H610(mm)



EW26 W373*D440*H540(mm)



EW91 W1200*D400*H1200(mm)



S)61 W610*D540*H760(mm)



5]60.1 W770*D690*H770(mm)



5j60.1 W1500°D710*H770(mm)



EFJ39 W356*D300*H41(mm)



EFJ40 W470°D300°H41(mm)



EF)43 W1175°D350°H8(mm)



EFJ41 W65*D6S*H65(mm)



EF)42 W65*D65*H65(mm)

Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.

Main Color

W-25B

Sofa

SM Series

HOUNDSTOOTH

SM-ML218 SM-ML218 SM-ML218 SM-ML808 SM-ML508 SM-ML508 SM-ML508 SM-ML218 SM-QH298

TM Series

TM-V1908 TM-V1828 TM-V1818 TM-V1648 TM-V1508 TM-V1218 TM-V1118 TM-V1108 TM-V1428 TM-V1308 TM-V1298 TM-V1278

S-SO Series

5-5021 5-5024 5-5082 5-5083 5-5032 5-5035 5-5038 5-5057 5-5018

EW77/EW90/EW25/EW26/EW91/EFJ43

Meeting

Teff	114
Mandic	118
Atro	122

Spider

When employees get, far-reaching viewpoints, clear thinking, an open mind, and a high degree of flexibility are all aspects they pay attention to. Teff takes these demands into consideration and aims to indulge you with the most satisfying training experience.





Features

Easy Storing
Easy storing specification to save space.



Modesty Panel
When your lower body
is covered, you have an
added sense of security,
allowing you to focus on
the task at hand.



Model

SFT TABLE WK-TF-15-W-M(S) 1500W x 600D x 750H MM




6FT TABLE WK-TF-18-W-M(S) 1800W x 600D x 750H MM




Mandic

Efficiency always takes the first priority when it comes to staff training. Mandic collects desks, cabinets, and white boards for efficient learning. The feet design takes inspiration from elegant ballet dancers and the chair is easy to move with omni-directional castors. Mandic tables can be easily folded and stacked, saving more room for different training lessons.







Two tables piecing together for cooperative training



Linear arrangement for professional training



U-shaped arrangement for core training



Arc-shaped arrangement for massive training

For Sitting Still and for Moving Around, Its Arc Shape triggers Your Learning Enthusiasm

The castor can be lockedforing you your own learning space in a crowded conference.



154

The innovative cesign of the foldable desktop with a switch in the middle edge allows you to turn it by 90 using only one hand. The modesty panel moves with the desktop to maintain its all-time beauty. Mandic could be stacked tightly in straight lines to save more space.





DM61 W1200*D550*H750(mm) W1400*D550*H750(mm) W1500*D550*H750(mm) W1600*D550*H750(mm)



DM62 W1200*D550*H750(mm) W1400*D550*H750(mm) W1500*D550*H750(mm) W1600*D550*H750(mm)



DM43 W901*D418*H946(mm)



DM33 W1641*D580*H1855(mm)



DM32 W1641*D580*H1855(mm)



DM34 W1554*D318*H280(mm)

Main Colors







Product specification changes are subject to the real product. No further notice prior to changes.

Atro

Designed in a classic shape, Atro meeting table follows a traditional harmonious philosophy and looks simpl yet sleek. It forgoes all unnecessary fancy elements and stesses its role as a platform for group dicussions. With ample clearance provided for your legs, you can have a comfortable feeling throughout the whole meeting.





Model



Colours







Modesty

anv

Partition

Tech	194
-System	198
icreen	238

I-Tech

Creativity and passion will always be shackled by the rigid office setting exuding an infinite dullness. Fixed Office System of I-tech can be matched and mixed into different combinations: linear, X-shaped, H-shaped, L-shaped, S-shaped, Y-shaped...variable office setting will always intrigue people's working passion.







Many people nowadays are in sub-health status as a result of long sitting, and working efficiency is thus severely degraded. The height-adjustable system is for sit-to-stand working mode, it could be controlled by smart phones, and workstation reservation is also available on it. Keep up with the 5G era with 1-tech system for digital and highly efficient working.



Workstation Reservation for Co-working Space

I-TECH

Smart Height-adjustable Office System



Manual Control and App Control



An alarm will be triggered to remind you of changing your posture.



Sitting/standing time and calorie consumption data will be recorded for health analysis.



When the height-adjusting system goes wrong, an error code will be displayed on the screen to specifically indicate its problem.

It has a fallback function, with which the desktop will automatically fall back whenever it detects an obstacle during its height-adjusting process.

S-System

The S-System is a flexible design and interactive concept. Professional yet open, people can feel much freer in a democratic space and engage with one another for a more commune working experience.



Link

2 Seater Concept 1

PT-FFCT-135x80 FULL FABRIC W/O TRUNKING 1350H/800W mm

2 nos

PT-FFOT-120x150 FULL FABRIC W/O TRUNKING 1200H/1500W mm

2 nos

PT-HGCT-120x75 HALF GLASS CENTRE TRUNKING 1200H/750W mm

4 nos

PT-CP120 CORNER POST 1200H mm 2 nos PT-JP135 JOINT POST 1350H mm 3 nos PT-JP120 JOINT POST 1200H mm 2 nos

WK-HB-80

PT-EP120 END POST 1200H mm 2 nos PT-CUS-EP END POST 150H mm 2 nos

HANGING BOOKSHELF 785W x 320D x 240H mm

2 nos

WK-MLS15

MCAB SINGLE SEATER TABLE C/W GROMMET

1500W/600D x 1500W/600D x 760H mm

760H mn

WK-M-3D

2 nos

MCAB 3 DRAWER MOBILE 425W x 490D x 540H mm WK-M-16M-8D MCAB 1600W COMBI STORAGE 1600W x 450D x 760H mm

....

1 nos



Feature




Hanging Bookshelf
15kg- the minimum loadit can support.

2 Seater Workstation



Power Source 15kg- the mininum loadit can support.

Technical Specification



2 Seater

Concept 2

PT-FFOT-135x90 FULL FABRIC W/O TRUNKING 1350H x900W mm

PT-FGOT-120X90

PT-FFOT-135x45

1350H x 450W mm

HALF GLASS C/W CENTRE TRUNKING 1200H x750W mm

PT-HGCT-120x75

2 nos

PT-TP120

TEE POST

1200H mm

1 no

4 nos

FULL GLASS W/O TRUNKING 1200H x 900W mm

FULL FABRIC W/O TRUNKING

2 nos

PT-JP120

JOIN POST 1200H mm 1 nos

WK-CCW-150x60

PT-CUS-EP END POST CURVE CORNER WORKTOP 150H mm 1500W/600D x 1500W/600D x

25THK mm 2 nos

WK-ML-130-D2 SLIDING HALF HEIGHT CABINET 900W x 450D x 1300H mm

2 nos

RD-02 (R) TABLE LEG

RD-02 (L)

2 nos

PT-HGCT-120x150 HALF GLASS C/W CENTRE TRUNKING

1200H x 1500W mm 2 nos

PT-CP135

1350H mm

PT-EP120

END POST

1200H mm

WK-ML-M3D

MOBILE 3 DRAWER

425W x 490D x 540H mm

4 nos

2 nos

CORNER POST

TABLE LEG 2 nos

PT-BK-02-F PT-BK-02-F LEFT BRACKET (BIG) RIGHT BRACKET (BIG)

2 Seater Workstation



Concept 2


Feature



Power Source

Glass Panel 15kg- the minimum loadit can

Technical Specification



4 Seater Workstation



Concept 1

Feature




Hanging Bookshelf 15kg- the minimum loadit car support.



Power Source 15kg- the minimum loadit can support.

Technical Specification



4 Seater Concept 1

PT-FFDT-135x75 FULL FABRIC C/W DOUBLE TRUNKING

1350H x 750W mm 2 nos

PT-HGDT-135x45
HALF GLASS C/W DOUBLE
TRUNKING
1350H x 450W mm

2 nos

PT-CP135 CORNER POST 1350H mm 2 nos

PT-EP105 END POST

1050H mm 1 no

WK-HB75
HANGING BOOKSHELF

735W x 320D x 240H mm

2 nos

WK-M-16S-BEF MCAB 1600W COMBI 1600W x 450D x 650H mm

35x75 PT-FFOT-105x150

FULL FABRIC W/O TRUNKING 1050H x 1500W mm

1 no

PT-HGOT-120x150 HALF GLASS W/O TRUNKING 1200H x 1500W mm

2 nos

PT-JP135 JOINT POST 1350H mm 5 nos

PT-CUS-EP END POST

300H mm 1 no

WK-M-15(P)
MCAB STANDARD DESK WITH
ALUMINIUM PROFILE

1500W x 740D x 760H mm

2 nos

WK-M-3D MCAB 3 DRAWER MOBILE 425W x 490D x 540H mm PT-HGDT-135x75

O TRUNKING HALF GLASS C/W DOUBLE TRUNKING

1350H x 750W mm 2 nos

PT-TP135 TEE POST

1350H mm 1 no

PT-EP120 END POST 1200H mm 2 nos

PT-CUS-EP END POST 150H mm

2 nos

WK-M-LS15 MCAB SINGLE SEATER TABLE C/W GROMMET

1500W/600D x 1500W/600D x 760H mm 2 nos

artition Series

1350H x 1500W mm

4 nos

PT-TP135

TEE POST

1350H mm

PT-JP165

JOINT POST

1650H mm

2 nos

1 no

PT-FFCT-165x75 FULL FABRIC C/W CENTER TRUNKING

1650H x 750W mm

PT-HGCT-135x75 HALF GLASS C/W CENTER TRUNKING

1350H x 750W mm 1 no

PT-SP135 SQUARE POST

1 no

PT-EP135

END POST 1350H mm 4 nos

WK-HB75

HANGING BOOKSHELF 735W x 355D x 445H mm

4 nos

2 nos

WK-ML-76-D2 SLIDING DOOR CABINET 750W x 450D x 760H mm

PT-BK-01-F LEFT BRACKET (BIG)

PT-BK-02-F

PT-BK-04-F RIGHT BRACKET (SMALL)

4 Seater Concept 2

PT-HGCT-135x150 HALF GLASS C/W CENTER

4 nos

1350H mm

PT-EP165 END POST

1650H mm 2 nos

WK-CCW150x60

CURVE CORNER WORKTOP 1500W/600D x 1500W/600D x 25THK mm

RD-02(L) TABLE LEG

RD-02(R) TABLE LEG 3 nos

RIGHT BRACKET (BIG)

PT-BK-03-F LEFT BRACKET (SMALL)

PT-HGCT-135x60

1350H x 600W mm

2 nos

1 no

PT-TP165

TEE POST

1650H mm

PT-JP135

JOINT POST

1350H mm 1 no

PT-CUS-EP

END POST

300H mm

WK-ML-M3D

MOBILE 3 DRAWER

425W x 490D x 540H mm

1 no

4 nos

HALF GLASS C/W CENTER

Concept 2

Feature




Hanging Bookshelf 15kg- the mininum loadit can



Power Source 15kg- the minimum loadit can

Technical Specification

4 Seater Workstation



Administrator Concept 1

PT-HGCT-120x75 HALF GLASS C/W CENTER TRUNKING

1200H x 750W mm 11 nos

PT-EP120 END POST 1200H mm

3 nos

PT-JP180 JOINT POST 1800H mm

PT-FFCT-180x75 FULL FABRIC C/W CENTER

TRUNKING 1800H x 750W mm 2 nos

PT-CUS-EP END POST

> 2 nos PT-TP120 TEE POST 1200H mm

> > 1 no

600H mm

PT-CP120 CORNER POST 1200H mm 2 nos

PT-FFCT-180x80

1800H x 800W mm

1 no

PT-JP120

JOINT POST

1200H mm

WK-HB75 HANGING BOOKSHELF WITH SOFT CLOSING

2 nos

WK-M-8M-A

735W x 355D x 445H mm

5 nos

FULL FABRIC C/W CENTER TRUNKING

WK-HC75(SF)

HANGING CABINET-FLIP DOOR TYPE WITH SOFT CLOSING

735W x 355D x 445H mm 2 nos

2 nos

WK-M-LS15 MCAB SINGLE SEATER TABLE

1500W/600D x 1500W x 600D mm 2 nos

WK-M-3D MCAB DRAWER MOBILE 480W x 450D x 650H mm

WK-HC80(SF) HANGING CABINET-FLIP DOOR TYPE WITH SOFT CLOSING

785W x 355D x 445H mm 1 no

WK-DIC-01-S

MCAB SQUARE DISCUSSION

900W x 900D x 760D mm

MCAB SWING STORAGE 800W x 450D x 760H mm

Link

Administrator Workstation

Concept 1

Feature




Hanging Bookshelf 15kg- the mininum loadit can

Power Source

Technical Specification

208



Administrator Concept 2

PT-HGCT-120x80 HALF GLASS C/W CENTER

1200H x 800W mm

9 nos

PT-FGOT-120x80 FULL GLASS WITHOUT

1200H x 800W mm

1 no

PT-CUS-EP END POST 600H mm 3 nos

END POST 1800H mm 1 no

PT-TP120 TEE POST 1200H mm

WK-HC80(SF)

HANGING CABINET-FLIP DOOR TYPE WITH SOFT CLOSING

1 no

1800W x 740D x 760H mm

3 nos

PT-EP180

WK-HB80 HANGING BOOKSHELF

785W x 355D x 445H mm

WK-M-18 (F)

MCAB STANDARD DESK WITH FLIPPER CASING

WK-M-SD

MCAB DRAWER MOBILE 480W x 450D x 650H mm

2 nos

PT-FFCT-180x80

FULL FABRIC C/W CENTER HALF GLASS C/W CENTER

PT-HGCT-180x80

1800H x 800W mm 2 nos

1200H mm

PT-JP120

IOINT POST

1200H mm

PT-CP180

1800H mm

2 nos

CORNER POST

7 nos

2 nos

1800H x 800W mm 6 nos

PT-FGOT-180x80 PT-EP120 FULL GLASS WITHOUT TRUNKING END POST

1800H x 800W mm

PT-CP120 CORNER POST 1200H mm 2 nos

WK-M15-2S (P)

785W x 355D x 445H mm

PT-M-PAR15 (P) A25 PARTITION 1350H x 300H mm

1 no

WK-M-16S-AD MCAB 1600W COMBI STORAGE SLIDING + HALF SWING 1600W x 450D x 760H mm

MCAB 2 SEATER WITH

ALUMINIUM PROFILE

1500W x 1480D x 760H mm

Concept 2

Feature




Hanging Bookshelf 15kg- the mininum loadit can

Administrator Workstation

Power Source 15kg- the minimum loadit can

Technical Specification



Link

Executive

Concept 1

PT-FFDT-180x45 FULL FABRIC C/W DOUBLE TRUNKING

1800H x 450W mm

1 no

PT-HGDT-180x90

HALF GLASS C/W DOUBLE TRUNKING

1800H x 900W mm

1 no

PT-FGOT-135x45

FULL GLASS W/O TRUNKING 1350H x 450W mm

1 no

PT-CP135 CORNER POST 1350H mm

PT-EP135

WK-HC90(SF)

2 nos

1 no

WK-M-H3D

MOBILE

1 no

TYPE WITH SOFT CLOSING

MCAB EXECUTIVE TABLE WITH LARGE FLIPER CASING

1800W x 450D x 760H mm

MCAB 3 DRAWER HIGH

425W x 490D x 650H mm

885W x 355D x 445H mm

WK-M-EXEC-18(T)

1 no

PT-JP180 JOINT POST

END POST 1800H mm 1350H mm 4 nos 1 no

WK-WT-90x45

STRAIGHT WORKTOP 900W x 450D mm

2 nos

WK-HB90 HANGING CABINET-FLIP DOOR TYPE WITH SOFT CLOSING

885W x 320D x 240H mm

1 no

WK-M-8L-B MCAB 1300H STORAGE

800W x 450D x 1300H mm

(SLIDING)

PT-FFDT-180x90

FULL FABRIC C/W DOUBLE

1800H x 900W mm 2 nos

PT-HGDT-135x45

HALF GLASS C/W DOUBLE

1350H x 450W mm

3 nos

PT-JP135

JOINT POST 1350H mm

2 nos

PT-FFDT-180x75

1800H x 750W mm

PT-FGOT-135x90

1350H x 900W mm

TRUNKING

1 no

1 no

FULL FABRIC C/W DOUBLE

FULL GLASS W/O TRUNKING

PT-EP180

END POST 1800H mm 1 no

WK-HC75(SF) HANGING CABINET-FLIP DOOR HANGING CABINET-FLIP DOOR

TYPE WITH SOFT CLOSING 735W x 355D x 445H mm

WK-M-16M-BD

MCAB 1600W COMBINATION STORAGE SLIDING + HALF SWING 1600W x 450D x 760H mm



Feature




Hanging Bookshelf 15kg- the mininum loadit can



Power Source 15kg- the minimum loadit can

Technical Specification

Executive Workstation



Executive Concept 2

PT-FFCT-180x90 FULL FABRIC C/W CENTER TRUNKING

1800H x 900W mm

HALF GLASS C/W DOUBLE

FULL GLASS W/O TRUNKING

3 nos PT-HGDT-135x90

TRUNKING

PT-FGCT-135x90

1350H x 900W mm

2 nos

3 nos

PT-JP180

2 nos

PT-FFDT-135x90 FULL FABRIC C/W DOUBLE TRUNKING

CORNER POST

1350H mm

1 no

PT-HGDT-135x45

1350H x 450W mm

HALF GLASS C/W DOUBLE

1350H x 900W mm 1350H x 900W mm

1 no PT-CP135

2 nos

PT-HGOT-135x45 HALF GLASS W/O TRUNKING

1350H x 450W mm 1 no

PT-HGOT-135x90 HALF GLASS W/O TRUNKING

1350H x 900W mm

1 no

PT-JP135

JOINT POST 1350H mm 7 nos

PT-CUS-EP

PT-EP135 END POST CUSTOMADE END POST

JOINT POST 1800H mm 1350H mm

2 nos

WK-HC90(SF)

HANGING CABINET-FLIP DOOR TYPE WITH SOFT CLOSING

885W x 355D x 445H mm

3 nos

WK-M-EXEC-18(T)

MCAB EXECUTIVE TABLE WITH LARGE FLIPER CASING

1800W x 450D x 760H mm

1 no

450H mm 2 nos

WK-M-16M-BD MCAB 1600W COMBINATION STORAGE SLIDING + HALF SWING

1600W x 450D x 760H mm

Feature




Hanging Bookshelf 15kg- the mininum loadit can

Executive Workstation



Power Source 15kg- the minimum loadit can

Technical Specification



Link

Reception Counter Concept 1

PT-FFCT-105x75 FULL FABRIC C/W CENTER TRUNKING

1050H x 750W mm

2 nos

TRUNKING 1200H x 750W mm 6 nos

PT-HGCT-120x75

HALF GLASS C/W CENTER

1200H x 450W mm 2 nos

PT-CP120 CORNER POST 1200H mm 2 nos

PT-JP105 JOINT POST 1050H mm 3 nos

PT-JP120 JOINT POST 1200H mm 4 nos

PT-HGCT-120x45

HALF GLASS C/W CENTER

PT-EP120 END POST 1200H mm 2 nos

PT-CUS-EP END POST 150H mm 2 nos

WK-WT150x75 STRAIGHT WORKTOP IN FULLY LIGHT GREY 1500W x 750D x 25THK mm

3 nos

WK-C150x30 COUNTER TOP IN FULLY LIGHT GREY 1500W x 300D x 25THK mm 1 no

MOBILE 3 DRAWER 425W x 490D x 540H mm 3 nos

WK-ML-M3D

SLIDING HALF HEIGHT CABINET 900W x 450D x 1300H mm 2 nos

WK-ML-130-D2

WK-ML-130-D OPEN HALF HEIGHT 900W x 450D x 1300H mm 1 no

RD-02(L) TABLE LEG 1 no

2 nos

3 nos

RD-02(R) TABLE LEG

PT-BK-01-F LEFT BRACKET (BIG) PT-BK-02-F RIGHT BRACKET (BIG)

PT-BK-03-F LEFT BRACKET (SMALL)

PT-BK-04-F RIGHT BRACKET (SMALL) PT-BK-05-F COUNTER BRACKET (LEFT)

PT-BK-06-F COUNTER BRACKET (RIGHT)

3 nos

Reception Counter



Concept 1

Feature




Hanging Bookshelf 15kg- the mininum loadit can



Power Source 15kg- the minimum loadit can

Technical Specification



Reception Counter



Concept 2


Feature



Hanging Bookshelf

Power Source 15kg- the minimum loadit can

Technical Specification



Lorem ipsum

Link

Reception	Counter
Concept 2	

PT-FFDT-120x120 FULL FABRIC C/W DOUBLE TRUNKING

1200H x 1200W mm 2 nos

2 nos

PT-EP120 END POST 1200H mm 2 nos

PT-BK-06-F COUNTER SUPPORT BRACKET (RIGHT) 90W x 75H mm

2 nos

STRAIGHT WORKTOP 1500W x 300D x 25THK mm

1 no

WK-SL75

WK-WT150x75

SIDE SUPPORTING PANEL 720W x 735H mm

2 nos

WK-ML-76-D2

SLIDING DOOR CABINET 750W x 450D x 760H mm

2 nos

PT-FFDT-105x150 FULL FABRIC C/W DOUBLE TRUNKING

1050H x 1500W mm 1 no

PT-CUS-EP END POST 150H mm

WK-C-150-30 COUNTERTOP 1500W x 300D x 25THK mm

1 no

PT-BK-01-F

LEFT BRACKET (BIG) 387W x 167H mm

2 nos

WK-ML-130-D2

SLIDING HALF HEIGHT CABINET 900W x 450D x 1300H mm

4 nos

WK-ML-76-D1

SLIDING DOOR CABINET 750W x 450D x 760H mm

4 nos

PT-JP105 JOINT POST 1050H mm 3 nos

COUNTER SUPPORT BRACKET (LEFT) 90W x 75H mm

PT-BK-05-F

2 nos

WK-WT120x75

STRAIGHT WORKTOP 1200W x 300D x 25THK mm

2 nos

PT-BK-02-F RIGHT BRACKET (BIG) 387W x 167H mm

2 nos


WK-ML-130-D2


SLIDING HALF HEIGHT CABINET 900W x 450D x 1300H mm

4 nos

WK-M-H3D

MCAB 3 DRAWER HIGH MOBILE 425W x 4900 x 650H mm





Bracket Position

Table Mounting Bracket










Table Mounting Bracket Counter Support Bracket

PARTITION SPECIFICATION



Style

End Post

PT-EP105 1050H mm PT-EP120 1200H mm PT-EP135 1350H mm PT-EP150 1500H mm PT-EP165 1650H mm PT-EP180 1800H mm



Square Post

PT-SP105 1050H mm PT-SP120 1200H mm PT-SP135 1350H mm PT-SP150 1500H mm PT-SP165 1650H mm PT-SP180 1800H mm



Tee Post

PT-TP105 1050H mm PT-TP120 1200H mm PT-TP135 1350H mm PT-TP150 1500H mm PT-TP165 1650H mm PT-TP180 1800H mm



Corner Post

PT-CP105 1050H mm PT-CP120 1200H mm PT-CP135 1350H mm PT-CP150 1500H mm PT-CP165 1650H mm PT-CP180 1800H mm



Joint Post

PT-IP105 1050H mm PT-JP120 1200H mm PT-JP135 1350H mm PT-IP150 1500H mm PT-JP165 1650H mm PT-JP180 1800H mm



Stabilizer

PT-ST 300W x 50D mm



Triangle Post

PT-TRP105 1050H mm PT-TRP120 1200H mm PT-TRP135 1350H mm PT-TRP150 1500H mm PT-TRP165 1650H mm PT-TRP180 1800H mm



Full Fabric without trunking (PT-FFOT)



Height - 1050mm PT-FFOT - 105 x 45 1050H x 450W mm PT-FFOT - 105 x 60 1050H x 600W mm PT-FFOT - 105 x 75 1050H x 750W mm PT-FFOT - 105 x 80 1050H x 800W mm PT-FEOT - 105 x 90 1050U x 900W mm PT-FFOT - 105 x 105 1050H x 1050W mm

PT-FFOT - 105 x 120 1050H x 1200W mm PT-FEOT - 105 v 135 1050H v 1350W mm PT-FFOT - 10\$ x 150 1050H x 1500W mm PT-FFOT - 105 x 160 1050H x 1600W mm PT-FFOT - 105 x 165 1050H x 1650W mm PT-FFOT - 105 x 180 1050H x 1800W mm

Height - 1500mm PT-FFOT - 150 x 45 1500H x 450W mm

PT-FFOT - 150 x 60 1500H x 600W mm PT-FFOT - 150 x 75 1500H x 750W mm PT-FFOT - 150 x 80 1500H x 800W mm PT-FFOT - 150 x 90 1500H x 900W mm PT-FFOT - 150 x 105 1500H x 1050W mm PT-FFOT - 150 x 120 1500H x 1200W mm PT-FFOT - 150 x 135 1500H x 1350W mm PT-FFOT - 150 x 150 1500H x 1500W mm PT-FFOT - 150 x 160 1500H x 1600W mm PT-FFOT - 150 x 165 1500H x 1650W mm PT-FFOT - 165 x 165 1650H x 1650W mm

PT-FFOT - 150 x 180 1500H x 1800W mm

Height - 1200mm

PT-FFOT - 120 x 45 1200H x 450W mm PT-FEOT - 120 x 60 1200H x 600W mm PT-FFOT -120 x 75 1200H x 750W mm PT-FFOT -120 x 80 1200H x 800W mm PT-FEOT - 120 x 90 1200H x 900W mm PT-FFOT -120 x 105 1200H x 1050W mm PT-FFOT - 120 x 120 1200H x 1200W mm PT-FEOT - 120 x 135 1200H x 1350W mm PT-FFOT - 120 x 160 1200H x 1600W mm

PT-FFOT - 135 x 60 1350H s 600W mm PT-FFOT - 135 x 75 1350H x 750W mm PT-FFOT - 135 x 80 1350H x 800W mm PT-FEOT - 135 x 90 1350H - 900W mm PT-FFOT - 135 x 105 1350H x 1050W mm PT-FFOT - 135 x 120 1350H x 1200W mm PT.FEOT - 135 v 135 1350H : 1350W mm PT-FFOT - 120 x 150 1200H x 1500W mm PT-FFOT - 135 x 150 1350H s 1500W mm PT-FFOT - 135 x 160 1350H x 1600W mm PT-FFOT - 120 x 165 1200H x 1650W mm PT-FFOT - 135 x 165 1350H r 1650W mm PT-FFOT - 120 x 180 1200H x 1600W mm PT-FFOT - 135 x 180 1350H s 1800W mm

PT-FFOT - 135 x 45 1350H x 450W mm

Height - 1350mm


Height - 1650mm

PT-FFOT - 165 x 45 1650H x 450W mm PT-FFOT - 165 x 60 1650H x 600W mm PT-FFOT - 165 x 75 1650H x 750W mm PT-FFOT -165 x 80 1650H x 800W mm PT-FFOT -165 x 90 1650H x 900W mm PT-FFOT - 165 x 105 1650H x 1050W mm PT-FFOT - 165 x 135 1650H x 1350W mm

Height - 1800mm PT-FFOT - 180 x 45 1800H r 450W mm

PT-FFOT - 180 x 60 1800H x 600W mm PT-FFOT - 180 x 75 1800H c 750W mm PT-FFOT - 180 x 80 1800H x 800W mm PT-FFOT - 180 x 90 1800H x 900W mm PT-FFOT - 180 x 105 1800H c 1050W mm PT-FFOT - 165 x 120 1650H x 1200W mm PT-FFOT - 180 x 120 1800H c 1200W mm PT-FFOT - 180 x 135 1800H c 1350W mm PT-FFOT - 165 x 150 1650H x 1500W mm PT-FFOT - 180 x 150 1800H x 1500W mm PT-FFOT - 165 x 160 1650H x 1600W mm PT-FFOT - 180 x 160 1800H t 1600W mm

Full Fabric c/w Centre Trunking (PT-FFCT)



Height - 1050mm PT-FFCT - 105 x 45 1050H x 450W mm PT-FFCT - 105 x 60 1050H x 600W mm PT-FFCT - 105 x 75 1050H x 750W mm PT-FFCT - 105 x 80 1050H x 800W mm PT-FFCT - 105 x 90 1050H x 900W mm

PT-FFCT - 105 x 105 1050H x 1050W mm PT-FFCT - 105 x 120 1050H x 1200W mm PT-FFCT - 105 x 135 1050H x 1350W mm PT-FFCT - 105 x 160 1050H x 1600W mm PT-FFCT - 105 x 165 1050H x 1650W mm PT-FFCT - 120 x 165 1200H x 1650W mm PT-FFCT - 135 x 165 1350H x 1650W mm PT-FFCT - 105 x 180 1050H x 1800W mm

Height - 1500mm PT-FFCT - 150 x 45 1500H x 450W mm PT-FFCT - 150 x 60 1500H x 600W mm PT-FFCT - 150 x 75 1500H x 750W mm PT-FFCT - 150 x 80 1500H x 800W mm PT-FFCT - 150 x 90 1500H x 900W mm

PT-FFCT - 150 x 105 1500H x 1050W mm PT-FFCT - 150 x 160 1500H x 1600W mm PT-FFCT - 150 x 165 1500H x 1650W mm PT-FFCT - 165 x 165 1650H x 1650W mm PT-FFCT - 150 x 180 1500H x 1800W mm PT-FFCT - 165 x 180

Height - 1200mm

Height - 1650mm

PT-FFCT - 120 x 45 1200H x 450W mm PT-FFCT - 120 x 60 1200H x 600W mm PT-FFCT - 120 x 75 1200H x 750W mm PT-FFCT - 120 x 80 1200H x 800W mm PT-FFCT - 120 x 90 1200H x 900W mm PT-FFCT - 120 x 105 1200H x 1050W mm PT-FFCT - 120 x 120 1200H x 1200W mm PT-FFCT - 120 x 135 1200H x 1350W mm PT-FFCT - 105 x 150 1050H x 1500W mm PT-FFCT - 120 x 150 1200H x 1500W mm PT-FFCT - 120 x 160 1200H x 1600W mm

PT-FFCT - 120 x 180 1200H x 1800W mm

PT-FFCT - 165 x 75 1650H x 750W mm

PT-FFCT - 165 x 80 1650H x 800W mm

PT-FFCT - 165 x 90 1650H x 900W mm

PT-FFCT - 135 x 45	1350H x 450W mn
PT-FFCT - 135 x 60	1350H x 600W mm
PT-FFCT - 135 x 75	1350H x 750W mm
PT-FFCT - 135 x 80	1350H x 800W mm
PT-FFCT - 135 x 90	1350H x 900W mm
PT-FFCT - 135 x 105	1350H x 1050W m
PT-FFCT - 135 x 120	1350H x 1200W m
PT-FFCT - 135 x 135	1350H x 1350W m
PT-FFCT - 135 x 150	1350H x 1500W m
PT-FFCT - 135 x 160	1350H x 1600W m

PT-FFCT - 135 x 180 1350H x 1800W mm

Height - 1800mm

Height - 1350mm

PT-FFCT - 165 x 45 1650H x 450W mm PT-FFCT - 180 x 45 1800H x 450W mm PT-FFCT - 165 x 60 1650H x 600W mm PT-FFCT - 180 x 60 1800H i 600W mm PT-FFCT - 180 x 75 1800H c 750W mm PT-FFCT - 180 x 80 1800H x 800W mm PT-FFCT - 180 x 90 1800H r 900W mm PT-FFCT - 165 x 105 1650H x 1050W mm PT-FFCT - 180 x 105 1800H : 1050W mm PT-FFCT - 150 x 135 1500H x 1350W mm PT-FFCT - 165 x 135 1650H x 1350W mm PT-FFCT - 180 x 135 1800H x 1350W mm PT-FFCT - 150 x 150 1500H x 1500W mm PT-FFCT - 165 x 150 1650H x 1500W mm PT-FFCT - 180 x 150 1800H x 1500W mm PT-FFCT - 165 x 160 1650H x 1600W mm PT-FFCT - 180 x 160 1800H x 1600W mm

Full Fabric	
c/w Bottom Tru	nking
(PT-FFBT)	



Height - 1050mm		Height - 1200mm		Height - 1350mm	
PT-FFBT - 105 x 45	1050H x 450W mm	PT-FFBT - 120 x 45	1200H x 450W mm	PT-FFBT - 135 x 45	1350H x 450W mm
PT-FFBT - 105 x 60	1050H x 600W mm	PT-FFBT - 120 x 60	1200H x 600W mm	PT-FFBT - 135 x 60	1350H x 600W mm
PT-FFBT - 105 x 75	1050H x 750W mm	PT-FFBT - 120 x 75	1200H x 750W mm	PT-FFBT - 135 x 75	1350H x 750W mm
PT-FFBT - 105 x 80	1050H x 800W mm	PT-FFBT - 120 x 80	1200H x 800W mm	PT-FFBT - 135 x 80	1350H x 800W mm
PT-FFBT - 105 x 90	1050H x 900W mm	PT-FFBT - 120 x 90	1200H x 900W mm	PT-FFBT - 135 x 90	1350H x 900W mm
PT-FFBT - 105 x 105	1050H x 1050W mm	PT-FFBT - 120 x 105	1200H x 1050W mm	PT-FFBT - 135 x 105	1350H x 1050W mm
PT-FFBT - 105 x 120	1050H x 1200W mm	PT-FFBT - 120 x 120	1200H x 1200W mm	PT-FFBT - 135 x 120	1350H x 1200W mm
PT-FFBT - 105 x 135	1050H x 1350W mm	PT-FFBT - 120 x 135	1200H x 1350W mm	PT-FFBT - 135 x 135	1350H x 1350W mm
PT-FFBT - 105 x 150	1050H x 1500W mm	PT-FFBT - 120 x 150	1200H x 1500W mm	PT-FFBT - 135 x 150	1350H x 1500W mm
PT-FFBT - 105 x 160	1050H x 1600W mm	PT-FFBT - 120 x 160	1200H x 1600W mm	PT-FFBT - 135 x 160	1350H x 1600W mm
PT-FFBT - 105 x 165	1050H x 1650W mm	PT-FFBT - 120 x 165	1200H x 1650W mm	PT-FFBT - 135 x 165	1350H x 1650W mm
PT-FFBT - 105 x 180	1050H x 1800W mm	PT-FFBT - 120 x 180	1200H x 1800W mm	PT-FFBT - 135 x 180	1350H x 1800W mm
Height - 1500mm		Height - 1650mm		Height - 1800mm	
PT-FFBT - 150 x 45	1500H x 450W mm	PT-FFBT - 165 x 45	1650H x 450W mm	PT-FFBT - 180 x 45	1800H x 450W mm
PT-FFBT - 150 x 60	1500H x 600W mm	PT-FFBT - 165 x 60	1650H x 600W mm	PT-FFBT - 180 x 60	1800H x 600W mm
PT-FFBT - 150 x 75	1500H x 750W mm	PT-FFBT - 165 x 75	1650H x 750W mm	PT-FF8T - 180 x 75	1800H x 750W mm
PT-FFBT - 150 x 80	1500H x 800W mm	PT-FFBT - 165 x 80	1650H x 800W mm	PT-FF8T - 180 x 80	1800H x 800W mm
PT-FFBT - 150 x 90	1500H x 900W mm	PT-FFBT - 165 x 90	1650H x 900W mm	PT-FFBT - 180 x 90	1800H x 900W mm
PT-FFBT - 150 x 105	1500H x 1050W mm	PT-FFBT - 165 x 105	1650H x 1050W mm	PT-FFBT - 180 x 105	1800H x 1050W mm
Describe addresses				and the same of th	

Half Glass without Trunking (PT-HGOT)



Height - 1200mm		Height - 1350mm	
PT-HGOT - 120 x 45	1200H x 450W mm	PT-HGOT - 135 x 45	1350H x 450W n
PT-HGOT - 120 x 60	1200H x 600W mm	PT-HGOT - 135 x 60	1350H x 600W r
PT-HGOT - 120 x 75	1200H x 750W mm	PT-HGOT - 135 x 75	1350H x 750W n
PT-HGOT - 120 x 80	1200H x 800W mm	PT-HGOT - 135 x 80	1350H x 800W r
PT-HGOT - 120 x 90	1200H x 900W mm	PT-HGOT - 135 x 90	1350H x 900W r
PT-HGOT - 120 x 105	1200H x 1050W mm	PT-HGOT - 135 x 105	1350H x 1050W
PT-HGOT - 120 x 120	1200H x 1200W mm	PT-HGOT - 135 x 120	1350H x 1200W
PT-HGOT - 120 x 135	1200H x 1350W mm	PT-HGOT - 135 x 135	1350H x 1350W
PT-HGOT - 120 x 150	1200H x 1500W mm	PT-HGOT - 135 x 150	1350H x 1500W
PT-HGOT - 120 x 160	1200H x 1600W mm	PT-HGOT - 135 x 160	1350H x 1600W

Height - 1500mm	
PT-HGOT - 150 x 45	1500H x 450W mm
PT-HGOT - 150 x 60	1500H x 600W mr
PT-HGOT - 150 x 75	1500H x 750W mm
PT-HGOT - 150 x 80	1500H x 800W mm
PT-HGOT - 150 x 90	1500H x 900W mm
PT-HGOT - 150 x 105	1500H x 1050W m
PT-HGOT - 150 x 120	1500H x 1200W m
PT-HGOT - 150 x 135	1500H x 1350W m
PT-HGOT - 150 x 150	1500H x 1500W m
PT-HGOT - 150 x 160	1500H x 1600W m

leight - 1500mm	
T-FFBT - 150 x 45	1500H x 450W mm
T-FFBT - 150 x 60	1500H x 600W mm
T-FFBT - 150 x 75	1500H x 750W mm
T-FFBT - 150 x 80	1500H x 800W mm
T-FFBT - 150 x 90	1500H x 900W mm
T-FFBT - 150 x 105	1500H x 1050W mm
T-FFBT - 150 x 120	1500H x 1200W mm
T-FFBT - 150 x 135	1500H x 1350W mm
T-FFBT - 150 x 150	1500H x 1500W mm
T-FFBT - 150 x 160	1500H x 1600W mm
T-FFBT - 150 x 165	1500H x 1650W mm

PT-FFBT - 165 x 150 1650H x 1500W mm PT-FFBT - 165 x 165 1650H x 1650W mm PT-FFBT - 150 x 180 1500H x 1800W mm PT-FFBT - 165 x 180 1650H x 1800W mm

45 1800H x 450W mm 60 1800H x 600W mm 75 1800H x 750W mm 80 1800H x 800W mm 90 1800H x 900W mm 105 1800H x 1050W mm PT-FFBT - 165 x 120 1650H x 1200W mm PT-FFBT - 180 x 120 1800H x 1200W mm PT-FFBT - 165 x 135 1650H x 1350W mm PT-FFBT - 180 x 135 1800H x 1350W mm PT-FFBT - 180 x 150 1800H x 1500W mm PT-FFBT - 165 x 160 1650H x 1600W mm PT-FFBT - 180 x 160 1800H x 1600W mm

PT-HGOT - 165 x 60 1650H x 600W mm PT-HGOT - 180 x 60 1800H x 600W mm

PT-HGOT - 165 x 105 1650H x 1050W mm PT-HGOT - 180 x 105 1800H x 1050W mm PT-HGOT - 165 x 120 1650H x 1200W mm PT-HGOT - 180 x 120 1800H x 1200W mm PT-HGOT - 165 x 135 1650H x 1350W mm PT-HGOT - 165 x 150 1650H x 1500W mm PT-HGOT - 165 x 160 1650H x 1600W mm

Height - 1650mm

PT-HGCT - 165 x 160 1650H x 1600W mm

Height - 1800mm PT-HGOT - 165 x 45 1650H x 450W mm PT-HGOT - 180 x 45 1800H x 450W mm PT-HGOT - 165 x 75 1650H x 750W mm PT-HGOT - 180 x 75 1800H x 750W mm PT-HGOT - 165 x 80 1650H x 800W mm PT-HGOT - 180 x 80 1800H x 800W mm PT-HGOT - 165 x 90 1650H x 900W mm PT-HGOT - 180 x 90 1800H x 900W mm

Full Fabric **Double Trunking** (PT-FFDT)



Height - 1050mm		Height - 1200mm	
PT-FFDT - 105 x 45	1050H x 450W mm	PT-FFDT - 120 x 45	1200H x 450W mm
PT-FFDT - 105 x 60	1050H x 600W mm	PT-FFDT - 120 x 60	1200H x 600W mm
PT-FFDT - 105 x 75	1050H x 750W mm	PT-FFDT - 120 x 75	1200H x 750W mm
PT-FFDT - 105 x 80	1050H x 800W mm	PT-FFDT - 120 x 80	1200H x 800W mm
PT-FFDT - 105 x 90	1050H x 900W mm	PT-FFDT - 120 x 90	1200H x 900W mm
PT-FFDT - 105 x 105	1050H x 1050W mm	PT-FFDT - 120 x 105	1200H x 1050W mm
PT-FFDT - 105 x 120	1050H x 1200W mm	PT-FFDT - 120 x 120	1200H x 1200W mm
PT-FFDT - 105 x 135	1050H x 1350W mm	PT-FFDT - 120 x 135	1200H x 1350W mm
PT-FFDT - 105 x 150	1050H x 1500W mm	PT-FFDT - 120 x 150	1200H x 1500W mm
PT-FFDT - 105 x 160	1050H x 1600W mm	PT-FFDT - 120 x 160	1200H x 1600W mm
PT-FFDT - 105 x 165	1050H x 1650W mm	PT-FFDT - 120 x 165	1200H x 1650W mm
PT-FFDT - 105 x 180	1050H x 1800W mm	PT-FFDT - 120 x 180	1200H x 1800W mm

PT-FFDT - 150 x 165 1500H x 1650W mm PT-FFDT - 165 x 165 1650H x 1650W mm PT-FFDT - 150 x 180 1500H x 1800W mm PT-FFDT - 165 x 180 1650H x 1800W mm

TITLD ILOX 103	12.0011 X 10.0044 111111
PT-FFDT - 120 x 120	1200H x 1200W mm
PT-FFDT - 120 x 135	1200H x 1350W mm
PT-FFDT - 120 x 150	1200H x 1500W mm
PT-FFDT - 120 x 160	1200H x 1600W mm
PT-FFDT - 120 x 165	1200H x 1650W mm
PT-FFDT - 120 x 180	1200H x 1800W mm
Height - 1650mm	
PT-FFDT - 165 x 45	1650H x 450W mm
PT-FFDT - 165 x 60	1650H x 600W mm
PT-FFDT - 165 x 75	1650H x 750W mm
PT-FFDT - 165 x 80	1650H x 800W mm

PT-FFDT - 150 x 160 1500H x 1600W mm PT-FFDT - 165 x 160 1650H x 1600W mm PT-FFDT - 180 x 160 1800H x 1600W mm

PT-FFDT - 135 x 45	1350H x 450W mm
PT-FFDT - 135 x 60	1350H x 600W mm
PT-FFDT - 135 x 75	1350H x 750W mm
PT-FFDT - 135 x 80	1350H x 800W mm
PT-FFDT - 135 x 90	1350H x 900W mm
PT-FFDT - 135 x 105	1350H x 1050W mm
PT-FFDT - 135 x 120	1350H x 1200W mm
PT-FFDT - 135 x 135	1350H x 1350W mm
PT-FFDT - 135 x 150	1350H x 1500W mm
PT-FFDT - 135 x 160	1350H x 1600W mm
PT-FFDT - 135 x 165	1350H x 1650W mm
PT-FFDT - 135 x 180	1350H x 1800W mm

PT-FFDT - 105 x 165	1050H x 1650W mm	PT-FFDT - 120 x 165	1200H x 1650W mm	PT-FFDT - 135 x 165	1350H x 1650W mm	
PT-FFDT - 105 x 180	1050H x 1800W mm	PT-FFDT - 120 x 180	1200H x 1800W mm	PT-FFDT - 135 x 180	1350H x 1800W mm	
Height - 1500mm		Height - 1650mm		Height - 1800mm		
PT-FFDT - 150 x 45	1500H x 450W mm	PT-FFDT - 165 x 45	1650H x 450W mm	PT-FFDT - 180 x 45	1800H x 450W mm	
PT-FFDT - 150 x 60	1500H x 600W mm	PT-FFDT - 165 x 60	1650H x 600W mm	PT-FFDT - 180 x 60	1800H x 600W mm	
PT-FFDT - 150 x 75	1500H x 750W mm	PT-FFDT - 165 x 75	1650H x 750W mm	PT-FFDT - 180 x 75	1800H x 750W mm	
PT-FFDT - 150 x 80	1500H x 800W mm	PT-FFDT - 165 x 80	1650H x 800W mm	PT-FFDT - 180 x 80	1800H x 800W mm	
PT-FFDT - 150 x 90	1500H x 900W mm	PT-FFDT - 165 x 90	1650H x 900W mm	PT-FFDT - 180 x 90	1800H x 900W mm	
PT-FFDT - 150 x 105	1500H x 1050W mm	PT-FFDT - 165 x 105	1650H x 1050W mm	PT-FFDT - 180 x 105	1800H x 1050W mm	
PT-FFDT - 150 x 120	1500H x 1200W mm	PT-FFDT - 165 x 120	1650H x 1200W mm	PT-FFDT - 180 x 120	1800H x 1200W mm	
PT-FFDT - 150 x 135	1500H x 1350W mm	PT-FFDT - 165 x 135	1650H x 1350W mm	PT-FFDT - 180 x 135	1800H x 1350W mm	
PT-FFDT - 150 x 150	1500H x 1500W mm	PT-FFDT - 165 x 150	1650H x 1500W mm	PT-FFDT - 180 x 150	1800H x 1500W mm	

Half Glass C/W **Center Trunking** (PT-HGCT)



leight - 1200mm		Height - 1350mm	
T-HGCT - 120 x 45	1200H x 450W mm	PT-HGCT - 135 x 45	1350H x 450W m
T-HGCT - 120 x 60	1200H x 600W mm	PT-HGCT - 135 x 60	1350H x 600W m
T-HGCT - 120 x 75	1200H x 750W mm	PT-HGCT - 135 x 75	1350H x 750W m
T-HGCT - 120 x 80	1200H x 800W mm	PT-HGCT - 135 x 80	1350H x 800W m
T-HGCT - 120 x 90	1200H x 900W mm	PT-HGCT - 135 x 90	1350H x 900W m
T-HGCT - 120 x 105	1200H x 1050W mm	PT-HGCT - 135 x 105	1350H x 1050W n
T-HGCT - 120 x 120	1200H x 1200W mm	PT-HGCT - 135 x 120	1350H x 1200W n
T-HGCT - 120 x 135	1200H x 1350W mm	PT-HGCT - 135 x 135	1350H x 1350W n
T-HGCT - 120 x 150	1200H x 1500W mm	PT-HGCT - 135 x 150	1350H x 1500W r
T-HGCT - 120 x 160	1200H x 1600W mm	PT-HGCT - 135 x 160	1350H x 1600W r

PT-HGCT - 120 x 135	1200H x 1350W mm	PT-HGCT - 135 x 135	1350H x 1350W mm	P
PT-HGCT - 120 x 150	1200H x 1500W mm	PT-HGCT - 135 x 150	1350H x 1500W mm	P
PT-HGCT - 120 x 160	1200H x 1600W mm	PT-HGCT - 135 x 160	1350H x 1600W mm	P
Height - 1650mm		Height - 1800mm		
PT-HGCT - 165 x 45	1650H x 450W mm	PT-HGCT - 180 x 45	1800H x 450W mm	
PT-HGCT - 165 x 60	1650H x 600W mm	PT-HGCT - 180 x 60	1800H x 600W mm	
PT-HGCT - 165 x 75	1650H x 750W mm	PT-HGCT - 180 x 75	1800H x 750W mm	
PT-HGCT - 165 x 80	1650H x 800W mm	PT-HGCT - 180 x 80	1800H x 800W mm	
PT-HGCT - 165 x 90	1650H x 900W mm	PT-HGCT - 180 x 90	1800H x 900W mm	
PT-HGCT - 165 x 105	1650H x 1050W mm	PT-HGCT - 180 x 105	1800H x 1050W mm	
PT-HGCT - 165 x 120	1650H x 1200W mm	PT-HGCT - 180 x 120	1800H x 1200W mm	
PT-HGCT - 165 x 135	1650H x 1350W mm			
PT-HGCT - 165 x 150	1650H x 1500W mm			

Height - 1500mm PT-HGCT - 150 x 45 1500H x 450W mm PT-HGCT - 150 x 60 1500H x 600W mm PT-HGCT - 150 x 75 1500H x 750W mm PT-HGCT - 150 x 80 1500H x 800W mm PT-HGCT - 150 x 90 1500H x 900W mm PT-HGCT - 150 x 105 1500H x 1050W mm PT-HGCT - 150 x 120 1500H x 1200W mm PT-HGCT - 150 x 135 1500H x 1350W mm PT-HGCT - 150 x 150 1500H x 1500W mm PT-HGCT - 150 x 160 1500H x 1600W mm

Half Glass c/w Bottom Trunking (PT-HGBT)



Height - 1650mm

PT-HGBT - 165 x 135 1650H x 1350W mm

PT-HGBT - 165 x 150 1650H x 1500W mm

PT-HGBT - 165 x 160 1650H x 1600W mm

PT-HGDT - 165 x 160 1650H x 1600W mm

ight - 1200mm		Height - 1350mm	
-HGBT - 120 x 45	1200H x 450W mm	PT-HGBT - 135 x 45	1350H x 450Wr
HGBT - 120 x 60	1200H x 600W mm	PT-HGBT - 135 x 60	1350H x 600Wr
-HGBT - 120 x 75	1200H x 750W mm	PT-HGBT - 135 x 75	1350H x 750Wn
-HGBT - 120 x 80	1200H x 800W mm	PT-HGBT - 135 x 80	1350H x 800W
HGBT - 120 x 90	1200H x 900W mm	PT-HGBT - 135 x 90	1350H x 900W
-HGBT - 120 x 105	1200H x 1050W mm	PT-HGBT - 135 x 105	1350H x 1050W
-HGBT - 120 x 120	1200H x 1200W mm	PT-HGBT - 135 x 120	1350H x 1200W
HGBT - 120 x 135	1200H x 1350W mm	PT-HGBT - 135 x 135	1350H x 1350W
-HGBT - 120 x 150	1200H x 1500W mm	PT-HGBT - 135 x 150	1350H x 1500W
HCBT - 120 - 160	#200H - #500H	DT-HCDT - 175 - 160	4750W - 4500W

PT-HGBT - 165 x 45 1650H x 450W mm PT-HGBT - 180 x 45 1800H x 450W mm PT-HGBT - 165 x 60 1650H x 600W mm PT-HGBT - 180 x 60 1800H x 600W mm

PT-HGBT - 165 x 75 1650H x 750W mm PT-HGBT - 180 x 75 1800H x 750W mm

PT-HGBT - 165 x 80 1650H x 800W mm PT-HGBT - 180 x 80 1800H x 800W mm PT-HGBT - 165 x 90 1650H x 900W mm PT-HGBT - 165 x 90 1600H x 900W mm PT-HGBT - 165 x 105 1650H x 1050W mm PT-HGBT - 165 x 105 1650H x 1200W mm PT-HGBT - 180 x 120 1800H x 120 1800H x 1200W mm PT-HGBT - 180 x 120 1800H x

Height - 1800mm

Height - 1500mm	
PT-HGBT - 150 x 45	1500H x 450W mm
PT-HGBT - 150 x 60	1500H x 600W mm
PT-HGBT - 150 x 75	1500H x 750W mm
PT-HGBT - 150 x 80	1500H x 800W mm
PT-HGBT - 150 x 90	1500H x 900W mm
PT-HGBT - 150 x 105	1500H x 1050W mm
PT-HGBT - 150 x 120	1500H x 1200W mm
PT-HGBT - 150 x 135	1500H x 1350W mm
PT-HGBT - 150 x 150	1500H x 1500W mm
PT-HGBT - 150 x 160	1500H x 1600W mm

Half Glass c/w Double Trunking (PT-HGDT)



Height - 1200mm		Height - 1350mm		Height - 1500mm	
PT-HGDT - 120 x 45	1200H x 450W mm	PT-HGDT - 135 x 45	1350H x 450Wmm	PT-HGDT - 150 x 45	1500H x 450W mr
PT-HGDT - 120 x 60	1200H x 600W mm	PT-HGDT - 135 x 60	1350H x 600Wmm	PT-HGDT - 150 x 60	1500H x 600W mi
PT-HGDT - 120 x 75	1200H x 750W mm	PT-HGDT - 135 x 75	1350H x 750Wmm	PT-HGDT - 150 x 75	1500H x 750W mr
PT-HGDT - 120 x 80	1200H x 800W mm	PT-HGDT - 135 x 80	1350H x 800W mm	PT-HGDT - 150 x 80	1500H x 800W mr
PT-HGDT - 120 x 90	1200H x 900W mm	PT-HGDT - 135 x 90	1350H x 900W mm	PT-HGDT - 150 x 90	1500H x 900W mr
PT-HGDT - 120 x 105	1200H x 1050W mm	PT-HGDT - 135 x 105	1350H x 1050W mm	PT-HGDT - 150 x 105	1500H x 1050W m
PT-HGDT - 120 x 120	1200H x 1200W mm	PT-HGDT - 135 x 120	1350H x 1200W mm	PT-HGDT - 150 x 120	1500H x 1200W m
PT-HGDT - 120 x 135	1200H x 1350W mm	PT-HGDT - 135 x 135	1350H x 1350W mm	PT-HGDT - 150 x 135	1500H x 1350W m
PT-HGDT - 120 x 150	1200H x 1500W mm	PT-HGDT - 135 x 150	1350H x 1500W mm	PT-HGDT - 150 x 150	1500H x 1500W m
PT-HGDT - 120 x 160	1200H x 1600W mm	PT-HGDT - 135 x 160	1350H x 1600W mm	PT-HGDT - 150 x 160	1500H x 1600W m
Height - 1650mm		Height - 1800mm			
PT-HGDT - 165 x 45	1650H x 450W mm	PT-HGDT - 180 x 45	1800H x 450W mm		
PT-HGDT - 165 x 60	1650H x 600W mm	PT-HGDT - 180 x 60	1800H x 600W mm		
PT-HGDT - 165 x 75	1650H x 750W mm	PT-HGDT - 180 x 75	1800H x 750Wmm		
PT-HGDT - 165 x 80	1650H x 800W mm	PT-HGDT - 180 x 80	1800H x 800W mm		
PT-HGDT - 165 x 90	1650H x 900W mm	PT-HGDT - 180 x 90	1800H x 900W mm		
PT-HGDT - 165 x 105	1650H x 1050W mm	PT-HGDT - 180 x 105	1800H x 1050W mm		
PT-HGDT - 165 x 120	1650H x 1200W mm	PT-HGDT - 180 x 120	1800H x 1200W mm		
PT-HGDT - 165 x 135	1650H x 1350W mm				
PT-HGDT - 165 x 150	1650H x 1500W mm				

Full Glass without Trunking (PT-FGOT)



Height - 1200mm		Height - 1350mm		Height - 1500mm	
PT-FGOT - 120 x 45	1050H x 450W mm	PT-FGOT - 135 x 45	1050H x 450W mm	PT-FGOT - 150 x 45	1050H x 450W m
PT-FGOT - 120 x 60	1050H x 600W mm	PT-FGOT - 135 x 60	1050H x 600W mm	PT-FGOT - 150 x 60	1050H x 600W m
PT-FGOT - 120 x 75	1050H x 750W mm	PT-FGOT - 135 x 75	1050H x 750W mm	PT-FGOT - 150 x 75	1050H x 750W m
PT-FGOT - 120 x 80	1050H x 800W mm	PT-FGOT - 135 x 80	1050H x 800W mm	PT-FGOT - 150 x 80	1050H x 800W m
PT-FGOT - 120 x 90	1050H x 900W mm	PT-FGOT - 135 x 90	1050H x 900W mm	PT-FGOT - 150 x 90	1050H x 900W m
PT-FGOT - 120 x 105	1050H x 1050W mm	PT-FGOT - 135 x 105	1050H x 1050W mm	PT-FGOT - 150 x 105	1050H x 1050W r
PT-FGOT - 120 x 120	1050H x 1200W mm	PT-FGOT - 135 x 120	1050H x 1200W mm	PT-FGOT - 150 x 120	1050H x 1200W r
Height - 1650mm		Height - 1800mm			
PT-FGOT - 165 x 45	1050H x 450W mm	PT-FGOT - 180 x 45	1050H x 450W mm		
PT-FGOT - 165 x 60	1050H x 600W mm	PT-FGOT - 180 x 60	1050H x 600W mm		
PT-FGOT - 165 x 75	1050H x 750W mm	PT-FGOT - 180 x 75	1050H x 750W mm		
PT-FGOT - 165 x 80	1050H x 800W mm	PT-FGOT - 180 x 80	1050H x 800W mm		
PT-FGOT - 165 x 90	1050H x 900W mm	PT-FGOT - 180 x 90	1050H x 900W mm		
PT-FGOT - 165 x 105	1050H x 1050W mm	PT-FGOT - 180 x 105	1050H x 1050W mm		

PT-FGOT - 165 x 120 1050H x 1200W mm PT-FGOT - 180 x 120 1050H x 1200W mm

Full Glass C/W Buttom Trunking (PT-FGBT)



Height - 1200mm		Height - 1350mm		Height - 1500mm	
PT-FGBT - 120 x 45	1050H x 450W mm	PT-FGBT - 135 x 45	1050H x 450W mm	PT-FGBT - 150 x 45	1050H x 450W mm
PT-FGBT - 120 x 60	1050H x 600W mm	PT-FGBT - 135 x 60	1050H x 600W mm	PT-FGBT - 150 x 60	1050H x 600W mm
PT-FGBT - 120 x 75	1050H x 750W mm	PT-FGBT - 135 x 75	1050H x 750W mm	PT-FGBT - 150 x 75	1050H x 750W mm
PT-FGBT - 120 x 80	1050H x 800W mm	PT-FGBT - 135 x 80	1050H x 800W mm	PT-FGBT - 150 x 80	1050H x 800W mm
PT-FGBT - 120 x 90	1050H x 900W mm	PT-FGBT - 135 x 90	1050H x 900W mm	PT-FGBT - 150 x 90	1050H x 900W mm
PT-FGBT - 120 x 105	1050H x 1050W mm	PT-FGBT - 135 x 105	1050H x 1050W mm	PT-FGBT - 150 x 105	1050H x 1050W mm
PT-FGBT - 120 x 120	1050H x 1200W mm	PT-FGBT - 135 x 120	1050H x 1200W mm	PT-FGBT - 150 x 120	1050H x 1200W min
Height - 1650mm		Height - 1800mm			
PT-FGBT - 165 x 45	1050H x 450W mm	PT-FGBT - 180 x 45	1050H x 450W mm		
PT-FGBT - 165 x 60	1050H x 600W mm	PT-FGBT - 180 x 60	1050H x 600W mm		
PT-FGBT - 165 x 75	1050H x 750W mm	PT-FGBT - 180 x 75	1050H x 750W mm		
PT-FGBT - 165 x 80	1050H x 800W mm	PT-FGBT - 180 x 80	1050H x 800W mm		
PT-FGBT - 165 x 90	1050H x 900W mm	PT-FGBT - 180 x 90	1050H x 900W mm		
PT-FGBT - 165 x 105	1050H x 1050W mm	PT-FGBT - 180 x 105	1050H x 1050W mm		
PT-FGBT - 165 x 120	1050H x 1200W mm	PT-FGBT - 180 x 120	1050H x 1200W mm		

PT-CFF - 120 x 60 1050H x 600W mm

PT-CFF - 120 x 75 1050H x 750W mm

Height - 1200mm

Curve Full Fabric (PT-CFF)



PT-CFF - 105 x 60	1050H x 600W mm
PT-CFF - 105 x 75	1050H x 750W mm
Height - 1500mm	
PT-CFF - 150 x 60	1050H x 600W mm
PT-CFF - 150 x 75	1050H x 750W mm

Height - 1050mm

Table Top

Curve Half Perspex (PT-CHP)



Height - 1200mm		Height - 1350mm		Height - 1500mm	
PT-CHP - 120 x 60	1050H x 600W mm	PT-CHP - 135 x 60	1050H x 600W mm	PT-CHP - 150 x 60	1050H x 600W mm
PT-CHP - 120 x 75	1050H x 750W mm	PT-CHP - 135 x 75	1050H x 750W mm	PT-CHP - 150 x 75	1050H x 750W mm

Curve Full Perspex (PT-CFP)



Height - 1200mm		Height - 1350mm		Height - 1500mm	
PT-CFP - 120 x 60	1050H x 600W mm	PT-CFP - 135 x 60	1050H x 600W mm	PT-CFP - 150 x 60	1050H x 600W m
DT CED 400 - 75	405011 350111	DT CED 475 - 75	405011 750111	DT CED 450 - 75	405011 750111

Straight Worktop

WK-WT - 60 x 45	600H x 450W x 25THK mm	WK-WT - 165 x 60	1650H x 600W x 25THK mm
WK-WT - 75 x 45	750H x 450W x 25THK mm	WK-WT - 180 x 60	1800H x 600W x 25THK mm
WK-WT - 90 x 45	900H x 450W x 25THK mm	WK-WT - 60 x 75	600H x 750W x 25THK mm
WK-WT - 105 x 45	1050H x 450W x 25THK mm	WK-WT - 75 x 75	750H x 750W x 25THK mm
WK-WT - 120 x 45	1200H x 450W x 25THK mm	WK-WT - 90 x 75	900H x 750W x 25THK mm
WK-WT - 60 x 60	600H x 600W x 25THK mm	WK-WT - 105 x 75	1050H x 750W x 25THK mm
WK-WT - 75 x 60	750H x 600W x 25THK mm	WK-WT - 120 x 75	1200H x 750W x 25THK mm
WK-WT - 90 x 60	900H x 600W x 25THK mm	WK-WT - 135 x 75	1350H x 750W x 25THK mm
WK-WT - 105 x 60	1050H x 600W x 25THK mm	WK-WT - 150 x 75	1500H x 750W x 25THK mm
WK-WT - 120 x 60	1200H x 600W x 25THK mm	WK-WT - 165 x 75	1650H x 750W x 25THK mm
WK-WT - 135 x 60	1350H x 600W x 25THK mm	WK-WT - 180 x 75	1800H x 750W x 25THK mm
WK-WT - 150 x 60	1500H x 600W x 25THK mm		

Curve Corner Worktop



WK-CCW - 150 x 60	1500W/600D x 1500W/600D x 25THK mn
WK-CCW - 165 x 60	1650W/600D x 1650W/600D x 25THK mm
WK-CCW - 150 x 75	1500W/750D x 1500W/750D x 25THK mm
WK-CCW - 165 x 75	1650W/750D x 1650W/750D x 25THK mm

Curve Corner Top (Left)



WK-CC - 120 x 60 (L)	1200W/600D x 1200W/600D x 25THK
WK-CC - 150 x 60 (L)	1500W/600D x 1500W/600D x 25THK
WK-CC - 180 x 60 (L)	1800W/600D x 1800W/600D x 25THK
WK-CC - 120 x 75 (L)	1200W/750D x 1200W/750D x 25THK r
WK-CC - 150 x 75 (L)	1500W/750D x 1500W/750D x 25THK r
WK-CC - 180 x 75 (L)	1800W/750D x 1800W/750D x 25THK r

Curve Corner Top (Right)




WK-CC - 120 x 60 (R)	1200W/600D x 1200W/600D x 25THK m
WK-CC - 150 x 60 (R)	1500W/600D x 1500W/600D x 25THK n
WK-CC - 180 x 60 (R)	1800W/600D x 1800W/600D x 25THK n
WK-CC - 120 x 75 (R)	1200W/750D x 1200W/750D x 25THK m
WK-CC - 150 x 75 (R)	1500W/750D x 1500W/750D x 25THK m
WK-CC - 180 x 75 (R)	1800W/750D x 1800W/750D x 25THK m

Round End Top



WK-RET - 120 x 60	1200W x 600D x 25THK mm
WK-RET - 150 x 60	1500W x 600D x 25THK mm
WK-RET - 180 x 60	1800W x 600D x 25THK mm
WK-RET - 120 x 75	1200W x 750D x 25THK mm
WK-RET - 150 x 75	1500W x 750D x 25THK mm
WK-RET - 180 x 75	1800W x 750D x 25THK mm

Counter Worktop (Left)	WK-CW - 120 x 60 (L)	1200W x 600D x 25THK mm
Trontop (Lent)	WK-CW - 150 x 60 (L)	1500W x 600D x 25THK mm
W D	WK-CW - 180 x 60 (L)	1800W x 600D x 25THK mm
	WK-CW - 120 x 75 (L)	1200W x 750D x 25THK mm
	WK-CW - 150 x 75 (L)	1500W x 750D x 25THK mm
	WK-CW - 180 x 75 (L)	1800W x 750D x 25THK mm
ounter Worktop	WK-CW - 120 x 60 (R)	1200W x 600D x 25THK mm
ht)	WK-CW - 150 x 60 (R)	1500W x 600D x 25THK mm
	WK-CW - 180 x 60 (R)	1800W x 600D x 25THK mm
	WK-CW - 120 x 75 (R)	1200W x 750D x 25THK mm
	WK-CW - 150 x 75 (R)	1500W x 750D x 25THK mm
	WK-CW - 180 x 75 (R)	1800W x 750D x 25THK mm
und Extension Top	WK-RXT - 60 (L)	750Wx 600D x 25THK mm
ft)	WK-RXT - 75 (L)	900W x 750D x 25THK mm
	1369	300 A 23 HA HIII
Extension Top	WK-RXT - 60 (R) WK-RXT - 75 (R)	750W x 600D x 25THK mm 900W x 750D x 25THK mm
nection Workton	WK-CNW-60	600W 600D v 25TMF om
ction Worktop	WK-CNW - 60	600W x 600D x 25THK mm 750W x 750D x 25THK mm
nnection Worktop	WK-CNW - 60 WK-CNW - 75	600W x 600D x 25THK mm 750W x 750D x 25THK mm
Connection Worktop		
nnection Worktop		
	WK-CNW - 75	750W x 750D x 25THK mm





Accessories

Hanging Cabinet -Flip Door Type



WK-HC 60	585W x 355D x 445H mm
WK-HC 75	735W x 355D x 445H mm
WK-HC 80	785W x 355D x 445H mm
WK-HC 90	885W x 355D x 445H mm
WK-HC 105	1035W x 355D x 445H mm
WK-HC 120	1185W x 355D x 445H mm

Hanging Cabinet -Flip Door Type with Soft Closing



WK-HC 60 (SF)	585W x 355D x 445H mm
WK-HC 75 (SF)	735W x 355D x 445H mm
WK-HC 80 (SF)	785W x 355D x 445H mm
WK-HC 90 (SF)	885W x 355D x 445H mm
WK-HC 105 (SF)	1035W x 355D x 445H mm
WK-HC 120 (SF)	1185W x 355D x 445H mm

Hanging Bookshelf



WK-HB 60	585W x 355D x 445H mm
WK-HB 75	735W x 355D x 445H mm
WK-HB 80	785W x 355D x 445H mm
WK-HB 90	885W x 355D x 445H mm
WK-HB 105	1035W x 355D x 445H mm

Side Supporting panel



VK-SL 45	420W x 735H mm
VK-SL 60	570W x 735H mm
VK-SL 75	720W x 735H mm

Cantilever Leg



Tubular Stand



Tubular Stand





RD-ETS 50W x 50D x 735H mm

RD-06

75W x 75D x 735H mm

RD-09 (L)

600W x 62D x 735H mm

600W x 62D x 735H mm

RD-10

RD-11



600W x 70D x 735H mm







600W x 70D x 735H mm



PT-CT 45 450W x 735H mm PT-CT 60 600W x 735H mm PT-CT 75 750W x 735H mm

Screen

With post-pandemic working environment in mind, this Screen series offers partitions that create an appropriate social distance. These partitions not only enable privacy and safety, but they also add to grandeur with minimal obstructed view.



Chipboard



Standard 300H

W-SC-CB60X30 550W x 300H x 18THK mm W-SC-CB74X30 690W x 300H x 18THK mm W-SC-CB90X30 850W x 300H x 18THK mm W-SC-CB120X30 1150W x 300H x 18THK mm W-SC-CB150X30 1450W x 300H x 18THK mm W-SC-CB180X30 1750W x 300H x 18THK mm



Standard 500H

W-SC-CB60X50 550W x 500H x 18THK mm W-SC-CB74X50 690W x 500H x 18THK mm W-SC-CB90X50 850W x 500H x 18THK mm W-SC-CB120X50 1150W x 500H x 18THK mm W-SC-CB150X50 1450W x 500H x 18THK mm W-SC-CB180X50 1750W x 500H x 18THK mm





Standard 700H

W-SC-CB60X70 550W x 700H x 18THK mm W-SC-CB74X70 690W x 700H x 18THK mm W-SC-CB90X70 850W x 700H x 18THK mm W-SC-CB120X70 1150W x 700H x 18THK mm W-SC-CB150X70 1450W x 700H x 18THK mm W-SC-CB180X70 1750W x 700H x 18THK mm



Standard 850H

W-SC-CB120X85 1150W x 850H x 18THK mm W-SC-CB150X85 1450W x 850H x 18THK mm W-SC-CB180X85 1750W x 850H x 18THK mm





Fabric



Standard 300H

W-SC-FA60X30 550W x 300H x 18THK mm W-SC-FA74X30 690W x 300H x 18THK mm W-SC-FA90X30 850W x 300H x 18THK mm W-SC-FA120X30 1150W x 300H x 18THK mm W-SC-FA150X30 1450W x 300H x 18THK mm W-SC-FA180X30 1750W x 300H x 18THK mm



Standard 500H

W-SC-FA60X50 550W x 500H x 18THK mm W-SC-FA74X50 690W x 500H x 18THK mm W-SC-FA90X50 850W x 500H x 18THK mm W-SC-FA120X50 1150W x 500H x 18THK mm W-SC-FA150X50 1450W x 500H x 18THK mm W-SC-FA180X50 1750W x 500H x 18THK mm





Standard 700H

W-SC-FA60X70 550W x 700H x 18THK mm W-SC-FA74X70 690W x 700H x 18THK mm W-SC-FA90X70 850W x 700H x 18THK mm W-SC-FA120X70 1150W x 700H x 18THK mm W-SC-FA150X70 1450W x 700H x 18THK mm W-SC-FA180X70 1750W x 700H x 18THK mm



Standard 850H

W-SC-FA120X85 1150W x 850H x 18THK mm W-SC-FA150X85 1450W x 850H x 18THK mm W-SC-FA1B0X85 1750W x 850H x 18THK mm







242

Standard 500H

P-SC-3AC60X50L 550W x 500H x 3THK mm

P-SC-3AC75X50L 700W x 500H x 3THK mm P-SC-3AC90X50L

850W x 500H x 3THK mm P-SC-3AC120X50L 1150W x 500H x 3THK mm

P-SC-3AC150X50L 1450W x 500H x 3THK mm

P-SC-3AC180X50L 1750W x 500H x 3THK mm



T-Bracket WK-BK-25



Combine

U-Type

P-SC-3AC60X60X50-U 550W x 550D x 500H mm P-SC-3AC75X60X50-U 700W x 550D x 500H mm P-SC-3AC90X60X50-U 850W x 550D x 500H mm P-SC-3AC120X60X50-U 1150W x 550D x 500H mm

P-SC-3AC120X60X50-U 1150W x 550D x 500H mm P-SC-3AC150X60X50-U 1450W x 550D x 500H mm P-SC-3AC180X60X50-U 1750W x 550D x 500H mm



Side by Side (Single Type)

P-SC-3ACI20X60X50-S (550W + 550W) x 550D x 500H mm P-SC-3ACI50X60X50-S (700W + 700W) x 550D x 500H mm P-SC-3ACI80X60X50-S (850W + 850W) x 550D x 500H mm

P-SC-3AC240X60X50-S (1150W + 1150W) x 550D x 500H mm P-SC-3AC300X60X50-S

(1450W + 1450W) x 550D x 500H mm P-SC-3AC360X60X50-S (1750W + 1750W) x 550D x 500H mm



L Acrylic Bracket WK-BK-30(TT)

Back to Back (Double Type)

P-SC-3AC120X90X50-D 850W x (550D + 550D) x 500H mm P-SC-3AC120X120X50-D 1150W x (550D + 550D) x 500H mm P-SC-3AC120X150X50-D

1450W x (550D + 550D) x 500H mm P-SC-3AC120X180X50-D 1750W x (550D + 550D) x 500H mm

Applicable bracket : L Acrylic Bracket WK-BK-30(TT)

Round Table

P-SC-3AC120X120X50-R (550W + 550W) x (550D + 550D) x 500H P-SC-3AC150X150X50-R (700W + 700W) x (700D + 700D) x 500H





Colours




Pod

 N-Space
 248

 Cove
 260

 D1
 272

Embark on an interstellar trip







Focus: A space of your own



Communication: A conversation between you and me



Teamwork: Brainstorming at any time



Relaxation: Enjoy a moment of tranquility



MOVABLE BOOTH

Adjustable casters make its movement smoother and faster.







Acoustic insulation

high-density acoustic felt and other acoustic materials ensure a distraction-proof environment.

Pleasant ventilation

Ultra-silent and energy-saving ventilation indulges you with a refreshing breeze every mirute.



Eye-comfort lighting

4000K (color temperature) natural light LED ensures a comfortable lighting experience.



Convenient charging


100-230V/50Hz and 12V-USB adapt to most mainstream devices.











Create a private space in an open-plan workspace for making phone calls, reception, communication, and ad-hoc work.





PRIVATE

Meeting space

A choice between privacy and semi-privacy allows you to make phone/video calls expediently, and offers a solution to ad-hoc discussions.



Brainstorming space

A high-resilient back cushion gives your waist soft support when you stand up.

Booth/Silent Capsule/ Occasional Table/Working Table/Conference Table/Sofa











DNA20.100100G

DNA24.200156G

DNA27.250250G W1000°D1000°H2377(mm) W2000°D1560°H2445(mm) W2500°D2500°H2445(mm) W1340°D610°H756(mm)

SNA30L/R.2.MR

SNA30L/R.3.MR W2280*D600*H756(mm)











DSN70.100060 W1000*D600*H750(mm)

W1000*D600*H1050(mm) W1805*D870*H1050(mm)

DSN74.180587

DSN76.170090 W1700*D900*H750(mm)

DSN78.170090 W1700*D900*H1050(mm)





DNA29.021016GW W210*D165*H100(mm)

DNA28.029029GN W290*D290*H160(mm)

Sofa Material

TM-VI





258



Capsule Material

External veneer



Internal veneer

TM-CI



















Moonlight Grey carpetWhite oak Aluminum Oxidized Mist grey White

Steel plate

Occational Table Material

Table bo	ard	Base
10 64		
5-77	5-57	Meteor e

Cove

Through our work we have researched the best workplaces and found out that they all have specifically assigned areas for the different activities that take place at the office: Collaboration, Communication, Concentration and Chill-out. Cove, creating smart and comfortable workspace.



U PodWork



Pod Range

Type A1

Body Panel TR-CO-U1 1300W x 900D x 1350H MM

Table Top W-CO-U1-F 1210W x 740D x 25THK MM



Type A2

Body Panel TR-CO-U2 1600W x 900D x 1350H MM

Table Top W-CO-U2-F 1510W x 740D x 25THK MM



G PodWork



Pod Range

Type A1

Body Panel TR-CO-G1 1300W x 1800D x 1350H MM


Table Top W-CO-G1-F 1210W x 740D x 25THK MM



Type A2

Body Panel TR-CO-G2 1600W x 1800D x 1350H MM

Table Top W-CO-G2-F 1510W x 740D x 25THK MM



G PodWork c/w Sofa



Pod Range

Type B1

Body Panel TR-CO-GS1 1300W x 1450D x 1350H MM

Table Top W-CO-GS1-F 1210W x 740D x 25THK MM



Type B2

Body Panel TR-CO-GS2 1600W x 1450D x 1350H MM

Table Top W-CO-GS2-F 1510W x 740D x 25THK MM



Xpress PodWork



Pod Range

Type C1

Body Panel TR-CO-XP1 1000W x 900D x 1800H MM

Table Top W-CO-XP1-G 910W x 740D x 25THK MM



Type C2

Body Panel TR-CO-XP1 1000W x 900D x 1800H MM

Table Top W-CO-XP2-G 910W x 740D x 25THK MM



Meeting PodWork



266

Pod Range

Type D1

TR-CO-M1 1600W x 500D x 1500H MM

Table Top

W-CO-M1 1510W x 450D x 25THK MM

Centre Table Structure
W-N180X90-DCW-F
1800W x 900D x 760H MM



Meeting PodWork c/w Sofa



Pod Range

Type E1

Body Panel TR-CO-MS1 1300W x 2150D x 1500H MM

Table Top


W-CO-MS1-F 900W x 800D x 25THK MM



Type E2

Body Panel **TR-CO-M52**1800W x 2150D x 1500H MM

W-CO-M52-F 1200W x 800D x 25THK MM



267


od Series


Pod Series


Cove Accessories





Hanging Steel Board Range Peg Board














WK-ACC-NP-1

Pearl netbox with

1 socket outlet (GB)

WK-ACC-NP-2

Pearl netbox with

1 socket outlet (INT)

(11)

WK-ACC-NP-3

Pearl netbox with

Twin Usb Charger



D1

Flexibility of a workplace is like the eco-system of an island: with different natural elements to make it vibrant and rich. D series includes screens, tables, seatings, and other office facilities, which integrate working, communication, leisure and other workingmodes harmoniously, providing a healthy office ecosystem.







1200mm-high panel screen with acoustic material surrounding the desk helps build an individual working space where you are freed from visual and sound interference.



How to balance me-working and to-working? A screen in the middle let users flexibly switch between focused work and discussion with a partner beside.

Office Leisure Zone








Leisure zone

Be there when you need a time off. A leisure unit built with D series products: a single sofa with high backrest, a panel screen, and a matching table top. Relaxing/reading/working/resting here when users need a time alone would be a perfect choice.





Accessories

Planto 282 Smart Solution 286

Planto

Our plant boxes can be utilised as a temporary storage to create cosy corners in a spacious room, or as a stylish divider. Suitable for plants, magazines, books, and decorative items, these timeless steel aesthetics are available in two colours.



cessories Series

Model









ST-PLAN-01-B 600W x 200D x 600H mm

ST-PLAN-02-B 270W x 270D x 365H mm

ST-PLAN-03-B 270W x 270D x 565H mm

ST-PLAN-04-B 270W x 270D x 765H mm



ST-PLAN-05-B 270W x 2700 x 965H mm

Features







Steel Frame Colour

Steel Frame

Stable and study legbase

BLACK

Smart Solution

Modular design allows any configuration of services, making it an ideal solution for Workstations, Meeting & Conference tables, Collaborative & Public spaces, as well as vertical surfaces including screens, walls or soft furniture









DATA POWER & MODULES

, i	*	
Р	U	0
Power	Data USB	Data Outlet

WK-CNB-3P Anthena netbox with 3P x 13a Socket (Nk series)

([::::::])

WK-CNB-2PU Anthena setbox with 2P x 13a Socket (Nk series) and 1U x Data Usb

(.:.: 4.)

WK-CNB-2PO Anthena netbox with 2P x 15a Socket (Nk series) and 10 x Data Outlet RJ45

ीराराव)

WK-CNB-3PU

Anthena netbox with 3P x 15a Socket (Nk series) and 1U x Data Usb

1 -: -: -: -: 1

WK-CNB-3PO

Anthena netbox with 3P x 15a Socket (Nk series) and 1O x Data Outlet RJ45

WK-CNB-2PUO Anthena netbox with 2P x 13a Socket (Nk series), 1U x Data Usb. 1O x Data Outlet RJ45

WK-CNB-4PU

Anthena netbos with 4P x 13e Socket (Nk series) and 1U x Data Usb

WK-CNB-4PO

Anthena netbox with 4P x 13a Socker (Nk series) and 1O x Data Outlet RJ45

(।ससाससमा)

WK-CNB-3PU0
Anthens netbos with
3P x 13a Socket (Nk series),
1U x Data Usb, 1O x Data Outlet
R)45

(प्रियम् ।

Model



DATA POWER & MODULES

Centra netbox with 5P x 13a Socket (Nk series).

WK-NB-3P

WK-NB-3PO Centra netbox with 3P x 15a Socket (Nk series) and 10 x Data Outlet R§45.

(1:1:1:1:11)

WK-NB-2PUO

Centra netbox with 2P x 15a Socket (Nk series), 1U x Data Usb, 10 x Data Outlet RJ45.

(I-::-: I I I I I

Pearl Netbox



Model



DATA POWER & MODULES



WK-ACC-NP-1 Pearl netbox with 1 socket outlet (GB)



WK-ACC-NP-2 Pearl netbox with 1 socket outlet (INT)



Pearl netbox with Twin USB charger

WK-ACC-NP-3



Colours Pearl Netbox













Clamp Netbox





In-Desk Netbox

Zens + Wireless Charger




Model



TR-ACC-ZENS 15W Wireless Fast Charger for Android and iO5, surface and sub-surface (3-5mm) installation

Zens + Wireless Charger



Model



WK-PW-01
Power track 400mm + CAT6
Deta Module with 2 plug adapters
(international socket outlet)

TR-PW-02 1 plug adapter (International socket outlet)





Wire Casing



Model WIRE CASING

Wire Casing Premium



WK-WC1 1200MM LENGTH Smooth and 2 way flexible movements



Wire Casing Standard



TR-WC2 1000MM LENGTH 1 way flexible movement

LICHT

Technical Specification

Spider

Single Table

PR

Standard Table W-S120X74-5-F 1200W/7400/ 760H mm

W-\$150X74-5-F 1500W/7400/ 760H mm.

W-\$180X74-5-F 1800W/7400/ 760H mm

Double Table



Standard Desk (6000) W-\$120X120-02-# 1200W/12000/ 760H mm

W-S160X120-92-F 1900W/12900/ 760H mm

W-S180X120-D2-F 1800W/1200Q/ 760H mm

Standard Desk (7400) W-5120X148-D2-F 1200W/1480D/ 760H mm

W-5150X348-D2-F 1500W/1480D/ 750H mm

W-5180X148-D2-F 1800W/1480D/ 760H mm Single Link Table



2 Seater W-5120X74-S2-F 2400W/740D/ 760H mm

W-S150X74-S2-F 3000W/7400/ 760H mm

W-5180X74-52-F 3600W/7400/ 760H mm 3 Seater W-\$120X74-\$3-F 3600W/7400/ 760H mm

W-S150X74-S3-F 4500W/740D/ 760H mm

W-S180X74-S3-F 5400W/740D/ 760H www

Double Link Table



A Septer (600D) W-S120X120-D4-F 2400W/1200D/ 760H mm

W-S150X120-D4-F 5000W/1200D/ 7605 mm

W-\$160X120-D4-F 3600W/1200D/ 760H mm

4 Seater (7400) W-5120X168-D4-F 2400W/14800/

W-5150X148-D4-F 3000W/4800/ 760H mm

760H mm

W-S380X148-D4-F 5600W/1480D/ 760H mm 6 Swater (600D) W-S120X120-D6-F 3600W/1200D/ 760H mm

W-S150X120-D6-F 4500W/12000/ 760H mm

W-S180X120-D6-F 5400W/12000/ 760H mm

6 Seater (7400) W-\$120X148-D6-F 3600W/1480D/ 760H mm

W-\$150X148-D6-F 4500W/14800/ 760H mm

W-\$180X148-D6-F \$400W/14800/ 760H mm Executive Table



Standard Desk W-S150X60-EX-F 1500W/5000 a 1500W/6000 760H mm

W-\$180X60-EX-F 1800W/600D x 1800W/600D 760H mm Discussion Table



Standard Deak W-590X90-DC-F 900W/900D/ 760H mm

W-S120X90-DC-F 1200W/9000/ 760H mm W-S150X90-DC-F 1500W/9000/ 760H mm

W-S180X90-DC-F 1800W/9000/ 760H wwn

Meeting Table



Standard Table (12000) W-S120X120-M-F 1200W/12000/ 760H mm

W-S150X120-M-F 1500W/1200D/ 760H mm

W-S180X120-M-F 1800W/1200D/ 750H mm

Standard Table (14800) W-\$120X148-M-F 1200W/1480D/ 760H mm

W-S150X148-M-F 150GW/1480D/ 760H mm

W-\$180X148-M-F 1800W/1480D/ 760H mm Meeting Link Table



2 Table Top (12000) W-5120X120-M2-F 2400W/12000/ 760H mm

W-5150X120-M2-F 3000W/1200D/ 760H mm

W-5180X120-M2-F 3600W/12000/ 760H mm

3 Table Top W-5120X120-M3-F 3600W/12000/ 260H mm

W-\$150X120-M3-F 6500W/1200D/

W-5180X120-M3-F 5400W/12000/ 760H mm 2 Table Top (1480D) W-S120X148-M2-F 2400W/1480D/ 760H mm

W-5150X148-M2-F 3000W/14800/ 760H mm

W-5180X148-M2-F 3600W/14800/ 760H mm

3 Table Top W-\$120X148-M3-F 3600W/14800/ 760H mm

W-S150X148-M3-F 4500W/1480O/ 760H mm

W-S180X148-M3-F 5400W/54800/ 760H mm

Single Partition Range

Chipboard Front Panel (C/w F-Bracket)

Fabric Front Panel (C/w F-Bracket)



Standard 500H

550W/500H/

P-SC-FA60X50F

Standard 500H W-SC-CB60X50F 18THK mm

W-SC-C874X50F

18THK mm

Standard 700H W-SC-CB60X70F 550W/700H/ 18THK mm W-SC-CB74X70F

690W/500H/ 690W/700H/ 18THK mm 18THK mm W-SC-C890X50F W-SC-CB90X70F 850W/500H/ 850W/700H/

18THK mm

W-SC-CB120X50F W-SC-CB120X70F 18THK mm 18THK mm

W-SC-CB150X50F W-SC-CB150X70F 1450W/500H/ 1450W/700H/ 18THK mm 18THK mm

W-SC-CB180X50F W-SC-CB180X70F 1750W/500H/ 18THK mm 18THK mm

18THK mm P-SC-FA74X50F 690W/500H/ 18THK mm

P-SC-FA90X50F P-SC-FA90X70F 850W/500H/ 850W/700H/ 18THK mm 18THK mm

Standard 700H

P-SC-FA60X70F

P-SC-FA74X70F

P-SC-FA120X70F

18THK mm

690W/700H/

18THK mm

550W/700H/

18THK mm

P-SC-FA120X50F 18THK mm

P-SC-FA150X50F P-SC-FA150X70F 1450W/500H/ 1450W/700H/ 18THK mm 18THK mm

P-SC-FA180X50F P-SC-FA180X70F 1750W/500H/ 1750W/700H/ 18THK mm 18THK mm

Chipboard Partition (c/w L-Bracket)

Chipboard Partition (c/w T-Bracket)



Standard 300H W-SC-CB120X30L 18THK mm

W-SC-CB150X30L 1450W/300H/ 1450W/500H/ 18THK mm 18THK mm

W-SC-CB180X30L 1750W/300H/ 18THK mm

Standard 500H W-SC-CB120X50L 1150W/500H/ 18THK mm

W-SC-CB180X50L

18THK mm

W-SC-CB150X50L

W-SC-CB180X30T 18THK mm

1450W/300H/

18THK mm

Standard 500H Standard 300H W-SC-CB120X30T W-SC-CB120X50T 1150W/500H/ 18THK mm 18THK mm

W-SC-CB150X30T

18THK mm W-SC-CB180X50T 1750W/500H/ 18THK mm

1450W/500H/

W-SC-CB150X50T

Single Partition Range

Fabric Partition (c/w L-Bracket)

Fabric Partition (c/w T-Bracket)



Standard 300H P-SC-FA120X30L 1150W/300H/

18THK mm

P-SC-FA150X30L 1450W/300H/ 18THK mm

P-SC-FA180X30L 18THK mm

Standard 500H Standard 300H P-SC-FA120X50L 1150W/500H/

P-SC-FA150X50L 1450W/500H/ 18THK mm

18THK mm

P-SC-FA180X50L 18THK mm

P-SC-FA120X30T 1150W/300H/ 18THK mm

P-SC-FA150X30T 1450W/300H/ 18THK mm

P-SC-FA180X30T 18THK mm

Standard 500H P-SC-FA120X50L 1150W/300H/ 18THK mm

1450W/300H/ 18THK mm P-SC-FA180X50T 18THK mm

P-SC-FA150X50T

Modesty Range

Chipboard Modesty (c/w L-Bracket)

Chipboard Modesty (c/w T-Bracket)



Trapezium W-MTR-CB120X48L 1050W/480H/ 18THK mm

W-MTR-CB150X48L 1350W/480H/ 18THK mm

W-MTR-CB180X48L 1650W/480H/ 18THK mm

1050W/480H/ 18THK mm W-MTR-CB150X48L 1350W/480H/ 18THK mm

W-MTR-CB120X48L

Rectangle

W-MTR-CB180X48L 1650W/480H/ 18THK mm

Modesty Range

Fabric Modesty (c/w L-Bracket)

Fabric Modesty (c/w T-Bracket)



P-MTR-CB120X48L 1050W/480H/ 18THK mm

P-MTR-CB150X48L 1350W/480H/ 18THK mm

P-MTR-CB180X48L 1650W/480H/ 18THK mm



18THK mm P-MTR-CB150X48L 1350W/480H/ 18THK mm

P-MTR-CB120X48L

Rectangle

1050W/480H/

P-MTR-CB180X48L 1650W/480H/ 18THK mm

Electronics Range

Clamp Netbox

(दिस्सः)

WK-CNB-3P Anthona nethrax with Lorem fosum

[ारास्त्र]

WK-CNB-2PO Anthena netbox with and 10 x Data Outlet RJ45 and 10 x Data Outlet RJ45 1U x Data USB

([सरस्य

WK-CNB-4PU Anthena netbox with

[বিবাহারমাট (বিবাহারামট

WK-CNB-3PUO Anthena netbox with 3P x 13a Socket (Nk Series) 2P x 13a Socket (Nk Series) 3P x 13a Socket (Nk Series) 4P x 13a Socket (Nk Series) 3P x 13a Socket (Nk Series) 1U x Data USB, 10 x Data Outlet RI45

11:1:11

WK-CNB-2PU WK-CNB-3PU Anthena netbox with Anthena netbox with 2P x 13a Socket (Nk Series) 3P x 13a Socket (Nk Series) 2P x 13a Socket (Nk Series) 4P x 13a Socket (Nk Series) and TU x Data USB and 1U x Data USB

(ारारारामा)

WK-CNB-2PUO Anthena retbox with 1U x Data USB, 10 x Data and 1O x Data Outlet RJ45 Outlet RI45

ीरारामा

WK-CNB-3PO

Anthena netbox with

ायसासस्य

WK-CNB-4PO Anthena netbox with

In-Desk Netbox

Centra netbox with 3P x 13a Socket (Nk Series) WK-ACC-NP-1 Pearl netbox with 1 socket outlet (GB)

Pearl Netbox

WK-NB-JPO Centra netbox with 3P x 13a Socket (Nk Series) and 10 x Data Outlet RJ45



WK-ACC-NP-2 Pearl netbox with



WK-CNB-2PUO Centra netbox with 2P x 13a Socket (Nk Series) 1U x Data USB, 1O x Data Outlet RJ45



1 socket outlet (INT)



WK-ACC-NP-3 Pearl netbox with Twin Usb Charger

Wire Management Range

Trunking Plate



Trunking (Type A) TT-NX-TRUN-A 500W/128D/110H mm with 0.7mm steel sheet



Trunking (Type B) TT-NX-TRUN-B-120 920W/302D/125H mm for table length 1200 mm

TT-NX-TRUN-B-150 1220W/302D/125H mm for table length 1500 mm

TT-NX-TRUN-B-180 1520W/302D/125H mm for table length 1800 mm Small Wire Terminal



Trunking (Type A) TT-NX-TERM-S 666W/300D/50THK mm Wire terminal small

Wire Casing



WK-WC1 1200 mm length Smooth and 2 way flexible movements



Wire Casing Standard TR-WC2 1000 mm length 1 way flexible movement Power Track





TR-PW-02 1 plug adapter (international socket outlet) Colours

Table Top Chipboard

Wood Grain Colour

















Edging Colour Option

White Light Grey

Modesty & Screen Chipboard

Wood Grain Colour





White



White















Comfy

Latte *special order by project

Textured Colour



Verta

Technical Specification

Single Table



Standard Table W-V120X74-SB-F 1200W/740D/ 760H mm

W-V150X74-SB-F 1500W/740D/ 760H mm

W-V180X74-SB-F 1800W/740D/ 760H mm

W-V120X74-S2B-F 2400W/740D/ 760H mm

Single Link Table

W-V150X74-S2B-F 3000W/740D/ 760H mm

W-V180X74-S2B-F 3600W/740D/ 760H mm

3 Seater W-V120X74-S3B-F 3600W/740D/ 760H mm

W-V150X74-S3B-F 4500W/740D/ 760H mm

W-V180X74-S3B-F 5400W/740D/ 760H mm

Double Table



Standard Desk W-V120X148-D2B-F 1200W/1480D/ 760H mm

W-V150X148-D2B-F 1500W/1480D/ 760H mm

W-V180X148-D2B-F 1800W/1480D/ 760H mm

Double Link Table

4 Seater W-V120X148-D4B-F 2400W/1480D/ 760H mm

W-V150X148-D48-F 3000W/1480D/ 760H mm

W-V180X148-D4B-F 3600W/1480D/ 760H mm

6 Seater W-V120X148-D6B-F 3600W/1480D/ 760H mm

W-V150X148-D6B-F 4500W/1480D/ 760H mm

W-V180X148-D6B-F 5400W/1480D/ 760H mm

L-Shape Table c/w Grommet



Standard Desk W-V150X60-LB-G 1500W/600D x 1500W/600D 760H mm

W-V180X60-LB-G 1800W/600D x 1800W/600D 760H mm

Discussion Table



Standard Desk W-V90X90-DCB-F 900W/900D/ 760H mm

W-V120X90-DCB-F 1200W/900D/ 760H mm

W-V150X90-DCB-F 1500W/900D/ 760H mm

W-V180X90-DCB-F 1800W/900D/ 760H mm

Meeting Table



1 Table Top W-V120X120-MB-F 1200W/1200D/ 760H mm

W-V150X120-MB-F 1500W/1200D/ 760H mm

W-V180X120-MB-F 1800W/1200D/ 760H mm Meeting Link Table



2 Table Top W-V120X120-M2B-F 2400W/1200D/ 760H mm

W-V150X120-M2B-F 3000W/1200D/ 760H mm

W-V180X120-M2B-F 3600W/1200D/ 760H mm 3 Table Top W-V120X120-M3B-F 3600W/1200D/ 760H mm

W-V150X120-M3B-F 4500W/1200D/ 760H mm

W-V180X120-M3B-F 5400W/1200D/ 760H mm

Single Partition Range

Chipboard Front Panel (C/w F-Bracket)

Fabric Front Panel (C/w F-Bracket)



Standard 500H W-SC-CB60X50F 550W/500H/ 18THK mm

W-SC-CB74X50F 690W/500H/ 18THK mm

W-SC-CB90X50F 850W/500H/ 18THK mm

W-SC-CB120X50F 1150W/500H/ 18THK mm

W-SC-CB150X50F 1450W/500H/ 18THK mm

W-SC-CB180X50F 1750W/500H/ 18THK mm

Standard 700H W-SC-CB60X70F 550W/700H/ 18THK mm

W-SC-CB74X70F 690W/700H/ 18THK mm

W-SC-CB90X70F 850W/700H/ 18THK mm

W-SC-CB120X70F 1150W/700H/ 18THK mm

W-SC-CB150X70F 1450W/700H/ 18THK mm

W-SC-CB180X70F 1750W/700H/ 18THK mm Standard 500H P-SC-FA60X50F 550W/500H/ 18THK mm

P-SC-FA74X50F 690W/500H/ 18THK mm

P-SC-FA90X50F 850W/500H/ 18THK mm

P-SC-FA120X50F 1150W/500H/ 18THK mm

P-SC-FA150X50F 1450W/500H/ 18THK mm

P-SC-FA180X50F 1750W/500H/ 18THK mm P

Standard 700H P-SC-FA60X70F S50W/700H/ 18THK mm

P-SC-FA74X70F 690W/700H/ 18THK mm

P-SC-FA90X70F 850W/700H/ 18THK mm

P-SC-FA120X70F 1150W/700H/ 18THK mm

P-SC-FA150X70F 1450W/700H/ 18THK mm

P-SC-FA180X70F 1750W/700H/ 18THK mm

Chipboard Partition (c/w L-Bracket) Chipboard Partition (c/w T-Bracket)



Standard 300H W-SC-CB120X30L 1150W/300H/ 18THK mm

W-SC-CB150X30L 1450W/300H/ 18THK mm

W-SC-CB180X30L 1750W/300H/ 18THK mm Standard 500H W-SC-CB120X50L 1150W/500H/ 18THK mm

W-SC-CB150X50L 1450W/500H/ 18THK mm

W-SC-CB180X50L 1750W/500H/ 18THK mm Standard 300H

W-SC-CB120X30T 1150W/300H/ 18THK mm

W-SC-CB150X30T 1450W/300H/ 18THK mm

W-SC-CB180X30T 1750W/300H/ 18THK mm

H Standard 500H

18THK mm W-SC-CB150X50T 1450W/500H/ 18THK mm

1150W/500H/

W-SC-CB180X50T 1750W/500H/ 18THK mm

Single Partition Range

Fabric Partition (c/w L-Bracket)

Fabric Partition (c/w T-Bracket)



Standard 300H P-SC-FA120X30L 1150W/300H/ 18THK mm

P-SC-FA150X30L 1450W/300H/ 18THK mm

P-SC-FA180X30L 18THK mm

Standard 500H P-SC-FA120X50L 1150W/500H/ 18THK mm

P-SC-FA150X50L 1450W/500H/ 18THK mm

P-SC-FA180X50L 1BTHK mm



P-SC-FA120X30T

P-SC-FA150X30T

1450W/300H/

18THK mm

18THK mm

1150W/300H/

18THK mm

Standard 500H P-SC-FA120X50T 1150W/300H/ 18THK mm

P-SC-FA150X50T 1450W/300H/ 18THK.mm

P-SC-FA180X30T P-SC-FA180X50T 1750W/300H/ 18THK mm

Modesty Range

Chipboard Modesty (c/w L-Bracket)

Chipboard Modesty (c/w T-Bracket)



W-MTR-CB120X48L 1050W/480H/ 18THK mm

W-MTR-CB150X48L 1350W/480H/ 18THK mm

W-MTR-CB180X48L 1650W/480H/ 18THK mm



W-MTR-CB120X48L 1050W/480H/ 18THK mm

W-MTR-CB150X48L 1350W/480H/ 18THK mm

W-MTR-CB180X48L 1650W/480H/ 18THK mm

Modesty Range

Fabric Modesty (c/w L-Bracket)

Fabric Modesty (c/w T-Bracket)



P-MTR-FA120X48L 1050W/480H/ 18THK mm

P-MTR-FA150X48L 1350W/480H/ 18THK mm

P-MTR-FA180X48L 1650W/480H/ 18THK mm



P-MTR-FA120X48L 1050W/480H/ 18THK mm

P-MTR-FA150X48L 1350W/480H/ 18THK mm

P-MTR-FA180X48L 1650W/480H/ 18THK mm

Electronics Range

Clamp Netbox



WK-CNB-3P Anthena nethox with Lorem Ipsum



WK-CNB-2PO Anthena netbox with

ारारारावी

Anthena netbox with 3P x 13a Socket (Nk Series) 2P x 13a Socket (Nk Series) 3P x 13a Socket (Nk Series) 4P x 13a Socket (Nk Series) 3P x 13a Socket (Nk Series) and 10 x Data Outlet RJ45 and 10 x Data Outlet RJ45 1U x Data USB

WK-CNB-3PO

विद्यास्य सम्म

WK-CNB-4PU Anthena netbox with

शिल्ला बाह्य ।

WK-CNB-3PUO Anthena netbox with 1U x Data USB, 10 x Data Outlet RI45

11:1:11

WK-CNB-2PU Anthena netbox with and 1U x Data USB

WK-CNB-3PU

Anthena netbox with and 1U x Data USB

(ारारामव) WK-CNB-2PUO

Anthena netbox with 2P x 13a Socket (Nk Series) 3P x 13a Socket (Nk Series) 2P x 13a Socket (Nk Series) 4P x 13a Socket (Nk Series) 1U x Data USB, 10 x Data and 10 x Data Outlet RJ45 Outlet RI45

(विस्नाससम्

WK-CNB-4PO Anthena netbox with

Pearl Netbox



WK-ACC-NP-1 Pearl netbox with 1 socket outlet (GB)



WK-ACC-NP-2 Pearl netbox with 1 socket outlet (INT)



WK-ACC-NP-3 Pearl netbox with Twin Usb Charger

Wire Management Range

Trunking Plate



Trunking (Type A)
TT-NX-TRUN-A 500W/128D/110H mm with 0.7mm steel sheet Small Wire Terminal



Trunking (Type A)
TT-NX-TERM-S 666W/300D/50THK mm Wire terminal small

Wire Casing



Wire Casing Premium WK-WC1 1200 mm length Smooth and 2 way flexible movements



Wire Casing Standard TR-WC2 1000 mm length T way flexible movement.

Colours Table Top Chipboard

















Fully Light Grey Block

Edging Colour Option

Black White Light Grey

Modesty & Screen Chipboard

Wood Grain Colour

















Comfy Latte "special order by project

Textured Colour



Next Standard

Single Table



Standard Table W-N120X74-SW 1200W/740D/ 760H mm

W-N150X74-SW 1500W/740D/ 760H mm

W-N180X74-SW 1800W/740D/ 760H mm

Single Link Table

2 Seater W-N120X74-S2W 2400W/740D/ 760H mm

W-N180X74-S2W

3600W/740D/

760H mm

W-N150X74-S2W 3000W/740D/ 760H mm

760H mm W-N180X74-S3W 5400W/740D/ 760H mm

3 Seater

760H mm

W-N120X74-S3W

W-N150X74-S3W

4500W/740D/

3600W/740D/

4 Seater W-N120X74-S4W 4800W/740D/ 760H mm

W-N150X74-S4W 6000W/740D/ 760H mm

W-N180X74-S4W 7200W/740D/ 760H mm

Double Table



Standard Desk W-N120X148-D2W 1200W/1480D/ 760H mm

W-N150X148-D2W 1500W/1480D/ 760H mm

W-N180X148-D2W 1800W/1480D/ 760H mm

Double Link Table



4 Seater W-N120X148-D4W 2400W/1480D/ 760H mm

W-N150X148-D4W 3000W/1480D/ 760H mm

Discussion Table

760H mm

W-N180X148-D4W 3600W/1480D/



6 Seater W-N120X148-D6W 3600W/1480D/ 760H mm

W-N150X148-D6W 4500W/1480D/ 760H mm

W-N180X148-D6W 5400W/1480D/ 760H mm



W-N120X148-D8W 4800W/1480D/ 760H mm

W-N150X148-D8W 6000W/1480D/ 760H mm

W-N180X148-D8W 7200W/1480D/ 760H mm

L-Shape



Standard Desk W-N150X60-LW-G 1500W/600D/ X 1500W/600D/ 760H mm

W-N180X60-LW-G 1800W/600D/ X 1800W/600D/ 760H mm

V-Shape



Standard Desk Standard Desk W-N120-VRW-G W-N90X90-DCW 1200W/600D/ X 900W/900D/ 1200W/600D/ 760H mm

W-N120X90-DCW 1200W/900D/ 760H mm

760H mm

W-N150X90-DCW 1500W/900D/ 760H mm

W-N180X90-DCW 1800W/900D/ 760H mm

Meeting Table



Standard Table W-N120X120-MW 1200W/1200D/ 760H mm

W-N150X120-MW 1500W/1200D/ 760H mm

W-N180X120-MW 1800W/1200D/ 760H mm

Standard Table W-N120X148-MW 1200W/1480D/ 760H mm

W-N150X148-MW 1500W/1480D/ 760H mm

W-N180X148-MW 1800W/1480D/ 760H mm

Meeting Link Table



2 Table Top W-N120X120-M2W 2400W/1200D/ 760H mm

W-N150X120-M2W 3000W/1200D/ 760H mm

W-N180X74-S2W 3600W/1200D/ 760H mm

2 Table Top W-N120X148-M2W 2400W/1480D/ 760H mm

W-N150X148-M2W 3000W/1480D/ 760H mm

W-N180X148-M2W 3600W/1480D/ 760H mm



3 Table Top W-N120X120-M3W 3600W/1200D/ 760H mm

W-N150X120-M3W 760H mm

W-N180X120-M3W 5400W/1200D/ 760H mm

3 Table Top W-N120X148-M3W 3600W/1480D/ 760H mm

W-N150X148-M3W 4500W/1480D/ 760H mm

W-N180X148-M3W 5400W/1480D/ 760H mm

Bar Table



1 Table Top W-N120X60-BW 1200W/600D/ 1050H mm

W-N150X60-BW 1500W/600D/ 1050H mm

W-N180Y60-RW 1800W/600D/ 1050H mm

Standard Table W-N120X74-BW 1200W/740D/ 1050H mm

W-N150X74-BW 1500W/740D/ 1050H mm

W-N180X74-BW 1800W/740D/ 1050H mm

Standard Table W-N120X90-BW 1200W/900D/ 1050H mm

W-N150X90-BW 1500W/900D/ 1050H mm

W-N180X90-BW 1800W/900D/ 1050H mm



1050H mm

1050H mm

1800W/600D/

Standard Table

1200W/740D/

1500W/740D/

1800W/740D/

1050H mm

1050H mm

1050H mm

1050H mm

W-N120X74-B2W

W-N150X74-B2W

W-N180X74-B2W

1050H mm

2 Link Table Top W-N120X60-B2W 1200W/600D/

W-N150X60-B2W 1500W/600D/

W-N180X60-R2W

Standard Table W-N120X74-B3W 1200W/740D/ 1050H mm

W-N150X74-B3W 1500W/740D/ 1050H mm

Standard Table

1200W/900D/

1050H mm

W-N120X90-B3W

W-N150X90-B3W

W-N180X90-B3W

1800W/900D/

1050H mm

1500W/900D/

1050H mm

W-N180X74-B3W 1800W/740D/ 1050H mm

Standard Table W-N120X90-B2W 1200W/900D/

W-N150X90-B2W 1500W/900D/ 1050H mm

W-N180X90-B2W 1800W/900D/ 1050H mm



3 Link Table Top

1200W/600D/

1050H mm

W-N120X50-B3W

W-N150X50-B3W

W-N180Y50-B3W

1800W/600D/

1050H mm

1500W/600D/

1050H mm

4 Link Table Top W-N120X60-B4W 1200W/600D/ 1050H mm

W-N150X60-B4W 1500W/600D/ 1050H mm

> W-N180Y60-B4W 1800W/600D/ 1050H mm

Standard Table W-N120X74-B4W 1200W/740D/ 1050H mm

W-N150X74-B4W 1500W/740D/ 1050H mm

W-N180X74-B4W 1800W/740D/ 1050H mm

Standard Table W-N120X90-B4W 1200W/900D/ 1050H mm

W-N150X90-B4W 1500W/900D/ 1050H mm

W-N180X90-B4W 1800W/900D/ 1050H mm

Next Fliper Casing

Single Table



Standard Table W-N120X74-SW-F 1200W/740D/ 760H mm

W-N150X74-SW-F 1500W/740D/ 760H mm

W-N180X74-SW-F 1800W/740D/ 760H mm



Single Link Table

2 Seater W-N120X74-S2W-F 2400W/740D/ 760H mm

W-N150X74-S2W-F 3000W/740D/ 760H mm

W-N180X74-S2W-F 3600W/740D/ 760H mm



3 Seater W-N120X74-S3W-F 3600W/740D/ 760H mm

W-N150X74-S3W-F 4500W/740D/ 760H mm

W-N180X74-S3W-F 5400W/740D/ 760H mm



4 Seater W-N120X74-S4W-F 4800W/740D/ 760H mm

W-N150X74-S4W-F 6000W/740D/ 760H mm

W-N180X74-S4W-F 7200W/740D/ 760H mm

Double Table



Standard Desk W-N120X148-D2W-F 1200W/1480D/ 760H mm

W-N150X148-D2W-F 1500W/1480D/ 760H mm

W-N180X148-D2W-F 1800W/1480D/ 760H mm

Double Link Table



760H mm W-N150X148-D4W-F 3000W/1480D/

760H mm W-N180X148-D4W-F 3600W/1480D/ 760H mm

6 Seater W-N120X148-D6W-F 3600W/1480D/ 760H mm

W-N150X148-D6W-F 4500W/1480D/ 760H mm

W-N180X148-D6W-F 5400W/1480D/ 760H mm



W-N120X148-D8W-F 4800W/1480D/ 760H mm

W-N150X148-D8W-F 6000W/1480D/ 760H mm

> W-N180X148-D8W-F 7200W/1480D/ 760H mm

Discussion Table



Standard Desk W-N90X90-DCW-F 900W/900D/ 760H mm

W-N120X90-DCW-F 1200W/900D/ 760H mm

W-N150X90-DCW-F 1500W/900D/ 760H mm

W-N180X90-DCW-F 1800W/900D/ 760H mm

Meeting Table

(A)

Standard Table W-N120X120-MW-F 1200W/1200D/ 760H mm

W-N150X120-MW-F 1500W/1200D/ 760H mm

W-N180X120-MW-F 1800W/1200D/ 760H mm

Standard Table W-N120X148-MW-F 1200W/1480D/ 760H mm

W-N150X148-MW-F 1500W/1480D/ 760H mm

W-N180X148-MW-F 1800W/1480D/ 760H mm Meeting Link Table



2 Table Top W-N120X120-M2W-F 2400W/1200D/ 760H mm

W-N150X120-M2W-F 3000W/1200D/ 760H mm

W-N180X74-S2W-F 3600W/1200D/ 760H mm

2 Table Top W-N120X148-M2W-F 2400W/1480D/ 760H mm

W-N150X148-M2W-F 3000W/1480D/ 760H mm

W-N180X148-M2W-F 3600W/1480D/ 760H mm A P

3 Table Top W-N120X120-M3W-F 3600W/1200D/ 760H mm

W-N150X120-M3W-F 4500W/1200D/ 760H mm

W-N180X120-M3W-F 5400W/1200D/ 760H mm

3 Table Top W-N120X148-M3W-F 3600W/1480D/ 760H mm

W-N150X148-M3W-F 4500W/1480D/ 760H mm

W-N180X148-M3W-F 5400W/1480D/ 760H mm

Meeting Table With Modesty



Standard Table W-N120X120-MW-F1 1200W/1200D/ 760H mm

W-N150X120-MW-F1 1500W/1200D/ 760H mm

W-N18CX120-MW-F1 1800W/1200D/ 760H mm

Standard Table W-N120X148-MW-F1 1200W/1480D/ 760H mm

W-N150X148-MW-F1 1500W/1480D/ 760H mm

W-N18CX148-MW-F1 1800W/1480D/ 760H mm Meeting Link Table With Modesty



2 Table Top W-N120X120-M2W-F1 2400W/1200D/ 760H mm

W-N150X120-M2W-F1 3000W/1200D/

760H mm W-N180X120-M2W-F1 3600W/1200D/

760H mm

2 Table Top W-N120X148-M2W-F1 2400W/1480D/

W-N150X148-M2W-F1 3000W/1480D/ 760H mm

W-N180X148-M2W-F1 3600W/1480D/ 760H mm No service of the ser

3 Table Top W-N120X120-M3W-F1 3600W/1200D/ 760H mm

W-N150X120-M3W-F1 4500W/1200D/ 760H mm

W-N180X120-M3W-F1 5400W/1200D/ 760H mm

3 Table Top W-N120X148-M3W-F1 3600W/1480D/

W-N150X148-M3W-F1 4500W/T480D/ 760H mm

W-N180X148-M3W-F1 5400W/1480D/ 760H mm Bar Table



1 Table Top W-N120X60-BW-F 1200W/600D/

W-N150X60-BW-F 1500W/600D/ 1050H mm

W-N180X60-BW-F 1800W/600D/ 1050H mm

Standard Table W-N120X74-BW-F 1200W/740D/

W-N150X74-BW-F 1500W/740D/ 1050H mm

> W-N180X74-BW-F 1800W/740D/ 1050H mm

Standard Table W-N120X90-BW-F 1200W/900D/ 1050H mm

W-N150X90-BW-F 1500W/900D/ 1050H mm

W-N180X90-BW-F 1800W/900D/ 1050H mm



2 Link Table Top W-N120X60-B2W-F 1200W/600D/ 1050H mm

W-N150X60-B2W-F 1500W/600D/ 1050H mm

W-N180X60-82W-F 1800W/600D/ 1050H mm

Standard Table W-N120X74-B2W-F 1200W/740D/ 1050H mm

W-N150X74-B2W-F 1500W/740D/ 1050H mm

W-N180X74-B2W-F 1800W/740D/ 1050H mm

Standard Table W-N120X90-B2W-F 1200W/900D/ 1050H mm

W-N150X90-62W-F 1500W/900D/ 1050H mm

W-N180X90-B2W-F 1800W/900D/ 1050H mm



3 Link Table Top W-N120X60-B3W-F 1200W/600D/

W-N150X60-B3W-F 1500W/600D/ 1050H mm

W-N180X60-B3W-F 1800W/600D/ 1050H mm

Standard Table W-N120X74-B3W-F 1200W/740D/ 1050H mm

W-N150X74-B3W-F 1500W/740D/ 1050H mm

W-N180X74-B3W-F 1800W/740D/ 1050H mm

Standard Table W-N120X90-B3W-F 1200W/900D/ 1050H mm

W-N150X90-B3W-F 1500W/900D/ 1050H mm

W-N180X90-B3W-F 1800W/900D/ 1050H mm



4 Link Table Top W-N120X60-B4W-F 1200W/500D/

W-N150X60-B4W-F 1500W/6000/ 1050H mm

W-N180X60-B4W-F 1800W/600D/ 1050H mm

Standard Table W-N120X74-B4W-F 1200W/7400/

W-N150X74-B4W-F 1500W/740D/ 1050H mm

W-N180X74-B4W-F 1800W/740D/ 1050H mm

Standard Table W-N120X90-B4W-F 1200W/900D/

1050H mm W-N150X90-B4W-F 1500W/900D/

W-N180X90-B4W-F 1800W/900D/ 1050H m/s

1050H mm

Next Index Netbox

Single Table

Standard Table W-N120X74-SW-N1 1200W/740D/ 760H mm

W-N150X74-SW-N2 1500W/740D/ 760H mm

W-N180X74-SW-N3 1800W/740D/ 760H mm

Single Link Table



2 Seater

760H mm

760H mm

3600W/740D/

W-N120X74-S2W-N1 2400W/740D/ 760H mm

W-N150K74-S2W-N2 3000W/740D/

> W-N180X74-S3W-N3 5400W/740D/ 760H mm

3 Seater

760H mm

W-N120X74-S3W-N1

W-N150X74-S3W-N2

3600W/740D/

4500W/740D/

4 Seater W-N120X74-S4W-N1 4800W/740D/ 760H mm

W-N150X74-S4W-N2 6000W/740D/ 760H mm

W-N180X74-S4W-N3 7200W/740D/ 760H mm

Double Table



Standard Desk W-N120X148-D2W-N1 1200W/1480D/ 760H mm

W-N150X148-D2W-N2 1500W/1480D/ 760H mm

W-N180X148-D2W-N3 1800W/1480D/ 760H mm

Double Link Table

W-N180X74-S2W-N3



4 Seater W-N120X148-D4W-N1 2400W/1480D/ 760H mm

W-N150X148-D4W-N2 3000W/1480D/ 760H mm

W-N180X148-D4W-N3 3600W/1480D/ 760H.mm



6 Seater W-N120X148-D6W-N1 3600W/1480D/ 760H mm

W-N150X148-D6W-N2 4500W/1480D/ 760H mm

W-N180X148-D6W-N3 5400W/1480D/ 760H mm

900W/900D/

760H mm

760H mm

1500W/900D/

1800W/900D/

760H mm

W-N180X90-DCW-N2

8 Seater W-N120X148-D8W-N1 4800W/1480D/ 760H mm

W-N150X148-D8W-N2 6000W/1480D/ 760H mm

W-N180X148-D8W-N3 7200W/1480D/ 760H mm

Executive Table



W-N180X90-FW-N1 W-N180X90-EW-N1-T 1800W x 900D x 760H mm

1600W x 450D x 600H mm

W-N180X90-EW-N2 W-N180X90-EW-N2-T 1800W x 900D x 760H mm W-N160-CAB

1600W x 450D x 600H mm

W-N180X90-EW-N3 W-N180X90-EW-N3-T 1800W x 900D x 760H mm Storage W-N160-CAB 1600W x 450D x 600H mm Discussion Table



Standard Desk W-N90X90-DCW-N1 900W/900D/ 760H mm

W-N120X90-DCW-N1 1200W/900D/ 760H mm

W-N150X90-DCW-N1 1500W/900D/

W-N180X90-DCW-N1 1800W/900D/ 760H mm

W-N90X90-DCW-N2 W-N90X90-DCW-N3 900W/900D/ 760H mm

W-N120X90-DCW-N2 W-N120X90-DCW-N3 1200W/900D/ 1200W/900D/ 760H mm

W-N150X90-DCW-N2 W-N150X90-DCW-N3 1500W/900D/

> W-N180Y90-DCW-N3 1800W/900D/ 760H mm

Meeting Table



Standard Table

WK-NB-3P W-N120X120-MW-N1 1200W x 1200D x 760H mm W-N150X120-MW-N1 1500W x 1200D x 760H mm

W-N120X148-MW-N1 1200W x 1480D x 760H mm W-N150X148-MW-N1 1500W x 1480D x 760H mm W-N180X148-MW-N1 1800W x 1480D x 760H mm

WK-NB-3PO

W-N120X120-MW-N2 1200W x 1200D x 760H mm W-N150X120-MW-N2 1500W x 1200D x 760H mm W-N180X120-MW-N2 1800W x 1200D x 760H mm

W-N120X148-MW-N2 1200W x 1480D x 760H mm W-N150X148-MW-N2 1500W x 1480D x 760H mm W-N180X148-MW-N2 1800W x 1480D x 760H mm

WK-NB-2PUO

W-N120X120-MW-N3 1200W x 1200D x 760H mm W-N150X120-MW-N3 1500W x 1200D x 760H mm W-N180X120-MW-N3 1800W x 1200D x 760H mm

W-N120X148-MW-N3 1200W x 1480D x 760H mm W-N150X148-MW-N3 1500W x 1480D x 760H mm W-N180X148-MW-N3 1800W x 1480D x 760H mm

Meeting Link Table



2 Table Top

WK-NB-3P W-N120X120-M2W-N1 2400W x 1200D x 760H mm W-N150X120-M2W-N1 3000W x 1200D x 760H mm W-N180X120-M2W-N1 3600W x 1200D x 760H mm

W-N120X148-M2W-N1 2400W x 1480D x 760H min W-N150X148-M2W-N1 3000W x 1480D x 760H mm W-N180X148-M2W-N1 3600W x 1480D x 760H mm

WK-NB-3PO

W-N120X120-M2W-N2 2400W x 1200D x 760H mm W-N150X120-M2W-N2 3000W x 1200D x 760H mm W-N180X120-M2W-N2 3600W x 1200D x 760H mm

W-N120X148-M2W-N2 2400W x 1480D x 760H n W-N150X148-M2W-N2 3000W x 1480D x 760H mm W-N180X148-M2W-N2 3600W x 1480D x 760H mm

WK-NB-2PUO

W-N120X120-M2W-N3 W-N150X120-M2W-N3 3000W x 1200D x 760H mm W-N180X120-M2W-N3 3600W x 1200D x 760H mm

W-N120X148-M2W-N3 2400W x 1480D x 760H mm W-N150X148-M2W-N3 3000W x 1480D x 760H mm W-N180X148-M2W-N3 3600W x 1480D x 760H mm



3 Table Top

WK-NB-3P W-N120X120-M3W-N1 3600W x 1200D x 760H mm W-N150X120-M3W-N1 4500W x 1200D x 760H mm W-N180X120-M3W-N1 5400W x 1200D x 760H mm

W-N120X148-M3W-N1 3600W x 1480D x 760H mm W-N150X148-M3W-N1 W-N180X148-M3W-N1 5400W x 1480D x 760H mm

WK-NB-3PO

W-N120X120-M3W-N2 3600W x 1200D x 760H mm W-N150X120-M3W-N2 5400W x 1200D x 760H mm

W-N120X148-M3W-N2 3600W x 1480D x 760H mm W-N150X148-M3W-N2 4500W x 1480D x 760H mm W-N180X148-M3W-N2 5400W x 1480D x 760H mm

WK-NB-2PUO

W-N120X120-M3W-N3 3600W x 1200D x 760H mm W-N150X120-M3W-N3 4500W x 1200D x 760H mm W-N180X120-M3W-N3 5400W x 1200D x 760H mm

W-N120X148-M3W-N3 W-N150X148-M3W-N3 4500W x 1480D x 760H mm W-N180X148-M3W-N3 5400W x 1480D x 760H mm Bar Table



1 Table Top

WK-NR-TP

W-N120360-BW-N1 1200W x 600D x 1050H mm W-N150X60-BW-N1 1500W x 600D x 1050H mm 1800W x 500D x 1050H mm

W-N120X74-BW-N1 0W x 7400 x 1050H mm W-N150X74-BW-N1 1800W x 740D x 1050H mm

W-N120X90-BW-N1 1200W x 900D x 1050H mm W-N150X90-BW-N1 1500W x 900D x 1050H mm 1800W x 900D x 1050H mm

WK-NB-SPO

W-N120X60-BW-N2 1200W x 600D x 1050H mm W-N150X60-BW-N2 1500W x 600D x 1050H mm W-N180X60-BW-N2 1800W x 500D x 1050H mm

W-N120X74-BW-N2 W-N150X74-BW-N2 W-N180374-BW-N2 1800W x 740D x 1050H mm

W-N120X90-BW-N2 1200W x 900D x 1050H mm W-N150X90-BW-N2 1500W = 900D x 1050H mm W-N180X90-BW-N2 1800W × 900D × 1050H mm

WK-NB-2PUO

W-N120X60-BW-N3 W-N150360-BW-N3 W-N180X60-BW-N3

W-N120374-BW-N3 W-N150X74-BW-N3 W-N180X74-BW-N3 1800W x 740D x 1050H mm

W-N120390-BW-N3 W-N150X90-BW-N3 W-N180X90-BW-N3 1800W x 900D x 1050H mm



2 Link Table Top WK-NR-TP

W-N120X60-B2W-N1 1200W x 600D x 1050H mm W-N150X60-B2W-N1

1500W x 600D x 1050H mm W-N180X60-B2W-N1 1800W x 600D x 1050H mm W-N120X74-B2W-N1

1200W x 740D x 1050H mm W-N150X74-B2W-N1 1500W x 740D x 1050H mm W-N180X74-B2W-N1 1800W x 740D x 1050H mm

W-N120X90-B2W-N1 1200W x 900D x 1050H mm W-N150X90-B2W-N1 1500W x 900D x 1050H mm W-N180X90-B2W-N1 1800W x 900D x 1050H mm

WK-NB-3PO

W-N120X60-B2W-N2 1200W x 600D x 1050H mm W-N150X60-B2W-N2 W-N180X60-B2W-N2 W-N120X74-B2W-N2 W-N150X74-B2W-N2 W-N180X74-B2W-N2

1800W x 740D x 1050H mm W-N120X90-B2W-N2 1200W x 900D x 1050H mm W-N150X90-B2W-N2 W-N180X90-B2W-N2 1800W x 900D x 1050H mm

WK-NB-2PUO

W-N120X60-B2W-N3 W-N150X60-B2W-N3 W-N180X60-B2W-N3 1800W x 600D x 1050H mm

W-N120X74-B2W-N3 W-N150X74-B2W-N3 1500W x 740D x 1050H W-N180X74-B2W-N3 1800W x 740D x 1050H mm

W-N120X90-B2W-N3 W-N150X90-B2W-N3 W-N180X90-B2W-N3



3 Link Table Top

WK-NR-YP

W-N120X60-B3W-N1 1200W x 600D x 1050H mm W-N150X60-B3W-N1 1500W x 6000 x 1050H mm W-N180X60-B3W-N1 1800W x 600D x 1050H mm

W-N120X74-B3W-N1 1200W x 740D x 1050H mm W-N150X74-83W-N1 W-N180X74-B3W-N1 \$800W x 740D x \$050H mm

W-N120X90-B3W-N1 1200W x 900D x 1050H mn W-N150X90-B3W-N1 1500W x 900D x 1050H mm W-N180X90-B3W-N1 1800W x 9000 x 1050H mm

WK-NB-3PO

W-N120X60-B3W-N2 1200W x 6000 x 1050H mm W-N150X60-B3W-N2 1500W x 600D x 1050H mm W-N180X60-B3W-N2 1800W x 600D x 1050H mm W-N120X74-B3W-N2

W-N150X74-B3W-N2 W-N180X74-B3W-N2 1500W x 740D x 1050H mm

W-N120X90-B3W-N2 1200W x 900D x 1050H mn W-N150X90-B3W-N2 1500W x 9000 x 1050H mm W-N180X90-B3W-N2 1800W x 900D x 1050H mn

WK-NB-2PUO

W-N120X60-B3W-N3 W-N150X60-63W-N3 W-N180X60-B3W-N3 1800W x 600D x 1050H mm

W-N120X74-B3W-N3 W-N150X74-B3W-N3 1500W x 740D x 1050H W-N180X74-B3W-N3 1600W x 740D x 1050H mm

W-NT20Y90-B3W-N3 W-N150X90-B3W-N3 W-N180X90-B3W-N3 1800W x 900D x 1050H mm



4 Link Table Top

WK-NR-TP

W-N120X60-B4W-N1 1200W x 600D x 1050H mm W-N150X60-B4W-N1 1500W x 600D x 1050H mm 1800W x 600D x 1050H mm

W-N120X74-B4W-N1 1200W x 740D x 1050H mm W-N150X74-B4W-N1 1500W x 740D x 1050H mm. W-N180X74-B4W-N1 1800W x 740D x 1050H mm

W-N120X90-B4W-N1 1200W x 900D x 1050H mm W-N150X90-B4W-N1 1500W x 900D x 1050H mm

WK-NB-3PO

W-N120X60-B4W-N2 1200W x 600D x 1050H mm W-N150X60-B4W-N2 W-N180X60-84W-N2 1800W x 600D x 1050H mm W-N120X74-B4W-N2 1200W x 7400 x 1050H mm

W-N150X74-B4W-N2 500W x 740D x 1050H mm W-N180X74-84W-N2 1800W x 740D x 1050H mm

1200W x 900D x 1050H mm W-N150X90-B4W-N2 W-NIBOX90-BAW-N2 1800W x 900D x 1050H mm

W-N120X60-BAW-N3 W-NISOX60-BAW-NS W-N180X60-B4W-N3 1800W x 600D x 1050H mm

W-N120X74-B4W-N3 W-N150X74-B4W-N3 1500W x 740D x 1050H mm W-N180X74-B4W-N3 1800W x 740D x 1050H mm

W-NIZOX90-BAW-NX W-N150X90-BAW-N3 W-N180X90-84W-N3 1800W x 900D x 1050H mm

Single Partition Range

Chipboard Front Panel (C/w F-Bracket)

Fabric Front Panel (C/w F-Bracket)

1



Standard 500H Standard 700H W-SC-CB60X50F W-SC-CB60X70F 550W/700H/ 18THK mm 18THK mm

W-SC-CB74X50F 690W/500H/ 18THK mm

W-SC-CB90X50F 850W/500H/ 18THK mm

W-SC-CB150X50F

W-SC-CB180X50F

1450W/500H/

1750W/500H/

18THK mm

18THK mm

W-SC-CB120X50F 18THK mm

1800W x 900D x 1050H mm

1500W x 6000 x 1050H mm

W-N120X90-B4W-N2

WK-NB-2PUO



550W/500H/ 18THK mm

P-SC-FA74X50F 690W/500H/ 18THK mm

P-SC-FA90X50F 850W/500H/ 18THK mm

W-SC-CB120X70F P-SC-FA120X50F 1150W/700H/ 1150W/500H/ 18THK mm

W-SC-CB150X70F 1450W/700H/ 18THK mm

W-SC-CB180X70F 1750W/700H/ 18THK mm

W-SC-CB74X70F

W-SC-CB90X70F

690W/700H/

850W/700H/

18THK mm

18THK mm

18THK mm P-SC-FA150X50F

1450W/500H/ 18THK mm

P-SC-FA180X50F 18THK mm

Standard 700H P-SC-FA60X70F 550W/700H/

18THK mm P-SC-FA74X70F 690W/700H/

18THK mm

P-SC-FA90X70F 850W/700H/ 18THK mm

P-SC-FA120X70F 1150W/700H/ 18THK mm

P-SC-FA150X70F 1450W/700H/ 18THK mm

P-SC-FA180X70F 1750W/700H/ 18THK mm

Chipboard Partition (c/w L-Bracket)



Standard 300H W-SC-CB120X30L 1150W/300H/

18THK mm W-SC-CB150X30L

1450W/300H/ 18THK mm

W-SC-CB180X30L 1750W/300H/ 18THK mm

Standard 500H W-SC-CB120X50L 1150W/500H/ 18THK mm

W-SC-CB150X50L 1450W/500H/ 18THK mm

W-SC-CB180X50L 1750W/500H/ 18THK mm

(1)

Chipboard Partition (c/w T-Bracket)

Standard 300H W-SC-CB120X30T 1150W/300H/ 18THK mm

W-SC-CB150X30T 1450W/300H/ 18THK mm

W-SC-CB180X30T 18THK mm

Standard 500H W-SC-CB120X50T 1150W/500H/ 18THK mm

W-SC-CB150X50T 1450W/500H/ 18THK mm

W-SC-CB180X50T 1750W/500H/ 18THK mm

Single Partition Range

Fabric Partition (c/w L-Bracket)

Fabric Partition (c/w T-Bracket)



Standard 300H P-SC-FA120X30L 1150W/300H/ 18THK mm

P-SC-FA150X30L 1450W/300H/ 18THK mm

P-SC-FA180X30L 1750W/300H/ 18THK mm Standard 500H P-SC-FA120X50L 1150W/500H/ 18THK mm

P-SC-FA150X50L 1450W/500H/ 18THK mm

P-SC-FA180X50L 1750W/500H/ 18THK mm



Standard 300H

1150W/300H/

18THK mm

P-SC-FA120X30T

P-SC-FA150X30T

P-SC-FA180X30T

1750W/300H/

18THK mm

1450W/300H/

18THK mm

Standard 500H P-SC-FA120X50L 1150W/300H/ 18THK mm

> P-SC-FA150X50T 1450W/300H/ 18THK mm

P-SC-FA180X50T 1750W/300H/ 18THK mm

Modesty Range Chipboard Modesty (c/w L-Bracket)	Chipboard Modesty (c/w T-Bracket)	
Trapezium W-MTR-CB120X48L 1050W/480H/ 18THK mm	Rectangle W-MTR-CB120X48L 1050W/480H/ 18THK mm	
W-MTR-CB150X48L 1350W/480H/ 18THK mm	W-MTR-CB150X48L 1350W/480H/ 18THK mm	
W-MTR-CB180X48L 1650W/480H/ 18THK mm	W-MTR-CB180X48L 1650W/480H/ 18THK mm	
Modesty Range Fabric Modesty (c/w L-Bracket)	Fabric Modesty (c/w T-Bracket)	
	•	
Trapezium P-MTR-CB120X48L 1050W/480H/ 18THK mm	Rectangle P-MTR-CB120X48L 1050W/480H/ 18THK mm	

P-MTR-CB180X48L 1650W/480H/ 18THK mm 1050W/480H/ 18THK mm P-MTR-CB150X48L 1350W/480H/ 18THK mm

P-MTR-CB180X48L 1650W/480H/ 18THK mm



P-MTR-CB150X48L

1350W/480H/ 18THK mm

Rectangle ST-MRC-120X48 920W/480H/ 18THK mm

ST-MRC-150X48 1220W/480H/ 18THK mm

ST-MRC-180X48 1520W/480H/ 18THK mm

Electronics Range

Clamp Netbox

शिवादाना ।

WK-CNB-3P Anthona nethox with Lorem Ipsum

WK-CNB-2PO Anthena netbox with and 10 x Data Outlet RJ45 and 10 x Data Outlet RJ45 1U x Data USB

ासस्य

(विस्तुस्त्राह्म) WK-CNB-3PO Anthena netbox with

WK-CNS-4PU Anthena netbox with

WK-CNB-3PUO Anthena netbox with 3P x 13a Socket (Nk Series) 2P x 13a Socket (Nk Series) 3P x 13a Socket (Nk Series) 4P x 13a Socket (Nk Series) 3P x 13a Socket (Nk Series) 1U x Data USB, 10 x Data Outlet Ri45

[বিবরবিদাটী (বিল্লাল্ডাটী

(ान्सन्य वर्ग)

WK-CNB-2PU Anthena netbox with 2P x 13a Socket (Nk Series) 3P x 13a Socket (Nk Series) 2P x 13a Socket (Nk Series) 4P x 13a Socket (Nk Series) and 1U x Data USB

WK-CNB-3PU Anthena netbox with and 1U x Data USB

(ारारारामा)

ीिरारमावी WK-CNB-2PUO

Anthena retbox with Outlet RI45

विद्यासम्बद्धाः

WK-CNB-4PO Anthena netbox with 1U x Data USB, 10 x Data and 10 x Data Outlet RJ45

In-Desk Netbox

(दिस्स

Centra netbox with 3P x 13a Socket (Nk Series)

WK-NB-JPO Centra netbox with 3P x 13a Socket (Nk Series) and 10 x Data Outlet RJ45

([न्स्यामा)

WK-CNB-2PUO Centra netbox with 2P x 13a Socket (Nk Series) 1U x Data USB, 1O x Data Outlet RJ45

Pearl Netbox

WK-ACC-NP-1

Pearl netbox with T socket outlet (GB)

WK-ACC-NP-2 Pearl netbox with 1 socket outlet (INT)

11

WK-ACC-NP-3 Pearl netbox with Twin Usb Charger Wire Management Range

Trunking Plate



Trunking (Type A) TT-NX-TRUN-A 500W/128D/110H mm with 0.7mm steel sheet Trunking (Type B)

TT-NX-TRUN-B-120 920W/302D/125H mm for table length 1200 mm

TT-NX-TRUN-B-150 1220W/302D/125H mm for table length 1500 mm

TT-NX-TRUN-B-180 1520W/302D/125H mm for table length 1800 mm Small Wire Terminal



Trunking (Type A) TT-NX-TERM-S 666W/30CD/50THK mm Wire terminal small

Wire Casing



WK-WC1 1200 mm length Smooth and 2 way flexible movements



Wire Casing Standard TR-WC2 1000 mm length 1 way flexible movement



Table Top Chipboard Wood Grain Colour



Oak













Fully Light Grey

Edging Colour Option

White Light Grey

Leg Solid Colour







Grey



Belge *special order by project

Modesty & Screen Chipboard

Wood Grain Colour



Oak









Solid Colour











Comfy Latte

*special order by project

Tendoned Colour



Flex

Single Desk

Double Bench







WK-FLEX-SD15-H 1500W/740D/

Hand Crank WK-FLEX-SD12-H 1200W/740D/ 580-1220H mm

580-1220H mm WK-FLEX-SD18-H

1800W/740D/ 580-1220H mm WK-FLEX-DB12-D

WK-FLEX-DB12-H 1200W/740D/ 1200W/740D/ 580-1220H mm 580-1220H mm WK-FLEX-DB15-D WK-FLEX-DB15-H 1500W/740D/ 1500W/740D/

Hand Crank

580-1220H mm

WK-FLEX-DB18-D WK-FLEX-DB18-H 1800W/740D/ 1800W/740D/ 580-1220H mm 580-1220H mm

580-1220H mm L-Shape Desk

WK-FLEY-SD18-D

1800W/740D/

Partition Range

580-1220H mm

850mm for Double Bench Desk (W/o Bracket)





Hand Crank WK-FLEX-L15-T WK-FLEX-L15-H 1500W/600D x 1500W/600D x 1500W/600D x 1500W/600D x 580-1220H mm

WK-FLEX-L18-T 1800W/600D x 1800W/600D x 580-1220H mm

690-1120H mm WK-FLEX-L18-H

1800W/600D x 1800W/600D x 690-1120H mm



1150W/850H/ 18THK mm W-SC-CB150X85 1450W/850H/

18THK mm W-SC-CB180X85 1750W/850H/ 18THK mm

Standard 850H Fabric P-SC-FA120X85 1150W/850H/

18THK mm P-SC-FA150X85 1450W/850H/ 18THK mm

P-SC-FA180X85 1750W/850H/ 18THK mm

Partition Range

850mm for Single Desk (C/w Leg Bracket)



Standard 850H 3 column

Standard 850H 2 column

Chipboard W-SC-CB120X85-BR1 W-SC-CB120X85-BR2

Fabric

Chipboard

W-SC-CB150X85-BR1 W-SC-CB150X85-BR2 1450W x 850H x 18THK mm 1450W x 850H x 18THK mm W-SC-CB180X85-BR1 W-SC-CB180X85-BR2 1750W x 850H x 18THK mm 1750W x 850H x 18THK mm

Standard 850H

Fabric

3 column Chipboard

850mm for L-Shape Desk (C/w Leg Bracket)

2 column Chipboard

Standard 850H

W-SC-CB120X85-BR1L W-SC-CB120X85-BR2L 1150W x 850H x 18THK mm 1150W x 850H x 18THK mm W-SC-CB150X85-BR1L W-SC-CB150X85-BR2L 1450W x 850H x 18THK mm 1450W x 850H x 18THK mm W-SC-CB180X85-BR1L W-SC-CB180X85-BR2L 1750W x 850H x 18THK mm 1750W x 850H x 18THK mm

Fabric

P-SC-FA150X85-BR1 P-SC-FA150X85-BR2

P-SC-FA120X85-BR1 P-SC-FA120X85-BR2

P-SC-FA180X85-BR1 P-SC-FA180X85-BR2 P-SC-FA180X85-BR1L P-SC-FA180X85-BR2L

Fabric

P-SC-FA120X85-BR1L P-SC-FA120X85-BR2L 1150W x 850H x 18THK mm 1150W x 850H x 18THK mm P-SC-FA150X85-BR1L P-SC-FA150X85-BR2L 1450W ± 850H ± 18THK mm 1450W x 850H x 18THK mm 1750W x 850H x 18THK mm

Partition Range

500mm & 700mm (C/w F-Bracket)



Standard 500H W-SC-CB120X50F 1150W/500H/ 18THK mm

W-SC-CB150X50F 1450W/500H/ 18THK mm

W-SC-CB180X50F 1750W/500H/ 18THK mm

Fabric P-SC-FA120X50F 1150W/500H/ 18THK mm

P-SC-FA150X50F 1450W/500H/ 18THK mm

P-SC-FA180X50F 18THK mm

Standard 700H

1150W/700H/

18THK mm

W-SC-CB120X70F

W-SC-CB150X70F

W-SC-CB180X70F

P-SC-FA120X70F

P-SC-FA150X70F

P-SC-FA180X70F

1750W/700H/

18THK mm

1450W/700H/

1150W/700H/

18THK mm

18THK mm

1450W/700H/

1750W/700H/

18THK mm

Fabric

18THK mm

300mm (C/w L-Bracket)



Standard 300H Chipboard W-SC-CB50X30L 550W/300H/ 18THK mm

W-SC-CB74X30L 690W/300H/

W-SC-CB90X30L 850W/300H/ 18THK mm

18THK mm

W-SC-CB120X30L 1150W/300H/ 18THK mm

1450W/300H/ 18THK mm

W-SC-CB180X30L 1750W/300H/ 18THK mm

Fabric P-SC-CB60X30L 550W/300H/ 18THK mm

P-SC-CB74X30L 690W/300H/ 18THK mm

P-SC-CB90X30L 850W/300H/ 18THK mm

P-SC-CB120X30L 1150W/300H/ 18THK mm

P-SC-CB150X30L 1450W/300H/ 18THK mm

P-SC-CB180X30L 18THK mm

Standard 500H Chipboard W-SC-CB60X50L 550W/500H/

18THK mm W-SC-CB74X50L 690W/500H/ 18THK mm

W-SC-CB90X50L 850W/500H/ 18THK mm

W-SC-CB120X50L 18THK mm

W-SC-CBI50X30L W-SC-CB150X50L 1450W/500H/ 18THK mm

> W-SC-CB180X50L 1750W/500H/ 18THK mm

Fabric P-SC-CREOXSOL 550W/500H/ 18THK mm

P-SC-CB74X50L 690W/500H/ 18THK mm

P-SC-CB90X50L 850W/500H/ 18THK mm

P-SC-CB120X50L 1150W/500H/ 18THK mm

P-SC-CB150X50L 1450W/500H/ 18THK mm

P-SC-CB180X50L 18THK mm

Modesty Range

Trapezium (C/w L-Bracket)

Rectangle (C/w L-Bracket)



W-MTR-CB120X48L 1050W/480H/ 18THK mm

W-MTR-CB150X48L 1350W/480H/ 18THK mm

W-MTR-CB180X48L 1650W/480H/ 18THK mm

Fabric P-MTR-CB120X46L 1050W/480H/ 18THK mm

1350W/480H/ 18THK mm

P-MTR-CB180X48L 1650W/480H/ 18THIS mm

Chipboard W-MRC-CB120X48L 1050W/480H/ 38THK mm

P-MTR-CB150X48L W-MRC-CB150X48L 1350W/480H/ 18THK mm

> W-MRC-CB180X48L 3650W/480H/ TRTHK mm.

(F)

P-MRC-CB120X48L 1050W/480H/ 18THK mm

P-MRC-CB150X48L 1350W/480H/ 18THK mm

> P-MRC-CB180X48L 1650W/480H/ 18THK mm

Electronics Range

Clamp Netbox



WK-CNB-3P Anthena nethox with [5454 S

WK-CNB-2PO 3P x 13a Socket (Nk Series) 2P x 13a Socket (Nk Series) 3P x 13a Socket (Nk Series) 3P

Anthona nethoxwith and 10 x Data Outlet RJ45 and 10 x Data Outlet RJ45 1U x Data USB

WK-CNB-3PO Anthena netbox with <u> বিবরবিষ্টারী</u> (বিররবিষ্টারী)

WK-CNB-4PU Anthena netbox with

WK-CNB-3PUO Anthena netbox with 1U x Data USB, 10 x Data Outlet RI45



WK-CNB-2PU

Anthena netbox with and 1U x Data USB

WK-CNB-3PU Anthena netbox with 2P x 13a Socket (Nk Series) 3P x 13a Socket (Nk Series) and TU x Data USB

WK-CNB-2PUO

Anthena netbox with 1U x Data USB, 10 x Data and 10 x Data Outlet RJ45 Outlet RI45

विजयासम्ब

WK-CNB-4PO Anthena netbox with ZP x 13a Socket (Nk Series) 4P x 13a Socket (Nk Series)

Wire Management Range

Cable Tray



Non-Adjustable TR-CT100 960 x 150 x 100 mm Available for table top size 1200-1400mm Applicable: Single Desk / L-shape Desk

TR-CT112 1200 x 150 x 100 mm Available for table top size 1400-1800mm Applicable: Single Desk

Adjustable TR-F-CT113 1000-1600 x 156 x 90 mm Available for table top size 1200-1800mm Applicable: Double Bench Desk

Wire Casing

Wire Casing Premium WK-WC1 1200 mm length Smooth and 2 way flexible movements



Wire Casing Standard TR-WC2 1000 mm length 1 way flexible movement

	Applicable
х	Not Applicable

Accessories Applicable with Adjustable Single desk

		KORTAN		CA	BLE TRAY		PARTIT	ON AND MODESTY				WIRE	CASING
	Clamp	In-desk netbox	Flipper	wine tray adjustable	wire tray non-adjustable	850mm w/o Bracket	850mm c/w Lng Bracket	500 & 700 mm c/w F - Bracket	300mm c/w L - Bracket	Modesty		Prentum	Standard
	dans.	0	1	1			BRY			TT	J	8	
WOOS		- 1	×	×	×	- 4		- 1		×	1		- 1
00W		1	*		- 1	-							
WOOR		- 36		3		× .							

*for size 1200W only can match clamp netbox with 850mm partition with leg bracket (BR1 & BR2)

*for size 1500W & 1800W can match with clamp netbox (position need to place at side table top either right or left side) if use with 500 & 700mm partition with F-bracket and 500mm with L-bracket

*Can match 300mm c/w L-bracket with modesty

*For Clamp netbox no need cable tray

Accessories Applicable with Adjustable Single desk

		ETBOX		C	BLE TRAY		PARTIT	ON AND MODESTY			WIRE CASING
	Clamp	In-desk netbox	Ripper	wine tray adjustable	wire tray non-adjustable	850mm W/o Bracket	850mm c/w Leg Bracket	500 & 700 mm c/W F - Bracket	300mm c/w L - Bracket	Modesty	Premium Standard
	Seed,		11	1			881/ 982				
12:00W	- 1			31		- 1					
1200W 1500W 1800W	х.			1.00		*					
W0081	- 2			*		1					

*Best wire solution if come with cable tray (non-adjustable) to hide the wire (In-desk netbox) and put power plug point in cable tray (flipper casing)

*Cable tray Applicable

TR-CT100 Available for table top size 1200-1400mm

TR-CT112 Available for table top size 1400-1800mm

*Can match 300mm c/w L-bracket with modesty

Accessories Applicable with Adjustable L-Shape desk

		KOBTE		CA	BLE TRAY		PARTIT	ON AND MODESTY			WIRE CASING
	Clamp netbox	in-desk netbox	Fipper	wire tray actustricie	wire tray non-adjustable	BS0mm w/o Bracket	850mm c/w Leg Bracket	500 & 700 mm c/w F - Bracket	500mm c/w L - Bracket	Modesty	Premium Standard
	fact,	-	11	-	N. Committee		BRZL/ BRZL				
WOOR		×	×	- 1	×	*					
WOO.		- 1	- 2	1.0	- 1	E .					

[&]quot;Camp netbox need to be placed at extension table top

*For Clamp netbox no need cable tray

Accessories Applicable with Adjustable L-Shape desk

	NETBOX		CA	BLETRAY		PARTIT	TON AND MODESTY			WIRE CASING
Clamp	In-desk netbox	Flipper	wire tray adjustable	wire tray non-adjustable	850mm W/o Bracket	850mm c/w Log Brecket	500 & 700 mm c/w 5 - Bracket	300mm c/w.LBracket	Modesty	Premium Standard
End		1	1	1 To		BROL BROL				
1500W x			- 10		×					
1500W a					- 1					

*All netbox and Flipper casing reed to be placed at extension table top
"If the table match with in-desh netbox and Flipper casing, the extension table can be place partition 300mm c/w L-bracket
"Can match 300mm c/w L-bracket with modesty."

"Best wire solution if come with cable tray (non-adjustable) to hide the wire (In-desk netbox) and put power plug point in cable tray (flipper casing)

*Cable tray Applicable TR-C1300 Available for table top size 1200-1800mm

Accessories Applicable with Adjustable Double bench

		NETBOX		CA	BLE TRAY		PARTIT	ON AND MODESTY				WIRE	CASING
	Clamp nettics	In-desk netbox	Flipper casing	wire tray adjustable	wire tray non-adjustable	BSOmm w/o Bracket	850mm c/w Leg Bracket	500 & 700 mm c/w F - Bracket	300mm c/w L - Bracket	Mode	sty	Priemium	Standard
	decode.	-	11	1	0		h					8	9
1200W					1.		10	×	136.1	1.	1.0		18
1500W					- 4			- 1			- x		100
WOOSE								1	- 1		- 1		190

[&]quot;If the table match with clamp netbox, the extension table cannot be place any partition on it.
"Can match 300mm c/w L-bracket with modesty

Colours

Table Top Chipboard

Wood Grain Colour













Edging Colour Option

White Light Grey

Log

Powder Coated Steel Colour



Partition & Modesty

Wood Grain Colour



















Fully Light

Fabric Colour

Pewter:













Solid Colour











Beam

Single Table



Depth 600 Table W-B-120X60-S-G 1200W/600D/ 760H mm

W-B-150X60-S-G 1500W/600D/ 760H mm

W-B-180X60-S-G 1800W/600D/ 760H mm

Depth 740 Table W-B-120X74-S-G 1200W/740D/ 760H mm

W-B-150X74-S-G 1500W/740D/ 760H mm

L-Shape

1500W/600D/ X 1500W/600D/ 760H mm

W-B-150X60-L-G

W-B-180X74-S-G 1800W/740D/ 760H mm

Double Table

W-B-120X120-D-G 1200W/1200D/ 760H mm

> W-B-150X120-D-G 1500W/1200D/ 760H mm W-R-180X120-D-G

1800W/1200D/ 760H mm

Bar Table

W-B-120X60-BS-G 1200W/600D/ 1050H mm

W-B-150X60-BS-G 1500W/600D/ 1050H mm

W-R-180X60-RS-G 1800W/600D/ 1050H mm

Bar Double Table



Standard Table W-B-120X120-BD-G 760H mm

W-B-150X120-BD-G 1500W/1200D/ 760H mm

W-B-180X120-BD-G 1800W/1200D/ 1050H mm

Standard 300H

Single Partition Range Chipboard Partition (C/w L-Bracket)

W-SC-CB120X30L 1150W/300H/ 18THK mm W-SC-CB150X30L

Chipboard

1450W/300H/ 18THK mm

W-SC-CB180X30L 1750W/300H/ 18THK mm

Standard 500H Chipboard W-SC-CB120X50L 18THK mm

W-SC-CB150X50L 1450W/500H/ 18THK mm

W-SC-CB180X50L 1750W/500H/ 18THK mm

Chipboard 18THK mm

W-SC-CB150X30T 1450W/300H/ 18THK mm

W-SC-CB180X30T 1750W/300H/ 18THK mm

Standard 500H

W-SC-CB120X50T

Standard 300H W-SC-CB120X30T

Chipboard Partition (C/w T-Bracket) Applicable for Double Bench & Bar Double Table

1

18THK mm W-SC-CB150X50T 1450W/500H/ 18THK mm

Chipboard

W-SC-CB180X50T 1750W/500H/ TRTHK mm

Single Partition Range

Fabric Partition (C/w L-Bracket)



Standard 300H Fabric P-SC-FA120X30L 1150W/300H/ 18THK mm

P-SC-FA150X30L 1450W/300H/ 18THK mm

P-SC-FA180X30L 1750W/300H/ 18THK mm

Standard 500H Fabric P-SC-FA120X50L 1150W/500H/ 18THK mm

P-SC-FA150X50L 1450W/500H/ 18THK mm

P-SC-FA180X50L 1750W/500H/ 18THK mm

Fabric Partition (C/w T-Bracket)

Applicable for Double & VR-table

Standard 300H Fabric P-SC-FA120X30T 18THK mm

P-SC-FA150X30T 1450W/300H/ 18THK mm

P-SC-FA180X30T 18THK mm

Standard 500H Fabric P-SC-FA120X50T 1150W/500H/ 18THK mm

P-SC-FA150X50T 1450W/500H/ 18THK mm

P-SC-FA180X50T 1750W/500H/ 18THK mm

Colours

Table Top Chipboard

Wood Grain Colour













Leg & Modesty Cjipboard

Solid Colour



White

Screen Chipboard

Wood Grain Colour





















Textured Colour



Taz


Straight Main Table



Curve Main Table



L-Shape Table



Material

Table Top Colour Options:

25mm this melamine laminated chipboard with 1mm this edging



Leg Colour Options:

Steel leg




Modesty Colour Options:

18mm this melamine laminated chipboard with 1mm this eding



Konnect



Konnect


K1 Type TABLE TOP F (PEAR) MEDIUM LOW HIGH 925-1000W MM 925 - 1000W MM WK-K1H-F70 925W x 7000 x 1050H MM WK-K1H-F70 925W x 700D x 750H MM WK-KTL-F70 925W x 700D x 450H MM WK-K1H-F85 1000W x 850D x 1050H MM WK-K1H-FB5 1000W x B50D x 750H MM WK-K1L-F85 1000W x 850D x 450H MM








Konnect




Konnect











K3 Type TABLE TOP D (SMOOTH SQUARE) MEDIUM HIGH LOW 850-1000W MM 850-1000W MM 850-1000W MM WK-KSH-D85-B 850W x 850D x 1050H MM WK-K3M-D85-B 850W x 850D x 760H MM WK-K3L-D85-B 850W x 850D x 460H MM WK-K3H-D100-B 1000W x 1000D x 1050H MM WK-K3M-D100-B 1000W x 1000D x 760H MM WK-K3L-D100-B 1000W x 1000D x 460H MM WK-K3H-D85-W 850W x 850D x 1050H MM WK-E3M-D85-W 850W x 8500 x 760H MM WK-K3L-D85-W 850W x 850D x 460H MM WK-K3M-D100-W 1000W x 1000D x 760H MM WK-K3L-D100-W 1000W x 1000D x 460H MM WK-K3H-D100-W 1000W x 1000D x 1050H MM WK-K3H-D85-S 850W x 850D x 1050H MM WK-K3M-D85-S 850W x 850D x 760H MM WK-K3L-085-5 850W x 850D x 460H MM WK-KSH-D100-S 1000W x 1000D x 1050H MM WK-K3M-D100-S 1000W x 1000D x 760H MM WK-K3L-D100-S 1000W x 1000D x 460H MM TABLE TOP E (CIRCLE) HIGH MEDIUM LOW 850-1000W MM 850-1000W MM 850 - 1000DIA MM WK-K3H-E85-B 850W x 850D x 1050H MM WK-K3M-E85-B 850W x 850D x 760H MM WK-K3L-E85-B 850W x 850D x 460H MM *For K3 table applicable table size Min W 850 - Max 1000mm Only WK-K3H-E100-B 1000W ± 1000D × 1050H MM WK-K3M-E100-B 1000W x 1000D x 760H MM WK-K3L-E100-B 1000W # 1000D x 460H MM WK-K3H-E85-W 850W x 850D x 1050H MM WK-K3L-E85-W 850W x 850D x 460H MM WK-K3M-E85-W 850W x 8500 x 760H MM WK-K3H-E100-W 1000W x 1000D x 1050H MM WK-K3M-E100-W 1000W x 1000D x 760H MM WK-K3L-E100-W 1000W x 1000D x 460H MM WK-K3H-E8S-5 850W x 8500 x 1050H MM WK-K3L-E85-S 850W x 8500 x 460H MM WK-K3M-E85-S 850W x 850D x 760H MM WK-K3H-E100-5 1000W x 1000D x 1050H MM WK-K3M-E100-S 1000W x 1000D x 760H MM WK-K3L-E100-5 1000W x 1000D x 460H MM TABLE TOP F (PEAR) HIGH MEDIUM LOW

WK-K3H-F85-B 1000W x 850D x 1050H MM

WK-K3H-F85-W 1000W x 850D x 1050H MM

WK-K3H-F85-S 1000W x 850D x 1050H MM

WK-K3M-F85-B 1000W x 850D x 760H MM

WK-K3M-F85-W 1000W x 850D x 760H MM

WK-K3M-F85-S 1000W x 8500 x 760H MM

WK-K3L-F85-B 1000W x 8500 x 460H MM

WK-K3L-F85-W 1000W x 850D x 460H MM

WK-K3L-F85-S 1000W x 850D x 460H MM

Konnect

Konnect



TABLE TOP G (LEAF)




*For K3 table applicable table size Min W 1800 - Max 2000mm Only



WK-K3H-G85-B 1800W x 800D x 1050H MM

WK-K3H-G85-W 1800W x 800D x 1050H MM

WK-K3H-G85-S 1800W x 800D x 1050H MM



WK-K3M-G85-B 1800W x 8000 x 760H MM

WK-K3M-G85-W 1800W x 800D x 760H MM

WK-K3M-G85-S 1800W x 800D x 760H MM

TABLE TOP EL (ELLIPS)





WK-K3L-EL25-B 1000W x 750D x 460H MM

WK-K3L-EL25-W 1000W x 750D x 460H MM

WK-K3L-EL25-S 1000W x 750D x 460H MM

TABLE TOP TR (TRAPEZIUM)





WK-K3L-TR25-B 990W x 786D x 460H MM

WK-K3L-TR25-W 990W x 786D x 460H MM

WK-K3L-TR25-S 990W x 786D x 460H MM

Colours

Oak

Table Top Chipboard













Black



Fully Light Grey

Edging Colour Option

White

(1	THE REAL PROPERTY.					
Havana Oak	Rochelle White	Masha White	Idrani Oak	Modi Oak	Shad Ash	Black
2 & K3						

Havana	Rochelle	Masha	Idrani	Modi	Shad	Black	White	Light Gre
Oak	White	White	Oak	Oak	Ash			

Leg

Black









K3 Epoxy Powder Coating





Light Grey

Atro		Teff	
2T Table Set WK-MET-10-2T		SFT Table WK-TF-15-W-M(S) 600D MM	1500W MM
	1500D MM 750 MM 1500 MM 750 MM 1500 MM 750 MM	1500W MM	750H MM
4T Table Set WK-MET-10-4T		6FT Table WK-TF-18-W-M(S)	
	15000 MM	1800 MM WOORL	1800W MM
6T Table Set WK-MET-10-6T		— Material	
	1500D MM 750 MM 1500 MM 1500 MM 1500 MM 750 MM	Table Top Colour Options: 25mm thk melamine laminated dhipboard with 1mm thk edging	
	760H MM	WHETE BLACK FIRST OAK WHITE WHITE OAK SMO ASH	
		Leg and Bar Colour Options: Steel log	
8T Table Set WK-MET-10-8T		WARE	
=		Modesty Colour Options: 18mm thk steel modesty in black colour.	
	130 mm 1300 mm	NO.	

Accessories



EVIS Single Monitor Arm

Product Details:

- Compatible screen size (inch): 10" to 34" Load Withstand Capacity (kg): Max 9kg • Tilt: -45° to +45°
- Swivel: 180°
- Rotation: 360°
- · VESA: 75/100
- . Desk Mount: C-clamp / Grommet Base

EVIS Dual Monitor Arm

Product Details:

- Compatible screen size (inch): 10" to 27" . Load Withstand Capacity (kg): Max 9kg each arm •
 - Tilt: -45° to +45° .
 - Swivel: 180° •
 - Rotation: 360° •
 - Compatible VESA: 75/100 •
 - Desk Mount: C-clamp / Grommet Base .



EVIS Laptop Holder Bracket


Product Details:

- Compatible Laptop Size: 10" 15.6"
 Load Withstand Capacity (kg): Max 4.5kg
 Compatible VESA: 75/100
- Product Dimension: Tray (300 x 280)

Adjustable clip holder (240 x 420 mm)

EVIS CPU Holder Product Details:

- Height Limit: 28.5 to 52 CM -







EVIS Snake Cable

Product Details:

- · 120CM in Length
- · 4 ways entry cable management
- · Easy installation with mounting screws provided • Spine motion design



EVIS Wheel Casters

Product Details:

- · Heavy-duty aluminium alloy
- · Glide smoothly
- · Lockable



EVIS Footrest Product Details: Dimensions: 460 X 340 mm •

Tilt: 0 Degree - 30 Degree •

Height Adjustability: 110 - 140 - 170 mm •



EVIS Anti Fatigue Matt

Product Details:

- · Material: Polyvinyl Chloride, Polyurethane Foam, Styrene Butadiene Rubber
- · Surface Pattern: Smooth Surface
- · Color: Matte Black
- Package Dimension (LxWxH) (mm): 750 x 500 x

20 mm

EVIS Smart Desk Riser

- Product Details: Made by pure solid wood •
 - Eazy organizing Digital clock •
- Temperature sensor .
- Dimensions: 60 L x 220 x 9H cm •



Storage

Stack	162
Caddy	168
Metalink	172
Mcab	180
Steel	186

Stack

STACK bring flexibility, security, convenience and an enhanced aesthetic to the modern workplace. A choice of colors and locking mechanisms to suit the needs of various end-users is available. Locating lockers within the work environment allows individuals to quickly and easily store and access their personal belongings and work-related materials.





Lower Locker

Cylinder Lock c/w Steel Handle(H1) W-STK-A-L12-H1-W 412W/446D/ 832H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-A-L12-H2-W 412W/446D/ 832H mm

Numbering Lock W-STK-A-L26-W 412W/446D/ 832H mm

Type A

Cylinder Lock c/w Steel Handle(H1) W-STK-A-L12-H1-B 412W/446D/ 832H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-A-L12-H2-B 412W/446D/ 832H mm

Numbering Lock W-STK-A-L26-B 412W/446D/ 832H mm

Type B

Cylinder Lock c/w Steel Handle(H1) W-STK-B-L12-H1-W 412W/446D/ 832H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-B-L12-H2-W 412W/446D/ 832H mm

Numbering Lock W-STK-B-L26-W 412W/446D/ 832H mm

Cylinder Lock c/w Steel Handle(H1) W-STK-B-L12-H1-B 412W/446D/ 832H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-B-L12-H2-B 412W/446D/ 832H mm

Numbering Lock W-STK-B-L26-B 412W/446D/ 832H mm



Meduim Locker

Type C

Cylinder Lock c/w Steel Handle(H1) W-STK-C-L12-H1-W 412W/446D/ 1242H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-C-L12-H2-W 412W/446D/ 1242H mm

Numbering Lock W-STK-C-L26-W 412W/446D/ 1242H mm

Cylinder Lock c/w Steel Handle(H1) W-STK-C-LI12-H1-B 412W/446D/ 1242H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-C-L12-H2-B 412W/446D/ 1242H mm

Numbering Lock W-STK-C-L26-B 412W/446D/ 1242H mm

Type D

Cylinder Lock c/w Steel Handle(H1) W-STK-D-L12-H1-W 412W/446D/ 1242H mm

> Cylinder Lock c/w Leather Handle(H2) W-STK-D-L12-H2-W 412W/446D/ 1242H mm

Numbering Lock W-STK-D-L26-W 412W/446D/ 1242H mm

Cylinder Lock c/w Steel Handle(H1) W-STK-D-L12-H1-B 412W/446D/ 1242H mm

> Cylinder Lock c/w Leather Handle(H2) W-STK-D-L12-H2-B 412W/446D/ 1242H mm

> > Numbering Lock W-STK-D-L26-B 412W/446D/ 1242H mm





Cylinder Lock c/w Steel Handle(H1) W-STK-E-LI2-H1-W 412W/446D/ 1242H mm

Cylinder Lock c/w Steel Handle(H1) W-STK-E-L12-H1-B 412W/446D/ 1242H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-E-LI2-H2-W 412W/446D/ 1242H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-E-LI2-H2-B 412W/446D/ 12.42H mm

Numbering Lock W-STK-E-L26-W 412W/446D/ 1242H mm

Numbering Lock W-STK-E-L26-B 412W/446D/ 12.42H mm



High Locker

Type F

Cylinder Lock c/w Steel Handle(H1) W-STK-F-LI2-H1-W 412W/446D/ 1652H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-F-LI2-H2-W 412W/446D/ 1652H mm

Numbering Lock W-STK-F-L26-W 412W/446D/ 1652H mm

Cylinder Lock c/w Steel Handle(H1) W-STK-F-LI2-H1-B 412W/446D/

1652H mm Cylinder Lock c/w

Leather Handle(H2) W-STK-F-LI2-H2-B 412W/446D/ 1652H mm

Numbering Lock W-STK-F-L26-B 412W/446D/ 1652H mm

Cylinder Lock c/w Steel Handle(H1) W-STK-G-LI2-H1-W 412W/446D/ 1652H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-G-LI2-H2-W 412W/446D/ 1652H mm

Numbering Lock W-STK-G-L26-W 412W/446D/ 1652H mm

Type G

Cylinder Lock c/w Steel Handle(H1) W-STK-G-LI2-H1-B 412W/446D/ 1652H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-G-LI2-H2-B 412W/446D/ 1652H mm

Numbering Lock W-STK-G-L26-B 412W/446D/ 1652H mm



Type H

Cylinder Lock c/w Steel Handle(H1) W-STX-H-LI2-H1-W 412W/446D/ 1652H mm

Cylincer Lock c/w Leather Handle(H2) W-STK-H-LI2-H2-W 412W/446D/ 1652H mm

Numbering Lock W-STK-H-L26-W 412W/446D/ 1652H mm

Cylinder Lock c/w Steel Handle(H1) W-STK-H-L12-H1-B 412W/446D/ 1652H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-H-LI2-H2-B 412W/446D/ 1652H mm

Numbering Lock W-STK-H-L26-B 412W/446D/ 1652H mm

Type I

Cylinder Lock c/w Steel Handle(H1) W-STK-I-LI2-H1-W 412W/446D/ 1652H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-I-LI2-H2-W 412W/446D/ 1652H mm

Numbering Lock W-STK-I-L26-W 412W/446D/ 1652H mm

Cylinder Lock c/w Steel Handle(H1) W-STK-I-LI2-H1-B 412W/446D/ 1652H mm

Cylinder Lock c/w Leather Handle(H2) W-STK-I-LI2-H2-B 412W/446D/ 1652H mm

Numbering Lock W-STK-I-L26-B 412W/446D/ 1652H mm



Door Locking Types







Cylinder Lock with Steel Handle


Cylinder Lock with Leather Handle

Numbering Lock

166

Caddy

Caddy capacity is an adaptable offering that keeps your effects protected and organized. With open and private spaces, it offer more that adequate authoritative stockpiling with the additional advantage of expandable security.





Medium Metal **High Cabinet**

OPEN SHELF CABINET T-CD-904570-OS1S 900W/450D/700H MM

SWING DOOR CABINET T-CD-904570-SD1S 900W/450D/700H MM

SLIDING DOOR CABINET T-CD-904570-SL1S 900W/450D/700H MM







Metal Mobile Pedestal

MOBILE PEDESTAL CABINET BF T-CD-405049-2D 400W/500D/485H MM HIGH MOBILE PEDESTAL CABINET BBF T-CD-405060-3D 400W/500D/600H MM





MULTI-PURPOSE OPEN SHELF LEFT

Multi-Purpose Metal Cabinet

MULTI-PURPOSE OPEN SHELF RIGHT

T-CD-905060-3D05(R) T-CD-905060-3D0S(L) 900W/500D/600H MM 900W/500D/600H MM



MULTI-PURPOSE TAMBOUR DOOR RIGHT

T-CD-905060-3DTD(R) 900W/500D/600H MM



MULTI-PURPOSE TAMBOUR DOOR LEFT

T-CD-905060-3DTD(L) 900W/500D/600H MM



Metalink

Declutter your working space for maximum efficiency. Organise and keep your work necessities in our MG/M-B/ML.



MG



Feature



Body Surface 18mm thk PVC chipboard in Dark Grey colours



Top Surface 25mm thk melamine laminated chipboard in Maple colours



2mm thk PVC in Maple colours for 18mm thk melamine laminated top surface & 0.3mm thk in Dark Grey colours

174



chipboard in Maple colours

Drawer

MOBILE 2 DRAWER WK-MG-M2D 425W/490D/ 540H mm



MOBILE 3 DRAWER WK-MG-M3D 425W/490D/540H mm



HIGH MOBILE 3 DRAWER WK-MG-H3D 425W/490D/650H mm



Low Cabinet

OPEN SHELF CABINET WK-MG-76-0 750W/450D/ 760H mm



SLIDING DOOR CABINET WK-MG-76-D2 750W/450D/ 760H mm



18 PIGEON HOLE CABINET WK-MG-76-18P

750W/450D/ 760H mm



SWING DOOR CABINET WK-MG-76-D1 750W/450D/ 760H mm



Half Height Cabinet

OPEN HALF HEIGHT CABINET WK-MG-130-0 900W/450D/ 1300H mm



WK-MG-150-D1



SWING HALF HEIGHT CABINET SLIDING HALF HEIGHT CABINET WK-MG-130-D2 900W/450D/ 1300H mm 900W/450D/ 1300H mm



Height Cabinet

OPEN HIGH CABINET WK-MG-210-0 900W/450D/ 2100H mm



HIGH CUPBOARD WITH SWING GLASS DOOR WK-MG-210-G1 900W/450D/ 2100H mm



HIGH CUPBOARD WITH SWING DOOR WK-MG-210-D1 900W/450D/ 2100H mm



Drawer



MOBILE 3 DRAWER WK-MB-M3D 425W/490D/540H mm

HIGH MOBILE 3 DRAWER WK-MB-H3D 425W/490D/650H mm







Low Cabinet

OPEN SHELF CABINET WK-MB-76-0 750W/450D/ 760H mm

18 PIGEON HOLE CABINET WK-MB-76-18P 750W/450D/ 760H mm

SWING DOOR CABINET WK-MB-76-D1 750W/450D/ 760H mm







SLIDING DOOR CABINET WK-MB-76-D2 750W/450D/ 760H mm





OPEN HALF HEIGHT CABINET WK-MB-130-0 900W/450D/ 1300H mm

SWING HALF HEIGHT CABINET WK-MB-130-D1 900W/450D/ 1300H mm





SLIDING HALF HEIGHT CABINET

Height Cabinet

Half Height Cabinet

OPEN HIGH CABINET WK-MB-210-0 900W/450D/ 2100H mm

HIGH CUPBOARD WITH SWING GLASS DOOR WK-MB-210-G1 900W/450D/ 2100H.mm



HIGH CUPBOARD WITH SWING DOOR WK-MB-210-D1 900W/450D/ 2100H mm



HIGH CUPBOARD WK-MB-5 1500W x 450D x 2100H MM



Feature



Body Surface 18mm thk PVC chipboard in Black



Top Surface 25mm thk melamine laminated chipboard in optional colours



MB

2mm thk PVC in optional colours 18mm thk melamine laminated for top surface & 2mm thk in Black chipboard in optional colours colour for cabinet panel



ML



Feature



Body Surface 18mm thk PVC chipboard in Dark Grey colours



Top Surface 25mm thk melamine laminated chipboard in Maple colours



2mm thk PVC in Maple colours for 18mm thk melamine laminated top surface & 0.3mm thk in Dark Grey colours



chipboard in Maple colours

Drawer

MOBILE 2 DRAWER WK-ML-M2D 425W/490D/ 540H mm



MOBILE 3 DRAWER WK-ML-MSD 425W/490D/540H mm



HIGH MOBILE 3 DRAWER

425W/490D/650H mm

WK-ML-H3D

Low Cabinet

OPEN SHELF CABINET WK-ML-76-0 750W/450D/ 760H mm



SLIDING DOOR CABINET WK-ML-76-D2 750W/450D/ 760H mm



18 PIGEON HOLE CABINET WK-ML-76-18P

750W/450D/ 760H mm



SWING DOOR CABINET WK-ML-76-D1 750W/450D/ 760H mm



Half Height Cabinet

OPEN HALF HEIGHT CABINET WK-ML-130-0 900W/450D/ 1300H mm



SWING HALF HEIGHT CABINET WK-ML-130-D1 900W/450D/ 1300H mm



SLIDING HALF HEIGHT CABINET WK-ML-130-D2 900W/450D/ 1300H mm



Height Cabinet

OPEN HIGH CABINET WK-ML-210-0 900W/450D/ 2100H mm



SWING GLASS DOOR WK-ML-210-G1



HIGH CUPBOARD WITH 900W/450D/ 2100H mm



HIGH CUPBOARD WITH SWING DOOR WK-ML-210-D1 900W/450D/ 2100H mm



HIGH CUPBOARD WK-ML-5 1500W/450D/ 2100H mm



Mcab

The MCAB Series is ideal for storing files, supplies, and equipment. From storage, combi storage, and drawers that are mobile to half high combi storage, there's an office cabinetry solution for every space





650/760 Storage

WK-M-8S-A 800W/450D/650H mm

WK-M-8M-A



MCAB OPEN STORAGE WK-M-8S-D 800W/450D/650H mm WK-M-8M-D

800W/450D/760H mm



MCAB CPU STORAGE (SWING) WK-M-85-G 320W/450D/650H mm



MCAB SWING STORAGE

800W/450D/760H mm



MCAB SLIDING STORAGE

800W/450D/650H mm

800W/450D/760H mm

WK-M-8S-B

WK-M-SM-B

MCAB DRAWER WK-M-8S-E

480W/450D/650H mm



MCAB CPU STORAGE (OPEN) WK-M-85-F 320W/450D/650H mm

MCAB OPEN STORAGE

800W/450D/650H mm

800W/450D/760H mm

WK-M-85-C

WK-M-8M-C



800W Combi

Storage

DRAWER + CPU STORAGE WK-M-8S-EF 800W/450D/650H mm



DRAWER + CPU STORAGE WK-M-85-EG 800W/450D/650H mm



Drawer Mobile

MCAB 3 DRAWER STORAGE WK-M-3D 425W/490D/540H mm



MCAB 2 DRAWER STORAGE WK-M-2D 425W/490D/540H mm



MCAB 3 DRAWER HIGH STORAGE WK-M-H3D 425W/490D/650H mm



1300H Storage

MCAB SWING STORAGE WK-M-8L-A 800W/450D/1300H mm

WK-M-SL-B 800W/450D/1300H mm MCAB OPEN STORAGE WK-M-BL-C 800W/450D/1300H mm





MCAB SLIDING STORAGE



1650H Storage

MCAB SLIM STORAGE WK-M-W-165 300W/450D/1650H mm



2100H Storage

MCAB OPEN STORAGE WK-M-O-210 800W/450D/2100H mm



MCAB SWING STORAGE WK-M-W-210 800W/450D/2100H mm



MCAB EXECUTIVE STORAGE WK-M-H-210 800W/450D/2100H mm



1600W Combi storage

SWING + SWING WK-M-165-AA 1600W/450D/650H mm WK-M-16M-AA 1600W/450D/760H mm



SWING + HALF SWING WK-M-16S-AD 1600W/450D/650H mm WK-M-16M-AD 1600W/450D/760H mm



SWING + SLIDING WK-M-16S-AB 1600W/450D/650H mm WK-M-16M-AB 1600W/450D/760H mm



SLIDING + SLIDING 1600W/450D/650H mm WK-M-16M-BB 1600W/450D/760H mm



184

SWING + OPEN WK-M-16S-AC 1600W/450D/650H mm WK-M-16M-AC 1600W/450D/760H mm



SLIDING + OPEN 1600W/450D/650H mm WK-M-16M-BC 1600W/450D/760H mm



SLIDING + HALF SWING WK-M-165-BD 1600W/450D/650H mm WK-M-16M-BD 1600W/450D/760H mm



HALF SWING + HALF SWING SWING + DRAWER + CPU STORAGE WK-M-16S-DD WK-M-16S-AEF 1600W/450D/650H mm 1600W/450D/650H mm WK-M-16M-DD 1600W/450D/760H mm

OPEN + OPEN

WK-M-16S-CC

WK-M-16M-CC

STORAGE

WK-M-16S-BEG

1600W/450D/650H mm

HALF SWING + DRAWER + CPU STORAGE

1600W/450D/650H mm

WK-M-16S-DEF

1600W/450D/650H mm

1600W/450D/760H mm



SLIDING + DRAWER + CPU STORAGE WK-M-16S-BEF 1600W/450D/650H mm



OPEN + DRAWER + BAG WK-M-16S-CEG



SWING + SWING

Half High Combi

Storage



SLIDING + SLIDING WK-M-16L-BB 1600W/450D/1300H mm





SWING + OPEN WK-M-16L-BC 1600W/450D/1300H mm



OPEN + HALF SWING WK-M-16S-CD 1600W/450D/650H mm WK-M-16M-CD 1600W/450D/760H mm



SWING + DRAWER + BAG STORAGE WK-M-16S-AEG 1600W/450D/650H mm



SWING + DRAWER + BAG OPEN + DRAWER + CPU STORAGE WK-M-16S-CEF 1600W/450D/650H mm



HALF SWING + DRAWER + BAG STORAGE WK-M-16S-DEG 1600W/450D/650H mm



SWING + SLIDING WK-M-16L-AB





SWING + OPEN WK-M-16L-AC 1600W/450D/1300H mm



OPEN + OPEN WK-M-16L-CC 1600W/450D/1300H mm



Steel

The Steel Series storage solution offers mobile compactors, full height cupboards, and half height cupboards; to be complemented with steel lockers, pedestal desk, locker stands and benches, boltless racks, waste paper bins, key safe, and other accessories.



Model

Mobile Compactor



ST/138-4B 4 Bay Mobile Compactor 2440W/915D/2175H mm

ST-138-5B 5 Bay Mobile Compactor 2860W/915D/2175H mm

5T-138-6B 6 Bay Mobile Compactor 3280W/915D/2175H mm ST-138-78 7 Bay Mobile Compactor

4540W/915D/2175H mm

ST-138-8B

ST-138-98

10 Bay Mobile Compactor 3700W/915D/2175H mm 4960W/915D/2175H mm

8 Bay Mobile Compactor 4120W/915D/2175H mm

760W mm 9 Bay Mobile Compactor

ST-138-10B

Size Per Bay

420W/915D/2175H mm

Balance of Track when Closed

Features







Carton Box



Hard Cover File

Full Height Cupboard



Glass Sliding Door C/W 3 Adjustable Shelves 915W/457D/1828H mm



ST-116 Steel Sliding Door C/W 3 Adjustable Shelves 915W/457D/1828H mm



ST-118 Steel Swinging Door C/W 3 Adjustable Shelves 915W/457D/1828H mm



ST-118(W) Full Height Cupboard C/W 3 Adjustable Shelves 915W/457D/1828H mm

Half Height Cupboard



Glass Sliding Door C/W Single Adjustable Shelves 915W/457D/915H mm



Steel Sliding Door C/W Single Adjustable Shelves 915W/457D/915H mm



ST-112 Steel Swinging Door C/W 2 Adjustable Shelves 915W/457D/1016H mm



ST-112(W) Half Height Cupboard C/W 2 Adjustable Shelves 915W/457D/1016H mm





ST-113A 6 Pigeon Holes Side Table 915W/38ID/890H mm



ST-S2H Shoe Locker C/W 2 Shelves 915W/381D/915H mm

Full Height Cupboard



ST-106A 4 Drawers Filing Cabinet with Recess Handle 463W/609D/1320H mm



ST-106A(LB) 4 Drawers Fling Cabinet with Locking Bar 463W/613D/1380H mm



ST-1068 3 Drawers Filing Cabinet with Recess Handle 468W/609D/1016H mm



ST-106B(LB) 3 Drawers Filing Cabinet with Locking Bar 463W/613D/1056H mm



ST-106C 2 Drawers Filing Cabinet with Recess Handle 468W/609D/711H mm

Features



ST-106C(LB) 2 Drawers Fling Cabinet with Locking Bar

483W/613D/751H mm

190



Anti-tilt mechanism 1 drawer can only be open, one at a time

Colours

Beige



Brown

Light Grey

Steel Locker



ST-3D45 3 Door Steel Locker 1143W/457D/1828H mm



ST-18W 18 Holes Steel Locker 1143W/457D/1828H mm



4 Compartment Steel Locker ST-4D15 381W/381D/1828H mm ST-4D18 381W/457D/1828H mm



ST-6D45 6 Door Steel Locker 1143W/457D/1828H mm



1 Compartment Steel Locker ST-1D15 381W/381D/1828H mm ST-1D18 381W/457D/1828H mm



6 Compartment Steel Locker ST-6D15 381W/381D/1828H mm ST-6D18 381W/457D/1828H mm



ST-12D45 12 Door Steel Locker 1143W/457D/1828H mm



2 Compartment Steel Locker ST-2D15 381W/381D/1828H mm ST-2D18 381W/457D/1828H mm



ST-18D45 18 Door Steel Locker 1143W/457D/1828H mm



3 Compartment Steel Locker ST-3D15 381W/381D/1828H mm ST-3D18 381W/457D/1828H mm

Lock



Key Lock



Numbering Lock

Colours



Beige





Brown Light Grey

OFFICE SEATING CATALOG





Experience relaxation anytime, anywhere

Introducing Zenia, the first-ever cordless massage chair. Providing you comfort and relaxation in a single charge. Kick your feet up and let Zenia take you to a world of bliss.



Phone-controllable through app No need for fussy remotes. Zenia is controllable through your own device. Simply download an app and adjust to your desired settings.



Neckrest and lumbar support
Comes with a neck and lumbar pillow
for when you want to switch to a
comfortable working chair. Made with
memory foam that contours to your
body.





5D Arm Rests

Arm rests that are designed to be adjustable to any angle to accommodate your ergonomic needs.



Z-Flux Technology

Our expertly developed Z-Flux Technology comes with a heated massage mechanism that works your back all the way to your thighs providing you a reinvigorating experience like no other.

	Specifications	
Gas Lift	Class 4	
Max Load	135kg	
Warranty	1 Year	
Battery Life	6 hours (per charge)	
Wheel Casters	Lockable	
Colour Option	Black	

Mesh

Hup	
H2	1
Aveza	1
Butterfly	20
Lino	2
The One	3
Klue	3-
Dang	4
Nuk	4

H'UP

H'UP, is born for this reason. Equipped with a backrest that is adjustable within the range of 50mm, H'UP covers 130mm height difference. It follows your spine, and could be customized based on your height. H shape is favored by designers for its concise contour and stable feature, and has been extensively applied to architecture and industrial designs, embodying everlasting classic.











10

Model Range



SU-C-HUP-HB-GY(AS)

SU-C-HUP-HB-BK(AS)

Features



3D Adjustable Headrest Adjustable headrest up and down to 53mm. Forward/backward 135° and 110° rotation.



Adjustable Seat

Move back and forth within the range of 50mm and adjust the height within a range of 80mm.



Multi Locking System

Multi locking position & height adjustment for better seating posture.



3D Armrest
Move back and forth within the range
of 30mm. Adjust the height within the
range of 100mm, Move left and right
within the range of 20mm

Material Colours

Twin-Wire Fabric / Back Net







H2

Inspired by the bridge pose of yoga, H2 bifma certified ergonomic chair ingeniously embraces a 3D dynamic dual-back to relieve the pressure felt by your lumbar region, and help you maintain the right sitting posture throughout working hours.







14

Model Range



SU-C-H2-HB-WH-CNL-AS

SU-C-H2-HB-BK-CNL-AS

Features



3D Adjustable Headrest

Adjustable headrest up and down to 53mm. Forward/backward 135° and 110° rotation.



3D Lumbar Support

lumbar support allows edgeless gear transition to accommodate different working modes.



Multi Locking System

Multi locking position & height adjustment for better seating posture.



4D Armrest

4D armrest with lorward and backward 40mm, left and rightward 15°. Come with up/down 83mm and 30° rotation.

Material Colours

Backrest / Headrest















Seat / Footrest























Aveza

Aveza is your warm company in the nine-to-five working life, whose wide arms are indispensable along your career path. It is a chair that swings with you flexibly while keeping its own balance, helping you break out of sedentary work style and adding more dynamism at work.











Model Range



Material

Seat/Headrest

Elastic Fabric

Backrest



Backrest/Seat/Headrest

Double-mesh AN Fabric



Butterfly

Butterfly is a chair with bionic design elements integrated. Like a butterfly that emerges from its cocoon and embraces the sky, it presents a feeling of hope and courage, motivating us to brave the waves and face up to challenges.





White Frame



Features



Adjustable Headrest Adjustable headrest up to 45mm range.



SU-C-BF-HB-WH(AS)

Adjustable backrest 20" backrest tilt angle, self-loaded four-position locking



SU-C-BF-LB-WH(AS)

Multi Locking System

Multi locking position & height adjustment for better seating posture.



Adjustable armrest Armrest adjustment range: 0-85mm. Armrest left-right adjustment range: 0-52**

Mesh Colours

Double-mesh AN Fabric



Black Frame



SU-C-EF-HB-BK(AS)

SU-C-BF-LB-BK(AS)

Features



Adjustable Headrest
Adjustable headrest up to
45mm range.



Adjustable backrest 20° backrest tilt angle, self-loaded four-position locking



Multi Locking System

Multi locking position & height adjustment for better seating posture.



Adjustable armrest Armrest adjustment range: 0-85mm. Armrest left-right adjustment range: 0-32°


Mesh Colours

Double-mesh AN Fabric



Lino

LINO Chair is a high-end chair with sleek aesthetics and a simple black colour that gives it a minimalistic look. The LINO Chair is versatile enough to work in any office setting. LINO is made of high quality materials and premium comfort to meet the needs of all your office needs. This office chair will last for years to



Features



Model Range



Features



Lumbar Support
Unique and sturdy backrest
comes with adjustable
lumbar support.



Seat Sider Tech

Smooth motion seat slider designed for professionals with unparallel daily erzonomic usage.



Dynamic Locking System

Dynamic adjustable triple locking position backrest fitted with new synchro mechanism for tension adjustments.



4D Armrest

Multi adjustable armrest with so. PU padded finishing for extra ergonomical comfort.

Material





The One

The One chair is the One for your back with its solid and strong backrest frame for stability with the additional mesh material for added airflow and comfort.



Features

Solid Backrest & Headrest Adjustable headrest up to 210mm range. Lumbar Support Comfortable backrest comes with 3D PU Pad adjustable lumbar support at up Armrest to 40mm upward or downward motion range. Multi adjustable armrest with soft PU padded finishing for extra ergonomical comfort. Multi-Locking Position & Height Adjustment Multi locking position & height adjustment for better seating posture. Die-cast Leg base Durable die-cast leg base designed to withstand heavy loads of up to 300 pounds with greater stability base.

Model Range



eatures







Lumbar Support Comfortable backrest comes. with stylish & adjustable lumbar support.



Multi Locking System Multi locking position & height adjustment for better seating posture.



3D Armrest Multi adjustable armrest with soft PU padded finishing for extra ergonomical comfort.

Mesh Colours













Klue

KLUE, is the latest ergonomic seating model by APEX. Functionally, design and quality are the 3 main objectives we seek to achieve when design and engeering the KLUE chair. With functionality being the main theme. APEX presents to you a clean looking chair that will adapt to any workspace environment.



Features



Grey Frame



Features



Adjustable Headrest Adjustable headrest up to 210mm range.



Lumbar Support adjustable lumbar support at up to 40mm upward or down ward motion range.



Multi Locking System Multi locking position & height adjustment for better seating positure.



Polypropylene Armrest Uniquely shaped polypropylene armrest for a dean, minimal took.

Mesh Colours













Black Frame



eatures



Adjustable Headrest Adjustable headrest up to 210mm range.



Lumbar Support adjustable lumbar support at up to 40mm upward or down -ward motion range.



Multi Locking System Multi locking position & height adjustment for better seating posture.



Polypropylene Armrest Uniquely shaped polypropylene armrest for a clean, minimal look.

esh Colours











Dang

Smarter, smoother and more agreeable. Dang is the ideal harmony between cost and execution. Partake in a seating experience that is more instinctive and agreeable, made simpler to sit with less changes.



Features



Model Range



Features







Lumbar Support adjustable lumbar support at up to 40mm upward or down -ward motion range.



Multi Locking System Multi locking position & height adjustment for better seating posture.



Polypropylene Armrest Uniquely shaped polypropylene amirest for a clean, minimal look.

Mesh Colours













Nuk

NUK is the center of movement. It's ergonomics consideration namely, a ventilating mesh back, a fine-adjustable lumbar pad, and asynchronized mechanism enables its user to work comfortably and efficiently from the desk over longer period.



Features



Model Range



Features







Lumbar Support adjustable lumbar support at up to 40mm upward or down-ward notion range.



Locking System Single locking position & height adjustment for better seating posture.



Polypropylene Armrest Uniquely shaped polypropylene armrest for a clean, minimal look,

Mesh Colours





















Stylish Mesh Seat Design
With the newly designed mesh technology, the mesh seat is now 3x more durable, breathable and comfortable.



Your Ultimate Support
With an Ergonomic Headrest, X Lumbar
Support and a 3D Armrest, this baby is
the quintessential work friend. Say hello
to improved posture and ultimate comfort
for an enhanced sitting experience. For
an ErgoX Xperience!



Recline Up To 135° Give your back a break and recline in comfort up to 135° for your ultimate comfort.



Specifications			
Lumbar Support	Yes		
Gas Lift Max Load	130kg		
Warranty	Class 3		
Colour Option	4 years		
	Midnight Blue	Shaded Grey	

Executive

Space	50
Long	54
Nuvos	58
Congo	64
Lugo	70
Filo	74
Primo	80
Boss	84
Нир	90
H2	94

Space

Inspired by spaceship, Space boasts refined precision with seductive elegance. Diamond-cutting aesthetics, as a refreshing antidote to conventional monotony, endows SPACE with unprecedented elegance and indulges users with maximum sitting comfort, delivering an exciting seating experience at any time.





Model Range



Features



with high craftsmanship details.



High quality thick PU leather material For a more clean and professional look. Adjustable for better seating posture



Multi Locking Position & Height



Die Cast Legbase Polished aluminium die-casting 5-prong base

Colours











GY90188 BN30017 RD70596

BK0257

Long

Our Long chairs are designed to keep you comfortable while sitting for extended periods of time. These chairs come with enhanced quality of upholstery to have you relax with ease, improving your seating posture and enabling you to work effectively.





Model Range



Colours













Nuvos

Nuvos Series combines exceptional workmanship and attention to detail with a executive design. A structure that provides effective lumbar support as well as conveying a feeling of lightness and harmony. Nuvos is everything to everybody, representing sophistication in design, simple operation and feeling good at the office.





Model Range



Features







High Quality Armrest

Durable aluminium die-cast armrest



Locking System

Aeroplane push locking style & height adjustment mechanism



Die Cast Legbase Polished aluminium die-casting 5-prong base

Colours









RD70596



Model Range



Features



Mesh Material Breathable Mesh Fabric



High Quality Armrest Durable aluminium die-cast armrest



Aeroplane push locking style & height adjustment mechanism

62



Die Cast Legbase Polished aluminium die-casting 5-prong base

Mesh Colours



Model Range



Features



Line stitching backrest and seater



High Quality Armrest Durable aluminium die-cast armrest



Aeroplane push locking style & height adjustment mechanism



Die Cast Legbase Polished aluminium die-casting 5-prong base

Colours












BN30017 GY90188

RD70596 BK0257

Congo

CONGO series is an enlightened choice for executives, professionals and managers. Fine leather upholstery and majestic designs make it extraordinary and suitable for the finest o.ces as well as homes. The smooth riding synchronized mechanism allows the occupant to tilt easily from upright to reclined positions, supporting him or her in any posture.





Features



Model Range



Features



Flexible Backrest Multi locking position & adjustable height mechanisms



High Quality Armrest



Multi Locking Position & Height Adjustable for better seating posture Polished aluminium die-casting



Die Cast Legbase 5-prong base

Colours









BK0257

Model Range



Features



Flexible Backrest Multi locking position & adjustable height mechanisms



Fully Padded Armrest Made with soft PU pad armrest for working romfort.



Multi Locking Position & Height Adjustable for better seating posture



Die Cast Legbase Polished aluminium die-casting 5-prong base

Colours





BN30017



GY90188





Lugo

Lugo is a high-end leathered chair with unparalleled sitting experiences. Through a combination of original leather and first-classing sewing technique, Lugo is a vivid example of craftsmanship and exquisiteness. It's ideal for keeping a focus on your work.



Features Dynamic Adjustable Backrest Multi locking position backrest fitted with versatile knee tilt adjustable type mechanism. Craftmanship Details Enhanced quality upholstery and fine slitching workmanship. **Aluminium Die-Cast Armrest** PP pad armrest for working comfort. Multi Locking & Adjustable Height Multi-locking position and adjustable height 5-Prong Base for better postures. With polished aluminum die-casting. 72

Model Range



Features



Flexible Backrest

Multi locking position & adjustable height mechanisms



High Quality Armrest Aluminium die-cast with PP pod armrest



Dynamic Multi Locking Position Adjustable for better seating posture



Die Cast Legbase Polished aluminium die-casting 5-prong base

Colours









RD70596

BK0257

Filo

With its compact padding, the backrest of Filo conveys a sense of classic elegance and quality craftsmanship. The sandwich construction with integraved lumbar support provides the comfort of an upholstered backrest. Filo is an excellent choice for the executive office due to its high backrest, which offers extra relief from tension in the head and neck



Enhanced quality upholstery and fine stitching workmanship.

Classic Upholstery Design

Thick PU Padded Armrest Soft PU pad armrest for working comfort.

Multi Locking & Adjustable Height

Multi-locking position and adjustable height for better postures.

5-Prong Base

With polished aluminum die-casting.

76



Features



Flexible Backrest Multi locking position & adjustable height mechanisms.



Made with soft PU pad armrest for working comfort.



Multi Locking Position & Height Adjustable for better seating posture. Polished aluminium die-casting



Die Cast Legbase 5-prong base.

Colours









BK0257

Model Range



Features



Flexible Backrest Multi locking position & adjustable height mechanisms.



High Quality Armrest Aluminium die cast with soft PU pad armrest



Multi Locking Position & Height Adjustable for better seating posture



Nylon High Leg Base Sleek nylon high leg base designed to withstand heavy loads of up to 300 pounds with greater stability base

Colours











Primo

Primo, the leather chair series that offers unique and rugged backrest design. The enhanced uphoistery quality with fine stitching workmanship and the chairs in this series are all made with high quality leather materials.







Features



Extra Thick Seater Foam Provide comfortable seating experience



Soft & Thick Armrest Made with high quality foem and outer leather linishing



Dynamic Double Locking Position Die Cast Legbase Adjustable for better seating posture Polished aluminium



Die Cast Legbase Polished aluminium die-casting 5-prong base

Colours









RD70596

BK0257

Boss

The BOSS Series brings with it the allure of a name evoking timeless style and grace. It's inspired to the classic model reinterprets the timeless elegance of the past in a modern twist, proporsions and emphasizing shapes which guarantee comfort and versatility.







Features



Flexible Backrest Multi locking position & adjustable height mechanisms.



High Quality Armrest Made with soft PU pad armrest for working comfort.



Multi Locking Position & Height Adjustable for better seating posture



Die Cast Legbase Polished aluminium die-casting 5-prong base

Colours











GY90188 RD70596

BK0257



Features



Flexible Backrest Multi locking position & adjustable height mechanisms.



High Quality Armrest

Aluminium de cast with soft PU pad

armrest.



Multi Locking Position & Height Adjustable for better seating posture



Nylon High Leg Base Sleek nylon high leg base designed to withstand heavy loads of up to 300 pounds with greater stability base.

Colours













Model Range



Features



Flexible Backrest

Multi locking position & adjustable
height mechanisms.



High Quality Armrest

Aluminium die cast with soft PU pad

armrest.



Multi Locking Position & Height Adjustable or better seating posture



Nylon High Leg Base
Sleek nylon high leg base designed to withstand heavy loads of up to 300 pounds with greater stability base.

Colours









RD70596

ВК0257

HUP

H'UP, is born for this reason. Equipped with a backrest that is adjustable within the range of 50mm, H'UP covers 130mm height difference. It follows your spine, and could be customized based on your height. H shape is favored by designers for its concise contour and stable feature, and has been extensively applied to architecture and industrial designs, embodying everlasting classic.













SU-C-HUP-HB-GY(AS)

SU-C-HUP-HB-BK(AS)

Features



3D Adjustable Headrest Adjustable headrest up and down to 53mm. Forward/backward 135° and 110° rotation.



Adjustable Seat Move back and forth within the range of 50mm and adjust the height within a range of 80mm.



Multi Locking System Multi locking position & height adjustment for better seating posture.



3D Armrest Move back and forth within the range of 30mm. Adjust the height within the range of 100mm. Move left and right within the range of 20mm

Material Colours

Twin-Wire Fabric / Back Net







H2

Inspired by the bridge pose of yoga, H2 bifma certified ergonomic chair ingeniously embraces a 3D dynamic dual-back to relieve the pressure felt by your lumbar region, and help you maintain the right sitting posture throughout working hours.







96

Model Range



SU-C-H2-HB-WH-CNL-AS

SU-C-H2-HB-BK-CNL-AS

Features



3D Adjustable Headrest Adjustable headrest up and down to 53mm. Forward/backward 135° and 110° rotation.



3D Lumbar Support lumbar support allows edgeless gear transition to accommodate different working modes.



Multi Locking System



Multi locking position & height adjustment for better seating posture. 4D armrest with lorward and backward 40mm, left and rightward 15°. Come with up/down 83mm and 30° rotation.

4D Armrest

Material Colours

Backrest / Headrest















CW-HY21B CW-HY30B CW-HY80B CW-HY10B CW-AP21 CW-AP27

Seat / Footrest



























Fabric

The One	100
	104
Think	108
Гуру	

The One

THE ONE is an executive chair featuring all-around comfort to your body. It is scientifically and efficiently designed to assure soft support and spinal alignment. Hidden lumbar support, self-loaded synchronous tilting mechanism as well as durable fabric brings you unparalleled sitting experience.





Fabric Model Range



Features



Multi locking position & adjustable height mechanisms.



Multi-locking position and adjustable height for better postures.



Multi Locking Position & Height Adjustable for better seating posture



Nylon High Leg Base Sleek nylon high leg base designed to withstand heavy loads of up to 300 pounds with greater stability base.

Colours





















GA050

Easy

Easy Fabric Chair encourages natural posture, keeping you comfortable for long work sessions. And simple controls give you the freedom to adjust your position so you can stay focused and energized throughout the day. Intuitively fine stitching workmanship, the streamlined height adjustments and 1 locking position to make your perfect seat.



Features



Model Range



Features



Adjustable Headrest Adjustable headrest up to 220mm range.



Backrest Support Breathable mesh material made for durability & extreme stretching limit.



Multi Locking System Multi locking position & height adjustment for better seating posture.



Polypropylene Armrest Uniquely shaped polypropylene armrest for a clean, minimal look.

Colours









GA027













GA950

Think

The sleek Think office chair reponds to the movement of the body to provide comfort. Redesigned and Re-Engineered to be smarter, simpler, and more sustainable, THINK is the embodiment of work efficiency.





Fabric Model Range



Features



Flexible Backrest

Multi locking position & adjustable
height mechanisms.



Polypropylene Armrest Uniquely shaped polypropylene armrest for a clean, minimal look.



Multi Locking Position & Height Adjustable for better seating posture



Nylon High Leg Base
Sleek nylon high leg base designed to
withstand heavy loads of up to 300
pounds with greater stability base.

Colours









GA027













Туру

Typy offers multi-purpose use to a wide range area, from management offices to workplace areas. It is a simple solution that provides extra comfort and flexible sitting.



Features

Dynamic adjustable Backrest Dynamic adjustable double locking position backrest litted with height and tension adjustment levers. The best position for ergonomical use is about 90o with said position locked or adjusted to low tension Polypropylene Armrest Uniquely shaped polypropylene armrest for a clean, minimal look. **Back Frame** Versatile back frame centre cover designed to move with the flow of your body and acts as secondary support element. Multi-Locking Position & Height Adjustment Multi locking position & height adjustment for better seating posture. Polypropylene Leg base Polypropylene high leg base designed to withstand heavy loads of up to 200 pounds with greater stability base.

Model Range

Standard Legbase



Drafting Legbase



Norm 1

Norm chair features super soft upholstery and synchronised motion tilt. The chair blends modern contemporary with aesthetic designs of the new millennium.









119

GA050 GA950

Norm 2

Norm chair features super soft upholstery and synchronised motion tilt. The chair blends modern contemporary with aesthetic designs of the new millennium.









123

GA050

GA950

Werk

Featuring a large high density moulded foam seat, the Werk office stool is an ideal addition to workspaces. With a adjustable seat height and an optional architectural gas lift, this versatile stool is a popular choice for students, laboratories and healthcare professionals. Or used as an architectural drafting stool.



Features

Model Range

Werk 1



Werk 2





Education

Samu

Jumping out of the ocean, the whale, with its dynamic silhouette, is the muse to its design team—Favaretto & Partner, a renowned Italian design studio. With whale as its prototype, SAMU adds a natural flair to modern office. This creative design has also captured the silver award at 2018 A'Design Award & Competition, bravol













Product Material



Chessy

Chessy, with its flexible silhouette, swinging left and right, back and forth, sparks creative ideas all day ong, no matter during discussion or in routine work.







136





Plastic PV Material / Color of Seat Shell

Knitted Material of Seat Cover / Color of Seat



Plis

A "multi-use chair" can save enterprise furniture purchase cost and maintain unified brand image. Triggering creativity, beautifying the space, improve the enterprise image and reducing cost, Plis is developed to meet these needs.







Material





Elmo

Elmo allows you to furnish many spaces with a breadth of seating choices, including conference chairs, stacking chairs, training chairs, staff chairs and stools. They are shaped and contoured for comfort as well as a casual aesthetic, compatible with meeting, reception, dining, training and relaxing spaces.





























GA050 GA950

Octa

The Octa is a flexible and stackable design that will catch your eye with its sleek and modern appearance. Because to applied ergonomics, the backrest stretches at a scientific angle that closely fits your spine.







Mesh Colours













BY1

The BY1 chair is a modern, cantilever-based design that ensures the comfort of users. Its unicolor polypropylene body enhances the simplicity of the chair and allows it to adapt easily to any environment. Body and leg frame available in black and white monotone colors.







Frame Colours







WHITE


Linc

The LINC chair is a modern and attractive design that has an appealing, slim backrest. LINC chair is designed to make the most of your space. The simple shape, striking color, and durable material ensure it's a chair that fits in any room. Body and seater are available in multiple colors to fit everyone's mood.









Lite

Our multi-purpose Lite chairs are built with elegant simplicity in mind. The form of our LITE chairs is smart and functional, providing comfort with a contemporary style. This series comes with four vivid yet muted colours for your selection.







Colours











Lux

Bar stools in the LUX series offer cushiony comfort and many cover options, like this one in an elegant grey. After full day in your workspace, This is the one you need the most in a relaxing area seating.



Features

Backrest Frame

Durable reinforced die-cast body material that can withstand heavy loads of up to 150 pounds.



Comfort Seater

Uniquely shaped cushion seater designed for better seat fitment and comfort.

Die-cast Leg base

Durable die-cast leg frame comes with leg rest and rubber stopper for a better stability and floor grip.

C-LUX-01

Settee

D series-D2

D-Series is a revolutionary sofa product creating an innovative and diverse office environment. D-series includes screens, sofa, training system, lounge sofa. With its modular units, various spaces can be formed to include working, training communication, resting, conferences.







Colours



D series-D3

D-Series is a revolutionary sofa product creating an innovative and diverse office environment. D-series includes screens, sofa, training system, lounge sofa. With its modular units, various spaces can be formed to include working, training communication, resting, conferences.











SG33.1.YR W780°D730*H750(mm)



SG34.1.MR W780*D770*H940(mm)



SG34:1.YR W780*D770*H940(mm)



SG35.1.MR W780*D820*H1130(mm)



SG35.1.YR W780*D820*H1130(mm)



SG36.1.MR W780*D730*H740(mm)



SG36.1.YR W780*D730*H740(mm)

Colours





SM-SF



TP-NP



Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.

Tetris

Tetris is a sofa endowed with modern aesthetics and a pleasing capability for flexible combinations. It has a bright appearance and is a showcase of good taste. Furthermore, it's the embodiment of modularity, with options to suit any space.







ST90.1.MR/CN W1060*D1000*H780(mm)



ST91.RA,MR/CN W1080*D1000*H780(mm) ST90.RA.MR/CN W830*D1000*H780(mm)



ST91.LA.MR/CN W1080*D1000*H780(mm) ST90.LA.MR/CN W830*D*000*H780(mm)



ST90.NA.MR/CN W600*D1000*H780(mm)



ST92.Z.MR/CN W1000*D1000*H780(mm)



ST93.1.MR/CN W1000*D1000*H430(mm)



ST94.1.MR/CN W1000*D1000*H660(mm)

180



ST96.P.MR W400*D400(mm)



T195.098037



ST95.T.MR/CN

Colours



SM-SF29B SM-SF27B











W-24B W-29B

Colours









SM-SU29B








Ducky

Ducky training room chairs' ergonomic structure supports the passion and vitality of your day, whilethree kinds of legs--wood leg, 4-star metal leg, and refined steel cube leg cater for both home leisure and office environment. Inspired by the shape of Donald Duck's, the chair is cute and creative, and will add a lively accent to the office.









CDK17MS









CDK13G5 W485*D510*H755(mm)



CDK15GS W460*D495*H770(mm)



CDK16GS W460*D500*H810(mm)



SD30,1.MR/YR/HF.M W500°D560°H780/mm)



SD30.1MR/YR/HF.G W530*0560*H780(mm)



W500*D560*H780(mm)





SD30.1.MR/YR/HF.S



SD31.1.MR/YR/HEM



SD31.1.MR/YR/HF.G



SD33.1.MR/YR/HF.K W770*D560*H7B0(mm)



SD33.1.MR/YR/HF.M W730*D580*H780(mm)



SD33,1MR/YR/HF.G W770*D560*H780(mm)



W530*D560*H1080(mm)



SD32.1MR/YR/HF.G W520*0560*H1080(mm)



W460°D480'H935(mm)



W525*D525*H935(mm)



W480'D495"H835(mm)

Colours

















Fabric













186



Colours



Eabric









Houndstooth pattern











Plastic Framed (custom colors)



Chair Cover





Parts



187

TM-VI908 TM-VI828 TM-VI818 TM-VI648 TM-VI908 TM-VI218 TM-VI108 TM-VI108 TM-VI308 TM-VI308 TM-VI298 TM-VI278

- Screws
 Black / White steel leg with caster
 Four-star leg with caster

Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.

UU

The U-shaped contour o.ers an idyllic sense of cosiness. Its shape looks like a pistachio shell, or a mouth wide open, laughing out loud. A feeling of welcome and amiability is apparent right from the first glance. From now on, start your day with a smile.











SU30.1.HF W780*D810*H860(mm)



SU30.1.MR W780*D810*H860(mm)

Colours

Back (cushion side)/Seat (cushion side)/Seat (leather frame side)/Pillow





Back (cushion side)/Seat (cushion side)/Seat (leather frame side)/Pillow (fixed collocation)



UY

Inspired by the beautiful shape of the calla lily, UY sofa embraces a unique Y-shaped style and gives off an aura of warmness. It's not only pleasing to the eye, but also a snuggery bringing comfort both mentally and physically.













SU34.1.MR W940*D900*H1040(mm)

SU33.1,MR W940'D840"H800(mm)

SU34.1.MR(SU) W940*D900*H1040(mm)

SU33.1.MR(SU) W940*D840*H800(mm)

Colours

Seat (cushion side)/Seat (leather frame side)







SM-SR27H SM-SR30H SM-SR35H SM-SR70H TP-PV2TH







Seat (leather frame side)















TP-PV13H

UD

The classic D-shape is UD's elegant silhoue.e. An unclu. ered seat and smooth back give UD a sleek appearance, thereby promoting an elegant and attractive atmosphere. This is a comfortable and graceful choice for any space, an unexpected solution to increasing visual appeal in contemporary office environments.

Awards

2020 IF DESIGN AWARD Winner

2020 German Design Award Winner

2019 Good Design Award Winner

















SU31.1.MR W740*D710*H740(mm)

Colours

Armrest/Back/Seat







UC

The C-shaped UC chair is reminiscent of the swings that we used to play on when young, and also of those carefree times of childhood. Sitting on it, your body and mind become fully relaxed. It is a lounge chair with a fluffy cushion, bringing you a sense of comfort and cosiness.










SU32.1.MR W720*D860*H830(mm)

SU32.1.MR W720*D860*H830(mm)



UF

UF gets its inspiration from the sailboat and integraves the raising and lowering of the sail into its design. Our aim is to inject a surge of freshness into your office life and to help you to brave the wind and waves in your career.







CUF10GM W760*D600*H805(mm)



Koli

This high and low mini stool series offers variants of pentagon stool, polygonal stool, medium length stool, and long length stool. The Koli series comes with six types of fabrics including Jasper, Alexandra, Brute, Exotica, Vintage, and Link.





Model

CH-KOLI-01-H 700W x 630D x 600H mm



CH-KOLI-02-L 570W x 470D x 455H mm



CH-KOLI-03

CH-KOLI-01-L



570W x 470D x 455H mm

1030W x 470D x 455H mm



570W x 470D x 600H mm

CH-KOLI-02-H

CH-KOLI-04 1540W x 470D x 455H mm







Sthul

This high and low mini stool series offers variants of hexagon stool, cone cylinder stool, cylinder stool, square stool, large bubble stool, and large soap stool. The Sthul series comes with six types of fabrics including Jasper, Alexandra, Brute, Exotica, Vintage, and Link.





Model

CH-STH-01-H 520W x 460D x 600H mm



CH-STH-02-L 470W x 470D x 455H mm

CH-STH-04-H

460W x 460D x 600H mm



CH-STH-01-L

CH-STH-03-H 470W x 470D x 600H mm

520W x 460D x 455H mm



CH-STH-C4-L





CH-STH-02-H 470W x 470D x 600H mm



CH-STH-03-L 470W x 470D x 455H mm





CH-STH-05 1200W x 630D x 455H mm



CH-STH-06 1070W x 1030D x 455H mm




Snakex

The Snake settee serieries is a reliablique curve designed for multi-pualternate sitting tions and comes with multiple chy work habit materials and colours including ation are enhalra, Brute, Exotica, Vintage, and Losition frequent







Features





Multiple choice of confortable fabric material colours

Unique curve designed for multi-purpose combinations

Spark

The SPARK settee series comes with multiple choices of comfortable fabric materials and colours that you can pick to complement your decor. This series comes with unique designs for multiple combinations without taking up too much space.




Setting Series

Spark with Steel Leg



1 Seater





Setting Series

Spark without Steel Leg








Combi

COMBI is a sofa endowed with modern aesthetics and a pleasing capability for flexible combinations. It has a bright appearance and is a showcase of good taste. Furthermore, it's the embodiment of modularity, with options to suit any space.





Model

CH-COMBI-01(R)
990W x 660D x 760H mm

CH-COMBI-01(L)
990W x 660D x 760H mm

CH-COMBI-02
990W x 660C x 420H mm

CH-COMBI-03
660W x 660D x 420H mm

CH-COMBI-05
660W x 330D x 420H mm


CH-COMBI-05
660W x 330D x 420H mm

Tang

TANG can be used independently, or, as in the game COMBI, put together to form different shapes. There are always more possibilities than you can think of. With a wealth of imagination and creativity, you can make flexible arrangements to meet specific needs.



























BG10592









AS16

AS16 Series is an embodiment of classical architecture integrated with modern aesthetics, catering to the taste of modern executives. Besides, the AS16 Series is perfectly upholstered to give it a plump touch, always preparing to indulge you in a warm hug.





Model

CH-AS16-1 875W x 788D x 685H mm CH-AS16-2 875W x 1435D x 685H mm CH-A\$16-3 875W x 2000D x 685H mm







Material Fabric Colours

Colours






















Public + Bench


Flying 2 Linko 2

Flying

With its ergonomic profile, back-wrapping support, and human-centered configuration, Flying provides comfort for extended periods of time, making waiting away from anxiety.







Linko

The Linko Series Bench works great in public spaces like clinics, airports and consulting rooms where robust seating is needed. The benches are suitable for indoor and outdoor use (under cover) and are ideal for coastal areas.







Model CH-LINKO-3S CH-LINKO-4S 1750W x 6800 x 773H mm 2298W x 6800 x 773H mm

Group 1 Jasper Group 2 Alexandra Brute



Technical Specification

Mesh

Lino



The One



Klue

Grey Frame



Klue Black Frame



Dang



Nuk



Executive

Space



Long



Nuvo 1




Nuvo 2





Congo Aluminium Armrest




Congo Padded Armrest




Lugo Aluminium Armrest



Filo Padded Armrest



Filo Aluminium Armrest



Primo



Boss 1 Aluminium Armrest



Boss 2 Aluminium Armrest




Boss 3 Aluminium Armrest



Norm 1












W2F.









CH-STH-01-L CH-KOLI-02-H 50 CH-STH-02-H CH-KOLI-02-L CH-STH-02-L CH-KOLI-02-L 1000 CH-STH-03-H CH-KOLI-04 Sthul CH-STH-03-L CH-STH-01-H

CH-STH-04-H



CH-STH-04-L



CH-STH-05



CH-STH-06




Snake

CH-SNK-01




CH-SNK-02




CH-SNK-03




Linko Specification Linko 3S.



Linko 4S.



CONTACT US



- https://www.dynamx.biz
- admin@dynamx.biz
- SS-10-16, Stellar Business Suites, Bandar Puteri Puchong

